

Data Path : Z:\HPCHEM1\BNA M\DATA\BM031317\  
 Data File : BM009250.D  
 Acq On : 14 Mar 2017 11:46  
 Operator : SJ/MA  
 Sample : I2235-01  
 Misc :  
 ALS Vial : 33 Sample Multiplier: 1

Instrument :  
 BNA\_M  
 ClientSampleId :  
 C0BD8

Quant Time: Mar 15 01:52:32 2017  
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-2016\SOM-EPA-BM031317MA.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Wed Mar 15 01:51:24 2017  
 Response via : Initial Calibration

| Internal Standards        | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|---------------------------|-------|------|----------|-------|-------|----------|
| 1) 1,4-Dichlorobenzene-d4 | 7.88  | 152  | 120839   | 20.00 | ng/ul | 0.00     |
| 18) Naphthalene-d8        | 10.67 | 136  | 546334   | 20.00 | ng/ul | 0.00     |
| 35) Acenaphthene-d10      | 14.52 | 164  | 403011   | 20.00 | ng/ul | 0.00     |
| 61) Phenanthrene-d10      | 17.27 | 188  | 1082740  | 20.00 | ng/ul | 0.00     |
| 77) Chrysene-d12          | 21.44 | 240  | 1593976  | 20.00 | ng/ul | 0.00     |
| 85) Perylene-d12          | 23.78 | 264  | 1595764  | 20.00 | ng/ul | 0.00     |

| System Monitoring Compounds    | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|--------------------------------|-------|------|----------|-------|-------|----------|
| 3) 1,4-Dioxane-d8              | 3.34  | 96   | 14965    | 5.45  | ng/uL | 0.00     |
| 5) Phenol-d5                   | 7.03  | 99   | 69564    | 5.32  | ng/ul | 0.00     |
| 7) Bis-(2-Chloroethyl)ether-d  | 7.21  | 67   | 269122   | 31.61 | ng/ul | 0.00     |
| 9) 2-Chlorophenol-d4           | 7.40  | 132  | 193270   | 24.19 | ng/ul | 0.00     |
| 13) 4-Methylphenol-d8          | 8.57  | 113  | 142804   | 13.69 | ng/ul | 0.00     |
| 19) Nitrobenzene-d5            | 9.05  | 128  | 136385   | 34.96 | ng/ul | 0.00     |
| 22) 2-Nitrophenol-d4           | 9.76  | 143  | 147733   | 34.11 | ng/ul | 0.00     |
| 26) 2,4-Dichlorophenol-d3      | 10.29 | 165  | 264905   | 28.64 | ng/ul | 0.00     |
| 29) 4-Chloroaniline-d4         | 10.82 | 131  | 723      | 0.07  | ng/ul | 0.00     |
| 43) Dimethylphthalate-d6       | 13.92 | 166  | 1211776  | 39.59 | ng/ul | 0.00     |
| 46) Acenaphthylene-d8          | 14.21 | 160  | 1375173  | 39.07 | ng/ul | 0.00     |
| 51) 4-Nitrophenol-d4           | 14.72 | 143  | 32024    | 5.27  | ng/ul | 0.00     |
| 57) Fluorene-d10               | 15.51 | 176  | 1066545  | 39.05 | ng/ul | 0.00     |
| 62) 4,6-Dinitro-2-methylphenol | 15.63 | 200  | 192491   | 29.72 | ng/ul | 0.00     |
| 70) Anthracene-d10             | 17.36 | 188  | 1850471  | 36.11 | ng/ul | 0.00     |
| 78) Pyrene-d10                 | 19.66 | 212  | 2335825  | 36.31 | ng/ul | 0.00     |
| 89) Benzo(a)pyrene-d12         | 23.63 | 264  | 2624806  | 35.95 | ng/ul | 0.00     |

| Target Compounds | Ovalue |
|------------------|--------|
|------------------|--------|

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM031317\  
Data File : BM009250.D  
Acq On : 14 Mar 2017 11:46  
Operator : SJ/MA  
Sample : I2235-01  
Misc :  
ALS Vial : 33 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
C0BD8

Quant Time: Mar 15 01:52:32 2017  
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-2016\SOM-EPA-BM031317MA.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Wed Mar 15 01:51:24 2017  
Response via : Initial Calibration

