

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM031319\
 Data File : BM019145.D
 Acq On : 13 Mar 2019 14:37
 Operator : JU/SJ
 Sample : K1824-01
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 TP-24

Quant Time: Mar 14 06:53:51 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM031119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 11 17:30:46 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.66	152	206073	20.00	ng	0.00
21) Naphthalene-d8	10.45	136	848117	20.00	ng	0.00
39) Acenaphthene-d10	14.31	164	571325	20.00	ng	-0.01
64) Phenanthrene-d10	17.07	188	1390614	20.00	ng	0.00
76) Chrysene-d12	21.27	240	1338806	20.00	ng	0.00
87) Perylene-d12	23.50	264	1168496	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.26	112	1728681	135.85	ng	0.00
7) Phenol-d6	6.85	99	2575005	138.35	ng	0.00
23) Nitrobenzene-d5	8.83	82	1542869	85.99	ng	0.00
42) 2,4,6-Tribromophenol	15.82	330	1259537	149.32	ng	0.00
45) 2-Fluorobiphenyl	12.93	172	3469118	78.98	ng	0.00
79) Terphenyl-d14	19.70	244	6004784	89.04	ng	0.00
Target Compounds						
10) Phenol	6.87	94	136293	6.795	ng	93
50) Dimethylphthalate	13.78	163	368080	7.531	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM031319\
Data File : BM019145.D
Acq On : 13 Mar 2019 14:37
Operator : JU/SJ
Sample : K1824-01
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
TP-24

Quant Time: Mar 14 06:53:51 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM031119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 11 17:30:46 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.66 min Scan# 794
Delta R.T. -0.01 min
Lab File: BM019145.D
Acq: 13 Mar 2019 14:37

Instrument :
BNA_M
ClientSampleId :
TP-24

Tot Ion:152 Resp: 206073
Ion Ratio Lower Upper
152 100
150 153.8 125.3 187.9
115 62.5 49.4 74.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 135.853 ng
RT: 5.26 min Scan# 386
Delta R.T. -0.00 min
Lab File: BM019145.D
Acq: 13 Mar 2019 14:37

Tgt Ion:112 Resp: 1728681
Ion Ratio Lower Upper
112 100
64 63.9 51.4 77.0
63 32.7 26.6 40.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 138.349 ng

RT: 6.85 min Scan# 656

Delta R.T. -0.00 min

Lab File: BM019145.D

Acq: 13 Mar 2019 14:37

Instrument :


BNA_M

ClientSampleId :

TP-24

Tot Ion: 99 Resp: 2575005

Ion	Ratio	Lower	Upper
99	100		
42	13.5	10.9	16.3
71	37.9	30.3	45.5



Abundance



Ion 99.00 (98.70 to 99.70): BM019145.D (-639) (-)

Ion 42.00 (41.70 to 42.70): BM019145.D (-639) (-)

Ion 71.00 (70.70 to 71.70): BM019145.D (-639) (-)

6.85

Time-->



#10

Phenol

Concen: 6.795 ng

RT: 6.87 min Scan# 660


Delta R.T. -0.00 min

Lab File: BM019145.D

Acq: 13 Mar 2019 14:37

Tgt Ion: 94 Resp: 136293

Ion	Ratio	Lower	Upper
94	100		
65	31.4	9.7	49.7
66	44.7	19.2	59.2



Abundance


Ion 94.00 (93.70 to 94.70): BM019145.D (-643) (-)


Ion 65.00 (64.70 to 65.70): BM019145.D (-643) (-)

Ion 66.00 (65.70 to 66.70): BM019145.D (-643) (-)

6.87

Time-->









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.45 min Scan# 1268
Delta R.T. -0.01 min
Lab File: BM019145.D
Acq: 13 Mar 2019 14:37

Instrument :
BNA_M
ClientSampleId :
TP-24

Tot Ion:136	Resp:	848117
Ion Ratio	Lower	Upper
136 100		
137 11.1	8.6	13.0
54 6.9	5.2	7.8
68 7.2	5.8	8.8




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BM
Ion 68.00 (67.70 to 68.70): BM






#23
Nitrobenzene-d5
Concen: 85.992 ng
RT: 8.83 min Scan# 993
Delta R.T. -0.01 min
Lab File: BM019145.D
Acq: 13 Mar 2019 14:37

Tgt Ion: 82	Resp: 1542869
Ion Ratio	Lower Upper
82 100	
128 36.9	29.4 44.2
54 37.1	29.9 44.9



Abundance Ion 82.00 (81.70 to 82.70): BM
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BM





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.31 min Scan# 1925

Delta R.T. -0.01 min

Lab File: BM019145.D

Acq: 13 Mar 2019 14:37

Instrument :

BNA_M

ClientSampleId :

TP-24





Tot Ion:164 Resp: 571325

Ion Ratio Lower Upper

164 100

162 105.1 83.5 125.3

160 45.9 36.3 54.5



#42

2,4,6-Tribromophenol

Concen: 149.315 ng

RT: 15.82 min Scan# 2181

Delta R.T. -0.01 min

Lab File: BM019145.D

Acq: 13 Mar 2019 14:37




Tgt Ion:330 Resp: 1259537


Ion Ratio Lower Upper

330 100

332 95.9 76.8 115.2

141 32.9 27.0 40.4









#45
2-Fluorobiphenyl
Concen: 78.983 ng
RT: 12.93 min Scan# 1690
Delta R.T. -0.01 min
Lab File: BM019145.D
Acq: 13 Mar 2019 14:37




Instrument :
BNA_M
ClientSampleId :
TP-24


Tot Ion:172 Resp: 3469118
Ion Ratio Lower Upper
172 100
171 36.2 28.6 42.8
170 23.7 18.6 28.0



#50
Dimethylphthalate
Concen: 7.531 ng
RT: 13.78 min Scan# 1835
Delta R.T. -0.01 min
Lab File: BM019145.D
Acq: 13 Mar 2019 14:37

Tgt Ion:163 Resp: 368080
Ion Ratio Lower Upper
163 100
194 3.9 3.3 4.9
164 10.5 7.7 11.5









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.07 min Scan# 2394
Delta R.T. -0.01 min
Lab File: BM019145.D
Acq: 13 Mar 2019 14:37




Instrument :
BNA_M
ClientSampleId :
TP-24


Tot Ion:188 Resp: 1390614
Ion Ratio Lower Upper
188 100
94 10.1 8.1 12.1
80 12.1 9.7 14.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.27 min Scan# 3108
Delta R.T. -0.01 min
Lab File: BM019145.D
Acq: 13 Mar 2019 14:37

Tgt Ion:240 Resp: 1338806
Ion Ratio Lower Upper
240 100
120 10.0 8.9 13.3
236 25.8 21.0 31.4





#79

Terphenyl-d14

Concen: 89.041 ng

RT: 19.70 min Scan# 2842

Delta R.T. -0.01 min

Lab File: BM019145.D

Acq: 13 Mar 2019 14:37

Instrument :

BNA_M

ClientSampleId :

TP-24


Tot Ion:244 Resp: 6004784

Ion Ratio Lower Upper




244 100

212 6.7 5.4 8.2

122 11.7 9.4 14.2



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.50 min Scan# 3488

Delta R.T. -0.01 min

Lab File: BM019145.D

Acq: 13 Mar 2019 14:37


Tgt Ion:264 Resp: 1168496

Ion Ratio Lower Upper

264 100

260 23.7 18.6 28.0

265 21.9 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

