

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM031516\
 Data File : BM004618.D
 Acq On : 16 Mar 2016 03:59
 Operator : UM/SJ
 Sample : H1779-10
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BCA08

Quant Time: Mar 16 07:29:33 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM031516.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Mar 16 07:32:20 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.85	152	73931	20.00	ng/ul	0.00
18) Naphthalene-d8	10.63	136	318667	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.47	164	174545	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.22	188	377077	20.00	ng/ul	0.00
78) Chrysene-d12	21.40	240	432351	20.00	ng/ul	0.00
86) Perylene-d12	23.70	264	428386	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.33	96	8624	4.02	ng/uL	0.00
5) Phenol-d5	7.00	99	171028	28.16	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.18	67	101510	29.48	ng/ul	0.00
9) 2-Chlorophenol-d4	7.38	132	138900	28.40	ng/ul	0.00
13) 4-Methylphenol-d8	8.54	113	135768	27.72	ng/ul	0.00
19) Nitrobenzene-d5	9.00	128	60319	27.22	ng/ul	0.00
22) 2-Nitrophenol-d4	9.72	143	64980	27.15	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.25	165	128134	27.29	ng/ul	0.00
29) 4-Chloroaniline-d4	10.77	131	182255	32.44	ng/ul	0.00
44) Dimethylphthalate-d6	13.89	166	385317	28.24	ng/ul	0.00
47) Acenaphthylene-d8	14.17	160	487021	29.11	ng/ul	0.00
52) 4-Nitrophenol-d4	14.66	143	58208	22.07	ng/ul	0.00
58) Fluorene-d10	15.47	176	352903	29.67	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.58	200	36016	18.17	ng/ul	0.00
71) Anthracene-d10	17.32	188	539945	31.10	ng/ul	0.00
79) Pyrene-d10	19.61	212	611727	31.00	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.55	264	657866	34.38	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
45) Dimethylphthalate	13.93	163	121817	8.79	ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM031516\
Data File : BM004618.D
Acq On : 16 Mar 2016 03:59
Operator : UM/SJ
Sample : H1779-10
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BCA08

Quant Time: Mar 16 07:29:33 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM031516.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Mar 16 07:32:20 2016
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 8.79 ng/ul

RT: 13.93 min Scan# 1912

Delta R.T. 0.00 min

Lab File: BM004618.D

Acq: 16 Mar 2016 03:59

Instrument :

BNA_M

ClientSampleId :

BCA08


Tgt Ion:163 Resp: 121817

Ion Ratio Lower Upper

163 100

194 4.0 3.2 4.8

164 10.0 7.8 11.8



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

