

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM031522\
 Data File : BM034245.D
 Acq On : 15 Mar 2022 18:22
 Operator : CG/JU
 Sample : SSTDICC050
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SSTDICC050

Quant Time: Mar 16 01:43:46 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM031522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 16 01:41:28 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.948	152	231135	20.000	ng	0.00
21) Naphthalene-d8	10.766	136	993365	20.000	ng	0.00
39) Acenaphthene-d10	14.595	164	642750	20.000	ng	0.00
64) Phenanthrene-d10	17.330	188	1276707	20.000	ng	0.00
76) Chrysene-d12	21.500	240	972802	20.000	ng	0.00
86) Perylene-d12	23.912	264	813905	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.501	112	1268809	97.856	ng	0.00
7) Phenol-d6	7.113	99	1917828	112.639	ng	0.00
23) Nitrobenzene-d5	9.119	82	2033336	110.463	ng	0.00
42) 2,4,6-Tribromophenol	16.077	330	888067	113.842	ng	0.00
45) 2-Fluorobiphenyl	13.225	172	4668892	96.777	ng	0.00
79) Terphenyl-d14	19.948	244	6300984	112.789	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.355	88	266561	53.472	ng	98
3) Pyridine	3.760	79	759104	54.203	ng	99
4) n-Nitrosodimethylamine	3.672	42	354913	50.663	ng	100
6) Aniline	7.272	93	1081624	57.491	ng	99
8) 2-Chlorophenol	7.513	128	763886	52.661	ng	100
9) Benzaldehyde	7.078	77	476472	49.849	ng	98
10) Phenol	7.137	94	945012	56.429	ng	99
11) bis(2-Chloroethyl)ether	7.372	93	751252	56.220	ng	99
12) 1,3-Dichlorobenzene	7.843	146	826205	48.455	ng	99
13) 1,4-Dichlorobenzene	7.984	146	849657	48.753	ng	99
14) 1,2-Dichlorobenzene	8.307	146	839940	49.381	ng	99
15) Benzyl Alcohol	8.190	79	786004	59.867	ng	98
16) 2,2'-oxybis(1-Chloropr...	8.490	45	1010532	56.875	ng	98
17) 2-Methylphenol	8.395	107	665398	56.409	ng	98
18) Hexachloroethane	9.042	117	319624	53.588	ng	97
19) n-Nitroso-di-n-propyla...	8.772	70	685387	62.279	ng	99
20) 3+4-Methylphenols	8.731	107	935208	57.417	ng	100
22) Acetophenone	8.778	105	1268649	52.873	ng	# 99
24) Nitrobenzene	9.160	77	941528	54.942	ng	98
25) Isophorone	9.689	82	1718483	57.837	ng	99
26) 2-Nitrophenol	9.872	139	448126	55.500	ng	99
27) 2,4-Dimethylphenol	9.936	122	667987	51.206	ng	99
28) bis(2-Chloroethoxy)met...	10.172	93	1084601	53.985	ng	100
29) 2,4-Dichlorophenol	10.407	162	780904	48.416	ng	98
30) 1,2,4-Trichlorobenzene	10.631	180	853354	45.068	ng	99
31) Naphthalene	10.819	128	2536358	49.697	ng	99
32) Benzoic acid	10.107	122	587074	59.423	ng	98
33) 4-Chloroaniline	10.919	127	1044707	49.994	ng	99
34) Hexachlorobutadiene	11.113	225	535039	44.472	ng	99
35) Caprolactam	11.725	113	277187	85.253	ng	94
36) 4-Chloro-3-methylphenol	12.048	107	901842	56.785	ng	98
37) 2-Methylnaphthalene	12.425	142	1843902	49.521	ng	98
38) 1-Methylnaphthalene	12.642	142	1796869	49.494	ng	98
40) 1,2,4,5-Tetrachloroben...	12.795	216	967840	47.098	ng	100
41) Hexachlorocyclopentadiene	12.777	237	587760	48.964	ng	99
43) 2,4,6-Trichlorophenol	13.030	196	695191	53.498	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM031522\
 Data File : BM034245.D
 Acq On : 15 Mar 2022 18:22
 Operator : CG/JU
 Sample : SSTDICC050
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SSTDICC050


Quant Time: Mar 16 01:43:46 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM031522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 16 01:41:28 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	13.101	196	739531	56.021	ng	98
46) 1,1'-Biphenyl	13.430	154	2437883	49.642	ng	100
47) 2-Chloronaphthalene	13.472	162	1873247	48.851	ng	98
48) 2-Nitroaniline	13.672	65	611471	67.145	ng	99
49) Acenaphthylene	14.319	152	2962933	51.558	ng	100
50) Dimethylphthalate	14.054	163	2420778	50.801	ng	100
51) 2,6-Dinitrotoluene	14.166	165	513132	54.419	ng	97
52) Acenaphthene	14.660	154	1825833	48.082	ng	99
53) 3-Nitroaniline	14.495	138	531750	56.381	ng	98
54) 2,4-Dinitrophenol	14.695	184	318054	68.112	ng	98
55) Dibenzofuran	14.989	168	2902168	48.928	ng	99
56) 4-Nitrophenol	14.795	139	423642	55.572	ng	99
57) 2,4-Dinitrotoluene	14.948	165	698104	56.933	ng	97
58) Fluorene	15.636	166	2390622	50.137	ng	99
59) 2,3,4,6-Tetrachlorophenol	15.213	232	646552	50.001	ng	99
60) Diethylphthalate	15.413	149	2521034	52.907	ng	99
61) 4-Chlorophenyl-phenyle...	15.630	204	1214517	47.564	ng	98
62) 4-Nitroaniline	15.654	138	509324	52.036	ng	98
63) Azobenzene	15.924	77	2418513	58.429	ng	98
65) 4,6-Dinitro-2-methylph...	15.713	198	451938	60.393	ng	99
66) n-Nitrosodiphenylamine	15.842	169	2054029	51.389	ng	99
67) 4-Bromophenyl-phenylether	16.524	248	744863	51.646	ng	97
68) Hexachlorobenzene	16.642	284	813373	48.946	ng	99
69) Atrazine	16.795	200	657273	49.711	ng	99
70) Pentachlorophenol	16.983	266	541220	53.911	ng	98
71) Phenanthrene	17.377	178	3545307	50.062	ng	100
72) Anthracene	17.465	178	3505267	50.862	ng	99
73) Carbazole	17.730	167	3236332	49.874	ng	99
74) Di-n-butylphthalate	18.301	149	4122027	55.842	ng	99
75) Fluoranthene	19.383	202	3827004	49.187	ng	99
77) Benzidine	19.559	184	833862	46.027	ng	99
78) Pyrene	19.742	202	3901914	58.403	ng	100
80) Butylbenzylphthalate	20.636	149	1625781	63.903	ng	99
81) Benzo(a)anthracene	21.483	228	3105209	49.058	ng	100
82) 3,3'-Dichlorobenzidine	21.412	252	1037801	48.548	ng	100
83) Chrysene	21.542	228	3075583	50.867	ng	100
84) Bis(2-ethylhexyl)phtha...	21.412	149	2274657	58.529	ng	99
85) Di-n-octyl phthalate	22.342	149	3329981	54.062	ng	99
87) Indeno(1,2,3-cd)pyrene	26.441	276	2704824	46.744	ng	99
88) Benzo(b)fluoranthene	23.183	252	2572229	50.430	ng	99
89) Benzo(k)fluoranthene	23.230	252	2617578	51.444	ng	99
90) Benzo(a)pyrene	23.812	252	2118173	50.537	ng	99
91) Dibenzo(a,h)anthracene	26.459	278	2193406	45.072	ng	99
92) Benzo(g,h,i)perylene	27.218	276	2266298	48.072	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Mar 16 01:43:46 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM031522.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 16 01:41:28 2022
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.948 min Scan# 80
 Delta R.T. 0.000 min
 Lab File: BM034245.D
 Acq: 15 Mar 2022 18:22




Instrument :
 BNA_M
 ClientSampleId :
 SSTDICC050


Tgt Ion:152 Resp: 231135
 Ion Ratio Lower Upper
 152 100
 150 156.5 125.4 188.2
 115 61.5 50.1 75.1



#2
 1,4-Dioxane
 Concen: 53.472 ng
 RT: 3.355 min Scan# 20
 Delta R.T. 0.000 min
 Lab File: BM034245.D
 Acq: 15 Mar 2022 18:22

Tgt Ion: 88 Resp: 266561
 Ion Ratio Lower Upper
 88 100
 58 73.8 60.4 90.6
 43 30.6 25.4 38.0









#3
 Pyridine
 Concen: 54.203 ng
 RT: 3.760 min Scan# 89
 Delta R.T. -0.006 min
 Lab File: BM034245.D
 Acq: 15 Mar 2022 18:22

Instrument :
 BNA_M
 ClientSampleId :
 SSTDICC050

Tgt Ion: 79 Resp: 759104




Ion	Ratio	Lower	Upper
79	100		
52	70.9	56.1	84.1
51	38.1	30.4	45.6




#4
 n-Nitrosodimethylamine
 Concen: 50.663 ng
 RT: 3.672 min Scan# 74
 Delta R.T. 0.000 min
 Lab File: BM034245.D
 Acq: 15 Mar 2022 18:22

Tgt Ion: 42 Resp: 354913

Ion	Ratio	Lower	Upper
42	100		
74	124.1	99.3	148.9
44	6.1	5.0	7.6









#5
2-Fluorophenol
Concen: 97.856 ng
RT: 5.501 min Scan# 385
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:112 Resp: 1268809
Ion Ratio Lower Upper
112 100
64 60.4 47.9 71.9
63 33.0 27.1 40.7



#6
Aniline
Concen: 57.491 ng
RT: 7.272 min Scan# 686
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Tgt Ion: 93 Resp: 1081624
Ion Ratio Lower Upper
93 100
66 40.7 31.9 47.9
65 20.3 16.2 24.4









#7
Phenol-d6
Concen: 112.639 ng
RT: 7.113 min Scan# 659
Delta R.T. 0.006 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Instrument :
BNA_M
ClientSampleId :
SSTDICC050

Tgt Ion: 99 Resp: 1917828




Ion	Ratio	Lower	Upper
99	100		
42	19.5	15.6	23.4
71	38.3	30.6	46.0




#8
2-Chlorophenol
Concen: 52.661 ng
RT: 7.513 min Scan# 727
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Tgt Ion:128 Resp: 763886

Ion	Ratio	Lower	Upper
128	100		
130	32.5	12.3	52.3
64	47.8	28.1	68.1









#9
Benzaldehyde
Concen: 49.849 ng
RT: 7.078 min Scan# 61
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion: 77 Resp: 476472
Ion Ratio Lower Upper
77 100
105 94.7 73.9 113.9
106 89.7 67.2 107.2



#10
Phenol
Concen: 56.429 ng
RT: 7.137 min Scan# 663
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Tgt Ion: 94 Resp: 945012
Ion Ratio Lower Upper
94 100
65 31.8 10.9 50.9
66 42.4 22.0 62.0









#11
bis(2-Chloroethyl)ether
Concen: 56.220 ng
RT: 7.372 min Scan# 702
Delta R.T. 0.006 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion: 93 Resp: 751252
Ion Ratio Lower Upper
93 100
63 78.4 59.6 99.6
95 33.0 12.6 52.6



#12
1,3-Dichlorobenzene
Concen: 48.455 ng
RT: 7.843 min Scan# 783
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Tgt Ion:146 Resp: 826205
Ion Ratio Lower Upper
146 100
148 64.9 51.8 77.8
75 34.9 27.1 40.7









#13
1,4-Dichlorobenzene
Concen: 48.753 ng
RT: 7.984 min Scan# 807
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:146 Resp: 849657
Ion Ratio Lower Upper
146 100
148 62.6 50.6 76.0
111 42.4 34.0 51.0



#14
1,2-Dichlorobenzene
Concen: 49.381 ng
RT: 8.307 min Scan# 862
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Tgt Ion:146 Resp: 839940
Ion Ratio Lower Upper
146 100
148 64.1 52.2 78.4
111 44.8 35.8 53.8









#15
Benzyl Alcohol
Concen: 59.867 ng
RT: 8.190 min Scan# 842
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion: 79 Resp: 786004
Ion Ratio Lower Upper
79 100
108 70.6 58.1 87.1
77 65.2 51.8 77.6



#16
2,2'-oxybis(1-Chloropropane)
Concen: 56.875 ng
RT: 8.490 min Scan# 893
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Tgt Ion: 45 Resp: 1010532
Ion Ratio Lower Upper
45 100
77 16.2 0.0 35.7
79 12.5 0.0 31.7









#17
2-Methylphenol
Concen: 56.409 ng
RT: 8.395 min Scan# 876
Delta R.T. 0.006 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:107 Resp: 665398
Ion Ratio Lower Upper
107 100
108 111.9 87.3 130.9
77 50.7 41.6 62.4
79 50.1 40.4 60.6



#18
Hexachloroethane
Concen: 53.588 ng
RT: 9.042 min Scan# 987
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Tgt Ion:117 Resp: 319624
Ion Ratio Lower Upper
117 100
119 94.0 77.4 116.0
201 99.2 81.6 122.4









#19
n-Nitroso-di-n-propylamine
Concen: 62.279 ng
RT: 8.772 min Scan# 941
Delta R.T. 0.006 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion: 70 Resp: 685387
Ion Ratio Lower Upper
70 100
42 57.5 46.7 70.1
101 9.9 7.8 11.6
130 21.0 16.6 25.0



#20
3+4-Methylphenols
Concen: 57.417 ng
RT: 8.731 min Scan# 934
Delta R.T. 0.006 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Tgt Ion: 107 Resp: 935208
Ion Ratio Lower Upper
107 100
108 89.7 69.2 109.2
77 36.3 16.5 56.5
79 32.6 12.5 52.5









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.766 min Scan# 1280
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:	136	Resp:	993365
Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.6	13.0
54	8.3	6.2	9.4
68	5.8	4.3	6.5



#22
Acetophenone
Concen: 52.873 ng
RT: 8.778 min Scan# 942
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Tgt Ion:	105	Resp:	1268649
Ion	Ratio	Lower	Upper
105	100		
71	6.5	3.0	4.4#
51	28.6	22.6	33.8
120	21.9	17.5	26.3









#23
Nitrobenzene-d5
Concen: 110.463 ng
RT: 9.119 min Scan# 1000
Delta R.T. 0.006 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion: 82 Resp: 2033336
Ion Ratio Lower Upper
82 100
128 41.1 31.9 47.9
54 50.7 40.6 61.0



#24
Nitrobenzene
Concen: 54.942 ng
RT: 9.160 min Scan# 1007
Delta R.T. 0.006 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Tgt Ion: 77 Resp: 941528
Ion Ratio Lower Upper
77 100
123 43.4 33.3 49.9
65 14.1 11.0 16.4









#25
Isophorone
Concen: 57.837 ng
RT: 9.689 min Scan# 1097
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion: 82 Resp: 1718483
Ion Ratio Lower Upper
82 100
95 7.9 6.6 9.8
138 17.3 14.4 21.6



#26
2-Nitrophenol
Concen: 55.500 ng
RT: 9.872 min Scan# 1128
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Tgt Ion: 139 Resp: 448126
Ion Ratio Lower Upper
139 100
109 34.1 28.1 42.1
65 55.9 44.6 67.0









#27
2,4-Dimethylphenol
Concen: 51.206 ng
RT: 9.936 min Scan# 1138
Delta R.T. 0.006 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:122 Resp: 667987
Ion Ratio Lower Upper
122 100
107 122.2 99.0 148.6
121 60.5 47.7 71.5



#28
bis(2-Chloroethoxy)methane
Concen: 53.985 ng
RT: 10.172 min Scan# 1179
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Tgt Ion: 93 Resp: 1084601
Ion Ratio Lower Upper
93 100
95 32.4 26.0 39.0
123 11.2 9.0 13.4





#29

2,4-Dichlorophenol

Concen: 48.416 ng

RT: 10.407 min Scan# 1219

Delta R.T. 0.000 min

Lab File: BM034245.D

Acq: 15 Mar 2022 18:22

Instrument :

BNA_M

ClientSampleId :

SSTDICC050





Tgt Ion:162 Resp: 780904

Ion Ratio Lower Upper

162 100

164 65.7 43.9 83.9

98 38.0 17.6 57.6



#30

1,2,4-Trichlorobenzene

Concen: 45.068 ng

RT: 10.631 min Scan# 1257

Delta R.T. 0.000 min

Lab File: BM034245.D

Acq: 15 Mar 2022 18:22




Tgt Ion:180 Resp: 853354


Ion Ratio Lower Upper

180 100

182 96.9 77.0 115.4

145 30.6 23.7 35.5





#31

Naphthalene

Concen: 49.697 ng

RT: 10.819 min Scan# 1168

Delta R.T. 0.006 min

Lab File: BM034245.D

Acq: 15 Mar 2022 18:22

Instrument :

BNA_M

ClientSampleId :

SSTDICC050





Tgt Ion:128 Resp: 2536358

Ion Ratio Lower Upper

128 100

129 10.8 8.8 13.2

127 13.5 10.2 15.4



#32

Benzoic acid

Concen: 59.423 ng

RT: 10.107 min Scan# 1168

Delta R.T. 0.035 min

Lab File: BM034245.D

Acq: 15 Mar 2022 18:22




Tgt Ion:122 Resp: 587074


Ion Ratio Lower Upper

122 100

105 132.6 109.6 149.6

77 103.5 83.1 123.1









#33
4-Chloroaniline
Concen: 49.994 ng
RT: 10.919 min Scan# 1306
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Instrument :
BNA_M
ClientSampleId :
SSTDICC050

Tgt Ion:127 Resp: 1044707




Ion	Ratio	Lower	Upper
127	100		
129	32.6	25.4	38.2
65	33.2	26.2	39.2
92	20.1	15.8	23.6




#34
Hexachlorobutadiene
Concen: 44.472 ng
RT: 11.113 min Scan# 1339
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Tgt Ion:225 Resp: 535039

Ion	Ratio	Lower	Upper
225	100		
223	62.0	49.0	73.4
227	63.5	50.2	75.2









#35
Caprolactam
Concen: 85.253 ng
RT: 11.725 min Scan# 1443
Delta R.T. 0.024 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:113 Resp: 277187
Ion Ratio Lower Upper
113 100
55 162.7 148.9 188.9
56 122.9 113.3 153.3



#36
4-Chloro-3-methylphenol
Concen: 56.785 ng
RT: 12.048 min Scan# 1498
Delta R.T. 0.006 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Tgt Ion:107 Resp: 901842
Ion Ratio Lower Upper
107 100
144 25.3 20.8 31.2
142 80.4 62.7 94.1









#37
2-Methylnaphthalene
Concen: 49.521 ng
RT: 12.425 min Scan# 1562
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:142 Resp: 1843902
Ion Ratio Lower Upper
142 100
141 90.0 70.1 105.1
115 37.9 29.9 44.9



#38
1-Methylnaphthalene
Concen: 49.494 ng
RT: 12.642 min Scan# 1599
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Tgt Ion:142 Resp: 1796869
Ion Ratio Lower Upper
142 100
141 93.1 73.0 109.6
116 4.0 3.2 4.8





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.595 min Scan# 1931

Delta R.T. 0.006 min

Lab File: BM034245.D

Acq: 15 Mar 2022 18:22

Instrument :

BNA_M

ClientSampleId :

SSTDICC050





Tgt Ion:164 Resp: 642750

Ion Ratio Lower Upper

164 100

162 101.5 81.6 122.4

160 44.8 35.6 53.4



#40

1,2,4,5-Tetrachlorobenzene

Concen: 47.098 ng

RT: 12.795 min Scan# 1625

Delta R.T. 0.000 min

Lab File: BM034245.D

Acq: 15 Mar 2022 18:22

Tgt Ion:216 Resp: 967840




Ion Ratio Lower Upper


216 100

214 78.3 62.7 94.1

179 21.5 17.2 25.8

108 19.9 15.8 23.8









#41
Hexachlorocyclopentadiene
Concen: 48.964 ng
RT: 12.777 min Scan# 1
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:237 Resp: 587760
Ion Ratio Lower Upper
237 100
235 62.9 42.1 82.1
272 12.4 0.0 32.3



#42
2,4,6-Tribromophenol
Concen: 113.842 ng
RT: 16.077 min Scan# 2183
Delta R.T. 0.006 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Tgt Ion:330 Resp: 888067
Ion Ratio Lower Upper
330 100
332 96.9 78.2 117.4
141 36.9 30.6 45.8









#43
2,4,6-Trichlorophenol
Concen: 53.498 ng
RT: 13.030 min Scan# 1
Delta R.T. 0.006 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:196 Resp: 695191
Ion Ratio Lower Upper
196 100
198 95.7 76.1 114.1
200 30.6 24.9 37.3



#44
2,4,5-Trichlorophenol
Concen: 56.021 ng
RT: 13.101 min Scan# 1677
Delta R.T. 0.006 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Tgt Ion:196 Resp: 739531
Ion Ratio Lower Upper
196 100
198 96.5 75.9 113.9
97 52.2 43.2 64.8
132 27.1 21.5 32.3









#45
2-Fluorobiphenyl
Concen: 96.777 ng
RT: 13.225 min Scan# 1
Delta R.T. 0.006 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:172 Resp: 4668892
Ion Ratio Lower Upper
172 100
171 35.6 28.0 42.0
170 23.4 18.6 28.0



#46
1,1'-Biphenyl
Concen: 49.642 ng
RT: 13.430 min Scan# 1733
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Tgt Ion:154 Resp: 2437883
Ion Ratio Lower Upper
154 100
153 40.8 21.0 61.0
76 12.3 0.0 32.1





#47

2-Chloronaphthalene

Concen: 48.851 ng

RT: 13.472 min Scan# 1

Delta R.T. 0.000 min

Lab File: BM034245.D

Acq: 15 Mar 2022 18:22

Instrument :

BNA_M

ClientSampleId :

SSTDICC050





Tgt Ion:162 Resp: 1873247

Ion Ratio Lower Upper

162 100

127 39.8 30.4 45.6

164 32.4 25.8 38.8



#48

2-Nitroaniline

Concen: 67.145 ng

RT: 13.672 min Scan# 1774

Delta R.T. 0.006 min

Lab File: BM034245.D

Acq: 15 Mar 2022 18:22




Tgt Ion: 65 Resp: 611471


Ion Ratio Lower Upper

65 100

92 67.5 53.8 80.8

138 102.0 79.9 119.9





#49

Acenaphthylene

Concen: 51.558 ng

RT: 14.319 min Scan# 1883

Delta R.T. 0.006 min

Lab File: BM034245.D

Acq: 15 Mar 2022 18:22

Instrument :

BNA_M

ClientSampleId :

SSTDICC050





Tgt Ion:152 Resp: 2962933

Ion Ratio Lower Upper

152 100

151 19.8 15.9 23.9

153 13.0 10.6 16.0



#50

Dimethylphthalate

Concen: 50.801 ng

RT: 14.054 min Scan# 1839

Delta R.T. 0.006 min

Lab File: BM034245.D

Acq: 15 Mar 2022 18:22




Tgt Ion:163 Resp: 2420778


Ion Ratio Lower Upper

163 100

194 4.1 3.3 4.9

164 10.3 8.1 12.1





#51

2,6-Dinitrotoluene

Concen: 54.419 ng

RT: 14.166 min Scan# 1857

Delta R.T. 0.006 min

Lab File: BM034245.D

Acq: 15 Mar 2022 18:22

Instrument :

BNA_M

ClientSampleId :

SSTDICC050





Tgt Ion:165 Resp: 513132

Ion Ratio Lower Upper

165 100

63 63.1 51.9 77.9

89 60.8 50.6 76.0



#52

Acenaphthene

Concen: 48.082 ng

RT: 14.660 min Scan# 1942

Delta R.T. 0.006 min

Lab File: BM034245.D

Acq: 15 Mar 2022 18:22




Tgt Ion:154 Resp: 1825833


Ion Ratio Lower Upper

154 100

153 113.0 91.8 137.8

152 53.4 42.6 64.0









#53
3-Nitroaniline
Concen: 56.381 ng
RT: 14.495 min Scan# 1914
Delta R.T. 0.006 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:138 Resp: 531750
Ion Ratio Lower Upper
138 100
108 10.9 8.3 12.5
92 119.4 97.6 146.4



#54
2,4-Dinitrophenol
Concen: 68.112 ng
RT: 14.695 min Scan# 1948
Delta R.T. 0.006 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Tgt Ion:184 Resp: 318054
Ion Ratio Lower Upper
184 100
63 69.8 58.3 87.5
154 65.6 52.6 78.8









#55
Dibenzofuran
Concen: 48.928 ng
RT: 14.989 min Scan# 1998
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:168 Resp: 2902168
Ion Ratio Lower Upper
168 100
139 40.1 32.4 48.6
169 13.7 10.8 16.2



#56
4-Nitrophenol
Concen: 55.572 ng
RT: 14.795 min Scan# 1965
Delta R.T. 0.006 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Tgt Ion:139 Resp: 423642
Ion Ratio Lower Upper
139 100
109 88.1 66.3 106.3
65 106.1 85.5 125.5









#57
2,4-Dinitrotoluene
Concen: 56.933 ng
RT: 14.948 min Scan# 1990
Delta R.T. 0.006 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:165 Resp: 698104
Ion Ratio Lower Upper
165 100
63 48.5 40.6 61.0
89 75.8 62.7 94.1
182 3.0 2.3 3.5



#58
Fluorene
Concen: 50.137 ng
RT: 15.636 min Scan# 2108
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Tgt Ion:166 Resp: 2390622
Ion Ratio Lower Upper
166 100
165 97.0 78.0 117.0
167 13.6 10.5 15.7









#59
2,3,4,6-Tetrachlorophenol
Concen: 50.001 ng
RT: 15.213 min Scan# 2036
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:232 Resp: 646552
Ion Ratio Lower Upper
232 100
131 47.9 38.0 57.0
130 2.6 2.2 3.2
166 32.3 25.0 37.4



#60
Diethylphthalate
Concen: 52.907 ng
RT: 15.413 min Scan# 2070
Delta R.T. 0.006 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Tgt Ion:149 Resp: 2521034
Ion Ratio Lower Upper
149 100
177 21.7 17.1 25.7
150 12.7 9.9 14.9









#61
4-Chlorophenyl-phenylether
Concen: 47.564 ng
RT: 15.630 min Scan# 2107
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:204 Resp: 1214517
Ion Ratio Lower Upper
204 100
206 32.9 26.4 39.6
141 64.0 49.4 74.2



#62
4-Nitroaniline
Concen: 52.036 ng
RT: 15.654 min Scan# 2111
Delta R.T. 0.006 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Tgt Ion:138 Resp: 509324
Ion Ratio Lower Upper
138 100
92 54.2 32.6 72.6
108 92.2 69.8 109.8









#63
Azobenzene
Concen: 58.429 ng
RT: 15.924 min Scan# 2156
Delta R.T. 0.006 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion: 77 Resp: 2418513
Ion Ratio Lower Upper
77 100
182 25.9 4.4 44.4
105 19.8 0.0 38.7
51 31.7 12.6 52.6



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.330 min Scan# 2396
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Tgt Ion:188 Resp: 1276707
Ion Ratio Lower Upper
188 100
94 8.6 6.6 9.8
80 9.8 7.8 11.8









#65
4,6-Dinitro-2-methylphenol
Concen: 60.393 ng
RT: 15.713 min Scan# 2121
Delta R.T. 0.006 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:198 Resp: 451938
Ion Ratio Lower Upper
198 100
51 48.8 29.0 69.0
105 44.7 25.3 65.3



#66
n-Nitrosodiphenylamine
Concen: 51.389 ng
RT: 15.842 min Scan# 2143
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Tgt Ion:169 Resp: 2054029
Ion Ratio Lower Upper
169 100
168 66.9 53.9 80.9
167 35.9 29.0 43.4









#67
4-Bromophenyl-phenylether
Concen: 51.646 ng
RT: 16.524 min Scan# 21
Delta R.T. 0.006 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:248 Resp: 744863
Ion Ratio Lower Upper
248 100
250 97.9 78.0 117.0
141 74.4 63.8 95.6



#68
Hexachlorobenzene
Concen: 48.946 ng
RT: 16.642 min Scan# 2279
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Tgt Ion:284 Resp: 813373
Ion Ratio Lower Upper
284 100
142 36.9 28.9 43.3
249 32.4 25.4 38.0





#69

Atrazine

Concen: 49.711 ng

RT: 16.795 min Scan# 21

Delta R.T. 0.006 min

Lab File: BM034245.D

Acq: 15 Mar 2022 18:22

Instrument :

BNA_M

ClientSampleId :

SSTDICC050





Tgt Ion:200 Resp: 657273

Ion Ratio Lower Upper

200 100

173 25.3 6.1 46.1

215 47.3 27.4 67.4



#70

Pentachlorophenol

Concen: 53.911 ng

RT: 16.983 min Scan# 2337

Delta R.T. 0.006 min

Lab File: BM034245.D

Acq: 15 Mar 2022 18:22




Tgt Ion:266 Resp: 541220


Ion Ratio Lower Upper

266 100

268 64.2 49.8 74.8

264 61.7 50.3 75.5





#71

Phenanthrene

Concen: 50.062 ng

RT: 17.377 min Scan# 2403

Delta R.T. 0.006 min

Lab File: BM034245.D

Acq: 15 Mar 2022 18:22

Instrument :

BNA_M

ClientSampleId :

SSTDICC050





Tgt Ion:178 Resp: 3545307

Ion Ratio Lower Upper

178 100

176 19.0 15.1 22.7

179 15.2 12.2 18.4



#72

Anthracene

Concen: 50.862 ng

RT: 17.465 min Scan# 2419

Delta R.T. 0.000 min

Lab File: BM034245.D

Acq: 15 Mar 2022 18:22




Tgt Ion:178 Resp: 3505267


Ion Ratio Lower Upper

178 100

176 18.7 14.6 22.0

179 15.4 12.2 18.2









#73
 Carbazole
 Concen: 49.874 ng
 RT: 17.730 min Scan# 2464
 Delta R.T. 0.000 min
 Lab File: BM034245.D
 Acq: 15 Mar 2022 18:22




Instrument :
 BNA_M
 ClientSampleId :
 SSTDICC050


Tgt Ion:167 Resp: 3236332
 Ion Ratio Lower Upper
 167 100
 166 21.4 17.4 26.2
 139 13.3 10.4 15.6



#74
 Di-n-butylphthalate
 Concen: 55.842 ng
 RT: 18.301 min Scan# 2561
 Delta R.T. 0.006 min
 Lab File: BM034245.D
 Acq: 15 Mar 2022 18:22

Tgt Ion:149 Resp: 4122027
 Ion Ratio Lower Upper
 149 100
 150 9.2 7.6 11.4
 104 5.6 4.7 7.1









#75
 Fluoranthene
 Concen: 49.187 ng
 RT: 19.383 min Scan# 21
 Delta R.T. 0.000 min
 Lab File: BM034245.D
 Acq: 15 Mar 2022 18:22




Instrument :
 BNA_M
 ClientSampleId :
 SSTDICC050


Tgt Ion:202 Resp: 3827004
 Ion Ratio Lower Upper
 202 100
 101 10.2 0.0 29.4
 203 17.5 0.0 37.1



#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.500 min Scan# 3105
 Delta R.T. 0.000 min
 Lab File: BM034245.D
 Acq: 15 Mar 2022 18:22

Tgt Ion:240 Resp: 972802
 Ion Ratio Lower Upper
 240 100
 120 9.3 7.3 10.9
 236 25.4 20.2 30.2









#77
Benzidine
Concen: 46.027 ng
RT: 19.559 min Scan# 21
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:184 Resp: 833862
Ion Ratio Lower Upper
184 100
185 14.2 11.7 17.5
183 11.7 9.8 14.6



#78
Pyrene
Concen: 58.403 ng
RT: 19.742 min Scan# 2806
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Tgt Ion:202 Resp: 3901914
Ion Ratio Lower Upper
202 100
200 20.8 16.6 24.8
203 17.6 14.1 21.1









#79
 Terphenyl-d14
 Concen: 112.789 ng
 RT: 19.948 min Scan# 21
 Delta R.T. 0.000 min
 Lab File: BM034245.D
 Acq: 15 Mar 2022 18:22




Instrument :
 BNA_M
 ClientSampleId :
 SSTDICC050


Tgt Ion:244 Resp: 6300984
 Ion Ratio Lower Upper
 244 100
 212 7.8 5.9 8.9
 122 11.1 7.8 11.8



#80
 Butylbenzylphthalate
 Concen: 63.903 ng
 RT: 20.636 min Scan# 2958
 Delta R.T. 0.000 min
 Lab File: BM034245.D
 Acq: 15 Mar 2022 18:22

Tgt Ion:149 Resp: 1625781
 Ion Ratio Lower Upper
 149 100
 91 72.7 58.5 87.7
 206 20.7 16.9 25.3









#81
Benzo(a)anthracene
Concen: 49.058 ng
RT: 21.483 min Scan# 3102
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:228 Resp: 3105209
Ion Ratio Lower Upper
228 100
226 27.2 21.6 32.4
229 19.8 15.8 23.6



#82
3,3'-Dichlorobenzidine
Concen: 48.548 ng
RT: 21.412 min Scan# 3090
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Tgt Ion:252 Resp: 1037801
Ion Ratio Lower Upper
252 100
254 63.8 50.9 76.3
126 11.4 8.6 12.8





#83

Chrysene

Concen: 50.867 ng

RT: 21.542 min Scan# 3111

Delta R.T. 0.006 min

Lab File: BM034245.D

Acq: 15 Mar 2022 18:22

Instrument :

BNA_M

ClientSampleId :

SSTDICC050





Tgt Ion:228 Resp: 3075583

Ion Ratio Lower Upper

228 100

226 29.9 23.8 35.6

229 19.4 15.6 23.4



#84

Bis(2-ethylhexyl)phthalate

Concen: 58.529 ng

RT: 21.412 min Scan# 3090

Delta R.T. 0.000 min

Lab File: BM034245.D

Acq: 15 Mar 2022 18:22




Tgt Ion:149 Resp: 2274657


Ion Ratio Lower Upper

149 100

167 27.1 21.2 31.8

279 4.1 3.4 5.2









#85
Di-n-octyl phthalate
Concen: 54.062 ng
RT: 22.342 min Scan# 31
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:149 Resp: 3329981
Ion Ratio Lower Upper
149 100
167 1.6 1.2 1.8
43 9.6 7.8 11.8



#86
Perylene-d12
Concen: 20.000 ng
RT: 23.912 min Scan# 3515
Delta R.T. 0.000 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Tgt Ion:264 Resp: 813905
Ion Ratio Lower Upper
264 100
260 23.6 18.6 28.0
265 21.6 17.6 26.4









#87
Indeno(1,2,3-cd)pyrene
Concen: 46.744 ng
RT: 26.441 min Scan# 3945
Delta R.T. 0.006 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:276 Resp: 2704824
Ion Ratio Lower Upper
276 100
138 21.7 16.6 25.0
277 24.8 19.8 29.6



#88
Benzo(b)fluoranthene
Concen: 50.430 ng
RT: 23.183 min Scan# 3391
Delta R.T. 0.006 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Tgt Ion:252 Resp: 2572229
Ion Ratio Lower Upper
252 100
253 21.5 17.8 26.8
125 8.8 7.2 10.8









#89
Benzo(k)fluoranthene
Concen: 51.444 ng
RT: 23.230 min Scan# 31
Delta R.T. 0.006 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22




Instrument :
BNA_M
ClientSampleId :
SSTDICC050


Tgt Ion:252 Resp: 2617578
Ion Ratio Lower Upper
252 100
253 21.9 17.6 26.4
125 9.0 7.5 11.3



#90
Benzo(a)pyrene
Concen: 50.537 ng
RT: 23.812 min Scan# 3498
Delta R.T. 0.006 min
Lab File: BM034245.D
Acq: 15 Mar 2022 18:22

Tgt Ion:252 Resp: 2118173
Ion Ratio Lower Upper
252 100
253 21.4 17.5 26.3
125 10.1 7.8 11.6





#91

Dibenzo(a,h)anthracene

Concen: 45.072 ng

RT: 26.459 min Scan# 3948

Delta R.T. 0.012 min

Lab File: BM034245.D

Acq: 15 Mar 2022 18:22

Instrument :

BNA_M

ClientSampleId :

SSTDICC050





Tgt Ion:278 Resp: 2193406

Ion Ratio Lower Upper

278 100

139 13.8 11.2 16.8

279 23.5 19.2 28.8



#92

Benzo(g,h,i)perylene

Concen: 48.072 ng

RT: 27.218 min Scan# 4077

Delta R.T. 0.012 min

Lab File: BM034245.D

Acq: 15 Mar 2022 18:22

Tgt Ion:276 Resp: 2266298

Ion Ratio Lower Upper

276 100

277 23.9 19.0 28.4

138 18.8 15.6 23.4

