

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM031616\
 Data File : BM004641.D
 Acq On : 16 Mar 2016 18:05
 Operator : UM/SJ
 Sample : H1783-08
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C0AA8

Quant Time: Mar 17 01:52:57 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM031516.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Mar 17 00:56:57 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.86	152	46169	20.00	ng/ul	0.02
18) Naphthalene-d8	10.65	136	250083	20.00	ng/ul	0.02
36) Acenaphthene-d10	14.47	164	140708	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.22	188	327511	20.00	ng/ul	0.00
78) Chrysene-d12	21.40	240	384786	20.00	ng/ul	0.00
86) Perylene-d12	23.70	264	364851	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.33	96	1713	1.28	ng/uL	0.00
5) Phenol-d5	7.00	99	33332	8.79	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.18	67	97080	45.15	ng/ul	0.00
9) 2-Chlorophenol-d4	7.38	132	105855	34.66	ng/ul	0.00
13) 4-Methylphenol-d8	8.54	113	63786	20.86	ng/ul	0.00
19) Nitrobenzene-d5	9.00	128	60310	34.68	ng/ul	0.00
22) 2-Nitrophenol-d4	9.72	143	64105	34.12	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.26	165	113561	30.82	ng/ul	0.00
29) 4-Chloroaniline-d4	10.77	131	2330	0.53	ng/ul	0.00
44) Dimethylphthalate-d6	13.89	166	380176	34.56	ng/ul	0.00
47) Acenaphthylene-d8	14.17	160	479101	35.52	ng/ul	0.00
52) 4-Nitrophenol-d4	14.66	143	9920	4.67	ng/ul	0.00
58) Fluorene-d10	15.47	176	345576	36.04	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.58	200	44940	26.11	ng/ul	0.00
71) Anthracene-d10	17.32	188	547785	36.33	ng/ul	0.00
79) Pyrene-d10	19.62	212	640251	36.45	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.56	264	659813	40.49	ng/ul	0.00

Target Compounds

						Qvalue
10) 2-Chlorophenol	7.41	128	43671	13.54	ng/ul	94
27) 2,4-Dichlorophenol	10.28	162	19406	5.11	ng/ul	92
37) 1,2,4,5-Tetrachlorobenzene	12.66	216	75975	16.90	ng/ul	98
40) 2,4,5-Trichlorophenol	12.97	196	3553	1.11	ng/ul	91
73) 1,2,3,4-Tetrachlorobenzene	13.27	216	195201	43.32	ng/uL	100
74) Pentachlorobenzene	14.79	250	8229	1.89	ng/uL	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM031616\
Data File : BM004641.D
Acq On : 16 Mar 2016 18:05
Operator : UM/SJ
Sample : H1783-08
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
C0AA8

Quant Time: Mar 17 01:52:57 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM031516.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Mar 17 00:56:57 2016
Response via : Initial Calibration

