


Data Path : Z:\HPCHEM1\BNA M\DATA\BM031618\
Data File : BM014611.D
Acq On : 16 Mar 2018 18:31
Operator : SJ/JU
Sample : J1918-05
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BEL66

Manual Integrations
APPROVED

Sohil
3/19/2018 2:25:13 PM

Quant Time: Mar 17 00:55:24 2018
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM031518-PAH.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Mar 17 00:41:33 2018
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\HPCHEM1\BNA M\DATA\BM031618\
 Data File : BM014611.D
 Acq On : 16 Mar 2018 18:31
 Operator : SJ/JU
 Sample : J1918-05
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BEL66

Manual Integrations
 APPROVED

Sohil
 3/19/2018 2:25:13 PM

Quant Time: Mar 17 00:42:25 2018
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM031518-PAH.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Mar 17 00:41:33 2018
 Response via : Initial Calibration



TIC: BM014611.D

(3) 2,4-Dichlorophenol-d3 (S)

9.892min (-0.006) 28.97ng/ul

response 160218

Ion	Exp%	Act%
165.00	100	100
167.00	63.60	65.36
101.00	29.30	34.06
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\HPCHEM1\BNA M\DATA\BM031618\
 Data File : BM014611.D
 Acq On : 16 Mar 2018 18:31
 Operator : SJ/JU
 Sample : J1918-05
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BEL66

Manual Integrations
 APPROVED

Sohil
 3/19/2018 2:25:13 PM

Quant Time: Mar 17 00:42:25 2018
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM031518-PAH.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Mar 17 00:41:33 2018
 Response via : Initial Calibration



TIC: BM014611.D

(3) 2,4-Dichlorophenol-d3 (S)

9.892min (-0.006) 30.86ng/ul m) SJ 3/13/18

response 170703

Ion	Exp%	Act%
165.00	100	100
167.00	63.60	65.36
101.00	29.30	34.06
0.00	0.00	0.00

Quantitation Report (QT Reviewed)

Data Path : Z:\HPCHEM1\BNA M\DATA\BM031618\
Data File : BM014611.D
Acq On : 16 Mar 2018 18:31
Operator : SJ/JU
Sample : J1918-05
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BEL66

Manual Integrations
APPROVED

Sohil
3/19/2018 2:25:13 PM

Quant Time: Mar 17 00:55:24 2018
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM031518-PAH.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Mar 17 00:41:33 2018
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.46	152	93160	20.00	ng/ul	0.00
2) Naphthalene-d8	10.23	136	357861	20.00	ng/ul	0.00
6) Acenaphthene-d10	14.13	164	186187	20.00	ng/ul	0.00
12) Phenanthrene-d10	16.90	188	350699	20.00	ng/ul	0.00
18) Chrysene-d12	21.12	240	261977	20.00	ng/ul	-0.01
23) Perylene-d12	23.29	264	274955	20.00	ng/ul	-0.01

System Monitoring Compounds

3) 2,4-Dichlorophenol-d3	9.89	165	170703m)	30.86	ng/ul	0.00
7) Acenaphthylene-d8	13.82	160	641654	32.25	ng/ul	0.00
10) Fluorene-d10	15.13	176	378773	29.06	ng/ul	0.00
15) Anthracene-d10	17.00	188	530932	31.62	ng/ul	0.00
19) Pvrene-d10	19.31	212	485420	30.82	ng/ul	0.00
26) Benzo(a)pyrene-d12	23.16	264	431434	32.44	ng/ul	-0.01

SJ 3/23/18

Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed