


Data Path : Z:\HPCHEM1\BNA M\DATA\BM031618\
Data File : BM014613.D
Acq On : 16 Mar 2018 19:43
Operator : SJ/JU
Sample : J1918-11
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BE8J7

Manual Integrations
APPROVED

Sohil
3/19/2018 2:25:19 PM

Quant Time: Mar 17 01:00:15 2018
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM031518-PAH.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Mar 17 00:41:33 2018
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\HPCHEM1\BNA M\DATA\BM031618\
Data File : BM014613.D
Acq On : 16 Mar 2018 19:43
Operator : SJ/JU
Sample : J1918-11
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BE8J7

Manual Integrations
APPROVED

Sohil
3/19/2018 2:25:19 PM

Quant Time: Mar 17 00:42:45 2018
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM031518-PAH.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Mar 17 00:41:33 2018
Response via : Initial Calibration



TIC: BM014613.D

(3) 2,4-Dichlorophenol-d3 (S)

9.886min (-0.012) 36.18ng/ul

response 195651

Ion	Exp%	Act%
165.00	100	100
167.00	63.60	61.18
101.00	29.30	35.96#
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\HPCHEM1\BNA M\DATA\BM031618\
 Data File : BM014613.D
 Acq On : 16 Mar 2018 19:43
 Operator : SJ/JU
 Sample : J1918-11
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BE8J7

Manual Integrations
 APPROVED

Sohil
 3/19/2018 2:25:19 PM

Quant Time: Mar 17 00:42:45 2018
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM031518-PAH.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Mar 17 00:41:33 2018
 Response via : Initial Calibration



TIC: BM014613.D

(3) 2,4-Dichlorophenol-d3 (S)

9.886min (-0.012) 39.28ng/ul m> SJ 3/13/18

response 212379

Ion	Exp%	Act%
165.00	100	100
167.00	63.60	61.18
101.00	29.30	35.96#
0.00	0.00	0.00

Data Path : Z:\HPCHEM1\BNA M\DATA\BM031618\
 Data File : BM014613.D
 Acq On : 16 Mar 2018 19:43
 Operator : SJ/JU
 Sample : J1918-11
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BE8J7

Manual Integrations
 APPROVED

Sohil
 3/19/2018 2:25:19 PM

Quant Time: Mar 17 01:00:15 2018
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM031518-PAH.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Mar 17 00:41:33 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.45	152	94210	20.00	ng/ul	-0.01
2) Naphthalene-d8	10.22	136	349878	20.00	ng/ul	-0.01
6) Acenaphthene-d10	14.13	164	177083	20.00	ng/ul	0.00
12) Phenanthrene-d10	16.90	188	340768	20.00	ng/ul	0.00
18) Chrysene-d12	21.12	240	255524	20.00	ng/ul	-0.01
23) Perylene-d12	23.29	264	264135	20.00	ng/ul	-0.02
System Monitoring Compounds						
3) 2,4-Dichlorophenol-d3	9.89	165	212379m>	39.28	ng/ul	-0.01
7) Acenaphthylene-d8	13.82	160	770022	40.69	ng/ul	0.00
10) Fluorene-d10	15.13	176	470047	37.91	ng/ul	0.00
15) Anthracene-d10	17.00	188	649204	39.79	ng/ul	0.00
19) Pylene-d10	19.31	212	612339	39.87	ng/ul	0.00
26) Benzo(a)pyrene-d12	23.15	264	509246	39.85	ng/ul	-0.02

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed