

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM031717\
 Data File : BM009284.D
 Acq On : 17 Mar 2017 21:12
 Operator : SJ/MA
 Sample : I2285-06
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 CB385

Manual Integrations
 APPROVED

mohammad
 3/20/2017 12:08:57 PM

Quant Time: Mar 18 01:04:12 2017
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM031717-PAH.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Mar 18 00:39:50 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.87	152	111739	20.00	ng/ul	0.00
2) Naphthalene-d8	10.67	136	503313	20.00	ng/ul	0.00
6) Acenaphthene-d10	14.52	164	360625	20.00	ng/ul	0.00
12) Phenanthrene-d10	17.26	188	920953	20.00	ng/ul	0.00
18) Chrysene-d12	21.43	240	1448003	20.00	ng/ul	0.00
23) Perylene-d12	23.77	264	1504472	20.00	ng/ul	0.00
System Monitoring Compounds						
3) 2,4-Dichlorophenol-d3	10.30	165	1580	0.19	ng/uL	0.00
7) Acenaphthylene-d8	14.21	160	553119	18.09	ng/ul	0.00
10) Fluorene-d10	15.50	176	446529	16.66	ng/ul	0.00
15) Anthracene-d10	17.36	188	756227m	17.28	ng/ul	0.00
19) Pyrene-d10	19.65	212	983932	16.95	ng/ul	0.00
26) Benzo(a)pyrene-d12	23.62	264	1139183	16.65	ng/ul	0.00
Target Compounds						
17) Fluoranthene	19.32	202	109800	1.67	ng/ul#	91
20) Pyrene	19.68	202	101873	1.36	ng/ul#	95
24) Benzo(b)fluoranthene	23.06	252	99255	1.12	ng/ul#	68

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA_M\DATA\BM031717\
Data File : BM009284.D
Acq On : 17 Mar 2017 21:12
Operator : SJ/MA
Sample : I2285-06
Misc :
ALS Vial : 19 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
CB385

Quant Time: Mar 18 01:04:12 2017
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM031717-PAH.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Mar 18 00:39:50 2017
Response via : Initial Calibration

Manual Integrations
APPROVED

mohammad
3/20/2017 12:08:57 PM









#17
Fluoranthene
 Concen: 1.67 ng/ul
 RT: 19.32 min Scan# 2759
 Delta R.T. 0.00 min
 Lab File: BM009284.D
 Acq: 17 Mar 2017 21:12

Instrument :
 BNA_M
 ClientSampleId :
 CB385

Tgt Ion	Ratio	Resp Lower	Resp Upper
202	100		
101	9.5	9.8	14.8#
100	4.8	7.5	11.3#




Manual Integrations
 APPROVED


mohammad
 3/20/2017 12:08:57 PM



#20
Pyrene
 Concen: 1.36 ng/ul
 RT: 19.68 min Scan# 2821
 Delta R.T. 0.00 min
 Lab File: BM009284.D
 Acq: 17 Mar 2017 21:12

Tgt Ion	Ratio	Resp Lower	Resp Upper
202	100		
101	10.5	11.2	16.8#
100	12.9	9.8	14.6





#24

Benzo(b)fluoranthene

Concen: 1.12 ng/ul

RT: 23.06 min Scan# 3396

Delta R.T. 0.00 min

Lab File: BM009284.D


Acq: 17 Mar 2017 21:12

Instrument :

BNA_M

ClientSampleId :

CB385



Tgt Ion	Ratio	Lower	Upper
252	100		
253	26.2	17.8	26.6
125	40.9	9.4	14.0

Manual Integrations
APPROVED

mohammad
3/20/2017 12:08:57 PM

