

Data Path : Z:\HPCHEM1\BNA_M\Data\BM032317\
 Data File : BM009372.D
 Acq On : 24 Mar 2017 10:20
 Operator : SJ/MA
 Sample : I2358-04
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C0BJ3

Quant Time: Mar 24 11:23:05 2017
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM032317MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Mar 24 04:55:42 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.88	152	159061	20.00	ng/ul	0.02
18) Naphthalene-d8	10.68	136	517114	20.00	ng/ul	0.02
35) Acenaphthene-d10	14.50	164	300765	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.24	188	698725	20.00	ng/ul	0.00
77) Chrysene-d12	21.42	240	941457	20.00	ng/ul	0.00
85) Perylene-d12	23.74	264	899029	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.33	96	18177	4.35	ng/uL	0.00
5) Phenol-d5	7.01	99	81820	5.69	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.19	67	267529	26.09	ng/ul	0.00
9) 2-Chlorophenol-d4	7.39	132	211175	21.80	ng/ul	0.00
13) 4-Methylphenol-d8	8.55	113	156857	14.61	ng/ul	0.00
19) Nitrobenzene-d5	9.02	128	133462	35.11	ng/ul	0.00
22) 2-Nitrophenol-d4	9.75	143	147039	35.67	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.27	165	260744	32.15	ng/ul	0.00
29) 4-Chloroaniline-d4	10.80	131	7314	0.78	ng/ul	0.01
43) Dimethylphthalate-d6	13.90	166	867183	41.00	ng/ul	0.00
46) Acenaphthylene-d8	14.19	160	1070035	40.33	ng/ul	0.00
51) 4-Nitrophenol-d4	14.69	143	27776	7.12	ng/ul	0.00
57) Fluorene-d10	15.49	176	782131	40.30	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.61	200	131167	29.70	ng/ul	0.00
70) Anthracene-d10	17.34	188	1268104	38.05	ng/ul	0.00
78) Pyrene-d10	19.64	212	1538134	38.54	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.60	264	1603606	38.73	ng/ul	0.00

Target Compounds

						Qvalue
11) 2-Methylphenol	8.26	108	492882	46.29	ng/ul	87
20) Nitrobenzene	9.06	77	92266	7.20	ng/ul#	84
36) 1,2,4,5-Tetrachlorobenzene	12.68	216	602221	59.60	ng/ul	97
45) 2,6-Dinitrotoluene	13.91	165	6284	1.54	ng/ul#	46
72) 1,2,3,4-Tetrachlorobenzene	13.30	216	2404611	234.08	ng/uL	100
73) Pentachlorobenzene	14.82	250	88841	8.75	ng/uL	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\Data\BM032317\
Data File : BM009372.D
Acq On : 24 Mar 2017 10:20
Operator : SJ/MA
Sample : I2358-04
Misc :
ALS Vial : 35 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
C0BJ3

Quant Time: Mar 24 11:23:05 2017
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM032317MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Mar 24 04:55:42 2017
Response via : Initial Calibration

