

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM032723\
 Data File : BM039160.D
 Acq On : 27 Mar 2023 14:08
 Operator : CG/JU
 Sample : PB151521BL
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB151521BL

Quant Time: Mar 28 01:49:18 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM030823.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 28 01:46:09 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.945	152	258015	20.000	ng	0.00
21) Naphthalene-d8	10.757	136	1040078	20.000	ng	0.00
39) Acenaphthene-d10	14.586	164	581023	20.000	ng	0.00
64) Phenanthrene-d10	17.333	188	1056527	20.000	ng	0.00
76) Chrysene-d12	21.509	240	937640	20.000	ng	0.00
86) Perylene-d12	23.933	264	1039671	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.498	112	1577926	92.914	ng	0.00
7) Phenol-d6	7.110	99	1929098	87.453	ng	0.00
23) Nitrobenzene-d5	9.116	82	1725523	81.493	ng	0.00
42) 2,4,6-Tribromophenol	16.074	330	473208	70.402	ng	0.00
45) 2-Fluorobiphenyl	13.216	172	3369603	75.497	ng	0.00
79) Terphenyl-d14	19.950	244	3998583	77.970	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM032723\
Data File : BM039160.D
Acq On : 27 Mar 2023 14:08
Operator : CG/JU
Sample : PB151521BL
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB151521BL

Quant Time: Mar 28 01:49:18 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM030823.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 28 01:46:09 2023
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.945 min Scan# 79
 Delta R.T. 0.000 min
 Lab File: BM039160.D
 Acq: 27 Mar 2023 14:08




Instrument :
 BNA_M
 ClientSampleId :
 PB151521BL


Tgt Ion:152 Resp: 258015
 Ion Ratio Lower Upper
 152 100
 150 153.5 125.1 187.7
 115 59.9 49.6 74.4



#5
 2-Fluorophenol
 Concen: 92.914 ng
 RT: 5.498 min Scan# 376
 Delta R.T. -0.000 min
 Lab File: BM039160.D
 Acq: 27 Mar 2023 14:08

Tgt Ion:112 Resp: 1577926
 Ion Ratio Lower Upper
 112 100
 64 56.7 45.9 68.9
 63 29.4 23.8 35.8









#7
Phenol-d6
Concen: 87.453 ng
RT: 7.110 min Scan# 61
Delta R.T. -0.000 min
Lab File: BM039160.D
Acq: 27 Mar 2023 14:08




Instrument :
BNA_M
ClientSampleId :
PB151521BL


Tgt Ion: 99 Resp: 1929098
Ion Ratio Lower Upper
99 100
42 16.3 13.5 20.3
71 32.1 25.6 38.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.757 min Scan# 1270
Delta R.T. -0.000 min
Lab File: BM039160.D
Acq: 27 Mar 2023 14:08

Tgt Ion: 136 Resp: 1040078
Ion Ratio Lower Upper
136 100
137 10.3 8.7 13.1
54 7.6 6.3 9.5
68 6.4 5.0 7.6









#23
Nitrobenzene-d5
Concen: 81.493 ng
RT: 9.116 min Scan# 999
Delta R.T. -0.000 min
Lab File: BM039160.D
Acq: 27 Mar 2023 14:08




Instrument :
BNA_M
ClientSampleId :
PB151521BL


Tgt Ion: 82 Resp: 1725523
Ion Ratio Lower Upper
82 100
128 44.5 34.4 51.6
54 46.7 38.8 58.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.586 min Scan# 1921
Delta R.T. -0.006 min
Lab File: BM039160.D
Acq: 27 Mar 2023 14:08

Tgt Ion: 164 Resp: 581023
Ion Ratio Lower Upper
164 100
162 99.2 79.2 118.8
160 44.3 35.5 53.3









#42
2,4,6-Tribromophenol
Concen: 70.402 ng
RT: 16.074 min Scan# 2181
Delta R.T. -0.006 min
Lab File: BM039160.D
Acq: 27 Mar 2023 14:08




Instrument :
BNA_M
ClientSampleId :
PB151521BL


Tgt Ion:330 Resp: 473208
Ion Ratio Lower Upper
330 100
332 96.2 77.4 116.0
141 37.6 32.2 48.4



#45
2-Fluorobiphenyl
Concen: 75.497 ng
RT: 13.216 min Scan# 1688
Delta R.T. -0.000 min
Lab File: BM039160.D
Acq: 27 Mar 2023 14:08

Tgt Ion:172 Resp: 3369603
Ion Ratio Lower Upper
172 100
171 34.8 28.2 42.2
170 23.7 19.1 28.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.333 min Scan# 21
Delta R.T. -0.000 min
Lab File: BM039160.D
Acq: 27 Mar 2023 14:08




Instrument :
BNA_M
ClientSampleId :
PB151521BL


Tgt Ion:188 Resp: 1056527
Ion Ratio Lower Upper
188 100
94 9.5 7.9 11.9
80 10.3 8.5 12.7



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.509 min Scan# 3098
Delta R.T. -0.006 min
Lab File: BM039160.D
Acq: 27 Mar 2023 14:08

Tgt Ion:240 Resp: 937640
Ion Ratio Lower Upper
240 100
120 12.6 9.2 13.8
236 25.4 20.8 31.2









#79
 Terphenyl-d14
 Concen: 77.970 ng
 RT: 19.950 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BM039160.D
 Acq: 27 Mar 2023 14:08

Instrument :
 BNA_M
 ClientSampleId :
 PB151521BL

Tgt Ion:244 Resp: 3998583
 Ion Ratio Lower Upper
 244 100
 212 6.9 5.5 8.3
 122 12.4 9.0 13.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.933 min Scan# 3510
 Delta R.T. -0.006 min
 Lab File: BM039160.D
 Acq: 27 Mar 2023 14:08

Tgt Ion:264 Resp: 1039671
 Ion Ratio Lower Upper
 264 100
 260 23.9 18.7 28.1
 265 22.4 17.9 26.9

