

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM032823\
 Data File : BM039184.D
 Acq On : 28 Mar 2023 17:55
 Operator : CG/JU
 Sample : 02111-05
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 APCS-WEST

Quant Time: Mar 29 01:30:46 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM030823.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 29 01:28:31 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.934	152	287914	20.000	ng	0.00
21) Naphthalene-d8	10.745	136	1109195	20.000	ng	0.00
39) Acenaphthene-d10	14.580	164	609978	20.000	ng	0.00
64) Phenanthrene-d10	17.327	188	1166247	20.000	ng	0.00
76) Chrysene-d12	21.503	240	935418	20.000	ng	0.00
86) Perylene-d12	23.927	264	1028412	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.499	112	2039166	107.605	ng	0.00
7) Phenol-d6	7.104	99	2583010	104.937	ng	0.00
23) Nitrobenzene-d5	9.104	82	1530548	67.781	ng	0.00
42) 2,4,6-Tribromophenol	16.068	330	741746	105.116	ng	0.00
45) 2-Fluorobiphenyl	13.204	172	3075452	65.635	ng	0.00
79) Terphenyl-d14	19.945	244	3634794	71.044	ng	0.00
Target Compounds						
74) Di-n-butylphthalate	18.292	149	37120	2.269	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM032823\
Data File : BM039184.D
Acq On : 28 Mar 2023 17:55
Operator : CG/JU
Sample : 02111-05
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
APCS-WEST

Quant Time: Mar 29 01:30:46 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM030823.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 29 01:28:31 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.934 min Scan# 79
Delta R.T. -0.005 min
Lab File: BM039184.D
Acq: 28 Mar 2023 17:55




Instrument :
BNA_M
ClientSampleId :
APCS-WEST


Tgt Ion:152 Resp: 287914
Ion Ratio Lower Upper
152 100
150 157.1 125.1 187.7
115 60.9 49.6 74.4



#5
2-Fluorophenol
Concen: 107.605 ng
RT: 5.499 min Scan# 376
Delta R.T. 0.000 min
Lab File: BM039184.D
Acq: 28 Mar 2023 17:55

Tgt Ion:112 Resp: 2039166
Ion Ratio Lower Upper
112 100
64 56.4 45.9 68.9
63 28.7 23.8 35.8









#7
Phenol-d6
Concen: 104.937 ng
RT: 7.104 min Scan# 64
Delta R.T. -0.006 min
Lab File: BM039184.D
Acq: 28 Mar 2023 17:55




Instrument :
BNA_M
ClientSampleId :
APCS-WEST


Tgt Ion: 99 Resp: 2583010
Ion Ratio Lower Upper
99 100
42 16.3 13.5 20.3
71 32.1 25.6 38.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.745 min Scan# 1268
Delta R.T. -0.006 min
Lab File: BM039184.D
Acq: 28 Mar 2023 17:55

Tgt Ion: 136 Resp: 1109195
Ion Ratio Lower Upper
136 100
137 11.0 8.7 13.1
54 7.9 6.3 9.5
68 6.5 5.0 7.6









#23
Nitrobenzene-d5
Concen: 67.781 ng
RT: 9.104 min Scan# 989
Delta R.T. -0.006 min
Lab File: BM039184.D
Acq: 28 Mar 2023 17:55




Instrument :
BNA_M
ClientSampleId :
APCS-WEST


Tgt Ion: 82 Resp: 1530548
Ion Ratio Lower Upper
82 100
128 43.7 34.4 51.6
54 48.1 38.8 58.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.580 min Scan# 1920
Delta R.T. -0.006 min
Lab File: BM039184.D
Acq: 28 Mar 2023 17:55

Tgt Ion:164 Resp: 609978
Ion Ratio Lower Upper
164 100
162 101.7 79.2 118.8
160 44.9 35.5 53.3









#42
2,4,6-Tribromophenol
Concen: 105.116 ng
RT: 16.068 min Scan# 2181
Delta R.T. -0.006 min
Lab File: BM039184.D
Acq: 28 Mar 2023 17:55




Instrument :
BNA_M
ClientSampleId :
APCS-WEST


Tgt Ion:330 Resp: 741746
Ion Ratio Lower Upper
330 100
332 96.8 77.4 116.0
141 37.6 32.2 48.4



#45
2-Fluorobiphenyl
Concen: 65.635 ng
RT: 13.204 min Scan# 1686
Delta R.T. -0.006 min
Lab File: BM039184.D
Acq: 28 Mar 2023 17:55

Tgt Ion:172 Resp: 3075452
Ion Ratio Lower Upper
172 100
171 34.9 28.2 42.2
170 23.6 19.1 28.7





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.327 min Scan# 2395

Delta R.T. 0.000 min

Lab File: BM039184.D

Acq: 28 Mar 2023 17:55

Instrument :

BNA_M

ClientSampleId :

APCS-WEST





Tgt Ion:188 Resp: 1166247

Ion Ratio Lower Upper

188 100

94 10.0 7.9 11.9

80 10.6 8.5 12.7



#74

Di-n-butylphthalate

Concen: 2.269 ng

RT: 18.292 min Scan# 2551

Delta R.T. -0.006 min

Lab File: BM039184.D

Acq: 28 Mar 2023 17:55




Tgt Ion:149 Resp: 37120


Ion Ratio Lower Upper

149 100

150 8.2 7.4 11.2

104 5.3 4.3 6.5





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.503 min Scan# 30

Delta R.T. -0.006 min

Lab File: BM039184.D

Acq: 28 Mar 2023 17:55

Instrument :

BNA_M

ClientSampleId :

APCS-WEST





Tgt Ion:240 Resp: 935418

Ion Ratio Lower Upper

240 100

120 12.7 9.2 13.8

236 25.9 20.8 31.2



#79

Terphenyl-d14

Concen: 71.044 ng

RT: 19.945 min Scan# 2832

Delta R.T. -0.006 min

Lab File: BM039184.D

Acq: 28 Mar 2023 17:55




Tgt Ion:244 Resp: 3634794


Ion Ratio Lower Upper

244 100

212 7.0 5.5 8.3

122 12.1 9.0 13.4





#86
Perylene-d12
Concen: 20.000 ng
RT: 23.927 min Scan# 31
Delta R.T. 0.000 min
Lab File: BM039184.D
Acq: 28 Mar 2023 17:55

Instrument :
BNA_M
ClientSampleId :
APCS-WEST

Tgt Ion:264 Resp: 1028412

Ion	Ratio	Lower	Upper
264	100		
260	23.6	18.7	28.1
265	22.3	17.9	26.9

