

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM032916\
 Data File : BM004834.D
 Acq On : 29 Mar 2016 23:27
 Operator : UM/SJ
 Sample : H1939-19
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 D9SH1

Quant Time: Mar 30 03:45:38 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM031516.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Mar 30 03:41:15 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.83	152	105508	20.00	ng/ul	0.00
18) Naphthalene-d8	10.62	136	477975	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.46	164	274717	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.21	188	502996	20.00	ng/ul	0.00
78) Chrysene-d12	21.40	240	279235	20.00	ng/ul	0.00
86) Perylene-d12	23.71	264	326238	20.00	ng/ul	0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.32	96	4307	1.41	ng/uL	0.00
5) Phenol-d5	6.99	99	113042	13.04	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.16	67	66723	13.58	ng/ul	0.00
9) 2-Chlorophenol-d4	7.36	132	93154	13.35	ng/ul	0.00
13) 4-Methylphenol-d8	8.52	113	80248	11.48	ng/ul	0.00
19) Nitrobenzene-d5	8.98	128	43531	13.10	ng/ul	0.00
22) 2-Nitrophenol-d4	9.70	143	47956	13.36	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.23	165	93530	13.28	ng/ul	0.00
29) 4-Chloroaniline-d4	10.75	131	36123	4.29	ng/ul	0.00
44) Dimethylphthalate-d6	13.87	166	297344	13.85	ng/ul	0.00
47) Acenaphthylene-d8	14.15	160	372527	14.15	ng/ul	0.00
52) 4-Nitrophenol-d4	14.65	143	43832	10.56	ng/ul	0.00
58) Fluorene-d10	15.45	176	267087	14.27	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.57	200	30419	11.51	ng/ul	0.00
71) Anthracene-d10	17.21	188	502996	21.72	ng/ul	-0.09
79) Pyrene-d10	19.60	212	245031	19.22	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.56	264	225478	15.47	ng/ul	0.01


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
45) Dimethylphthalate	13.92	163	131529	6.03	ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM032916\
Data File : BM004834.D
Acq On : 29 Mar 2016 23:27
Operator : UM/SJ
Sample : H1939-19
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
D9SH1

Quant Time: Mar 30 03:45:38 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM031516.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Mar 30 03:41:15 2016
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 6.03 ng/ul

RT: 13.92 min Scan# 1909

Delta R.T. 0.00 min

Lab File: BM004834.D


Acq: 29 Mar 2016 23:27

Instrument :

BNA_M

ClientSampleId :

D9SH1



Tgt Ion:	163	Resp:	131529
Ion	Ratio	Lower	Upper
163	100		
194	4.0	3.2	4.8
164	9.7	7.8	11.8

