

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM032916\
 Data File : BM004823.D
 Acq On : 29 Mar 2016 16:23
 Operator : UM/SJ
 Sample : H1939-09
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 D9SG3

Quant Time: Mar 30 03:31:24 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM031516.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Mar 30 02:30:53 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.83	152	55422	20.00	ng/ul	0.00
18) Naphthalene-d8	10.62	136	268768	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.46	164	165122	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.20	188	391093	20.00	ng/ul	0.00
78) Chrysene-d12	21.39	240	491486	20.00	ng/ul	0.00
86) Perylene-d12	23.69	264	478597	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.32	96	5968	3.72	ng/uL	0.00
5) Phenol-d5	6.99	99	124282	27.29	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.16	67	77989	30.21	ng/ul	0.00
9) 2-Chlorophenol-d4	7.36	132	98517	26.87	ng/ul	0.00
13) 4-Methylphenol-d8	8.52	113	105975	28.87	ng/ul	0.00
19) Nitrobenzene-d5	8.98	128	47800	25.57	ng/ul	0.00
22) 2-Nitrophenol-d4	9.70	143	52548	26.03	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.23	165	100175	25.30	ng/ul	0.00
29) 4-Chloroaniline-d4	10.75	131	147500	31.12	ng/ul	0.00
44) Dimethylphthalate-d6	13.87	166	351215	27.21	ng/ul	0.00
47) Acenaphthylene-d8	14.16	160	425691	26.90	ng/ul	0.00
52) 4-Nitrophenol-d4	14.65	143	56789	22.76	ng/ul	0.00
58) Fluorene-d10	15.46	176	311564	27.69	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.57	200	45756	22.26	ng/ul	0.00
71) Anthracene-d10	17.30	188	494525	27.46	ng/ul	0.00
79) Pyrene-d10	19.60	212	599640	26.73	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.54	264	652354	30.52	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
45) Dimethylphthalate	13.92	163	181798	13.87	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM032916\
Data File : BM004823.D
Acq On : 29 Mar 2016 16:23
Operator : UM/SJ
Sample : H1939-09
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
D9SG3

Quant Time: Mar 30 03:31:24 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM031516.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Mar 30 02:30:53 2016
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 13.87 ng/ul

RT: 13.92 min Scan# 1909

Delta R.T. -0.00 min

Lab File: BM004823.D

Acq: 29 Mar 2016 16:23

Instrument :

BNA_M

ClientSampleId :

D9SG3


Tgt Ion:163 Resp: 181798

Ion Ratio Lower Upper

163 100

194 4.3 3.2 4.8

164 10.1 7.8 11.8



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

