

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM032916\
 Data File : BM004828.D
 Acq On : 29 Mar 2016 19:51
 Operator : UM/SJ
 Sample : H1939-13
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 D9SG5

Quant Time: Mar 30 03:45:06 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM031516.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Mar 30 03:41:15 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.83	152	47630	20.00	ng/ul	0.00
18) Naphthalene-d8	10.62	136	239856	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.46	164	154334	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.20	188	381331	20.00	ng/ul	0.00
78) Chrysene-d12	21.39	240	492629	20.00	ng/ul	0.00
86) Perylene-d12	23.69	264	491381	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.32	96	3131	2.27	ng/uL	0.00
5) Phenol-d5	6.99	99	71221	18.20	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.16	67	45353	20.44	ng/ul	0.00
9) 2-Chlorophenol-d4	7.36	132	56732	18.01	ng/ul	0.00
13) 4-Methylphenol-d8	8.52	113	54947	17.42	ng/ul	0.00
19) Nitrobenzene-d5	8.98	128	28052	16.82	ng/ul	0.00
22) 2-Nitrophenol-d4	9.70	143	30201	16.76	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.23	165	57574	16.29	ng/ul	0.00
29) 4-Chloroaniline-d4	10.75	131	110736	26.18	ng/ul	0.00
44) Dimethylphthalate-d6	13.87	166	215560	17.87	ng/ul	0.00
47) Acenaphthylene-d8	14.16	160	257912	17.44	ng/ul	0.00
52) 4-Nitrophenol-d4	14.65	143	29566	12.68	ng/ul	0.00
58) Fluorene-d10	15.46	176	194990	18.54	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.57	200	24814	12.38	ng/ul	0.00
71) Anthracene-d10	17.30	188	311841	17.76	ng/ul	0.00
79) Pyrene-d10	19.60	212	384842	17.11	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.54	264	434830	19.81	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
45) Dimethylphthalate	13.92	163	82305	6.72	ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM032916\
Data File : BM004828.D
Acq On : 29 Mar 2016 19:51
Operator : UM/SJ
Sample : H1939-13
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
D9SG5

Quant Time: Mar 30 03:45:06 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM031516.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Mar 30 03:41:15 2016
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 6.72 ng/ul

RT: 13.92 min Scan# 1909

Delta R.T. -0.00 min

Lab File: BM004828.D


Acq: 29 Mar 2016 19:51

Instrument :

BNA_M

ClientSampleId :

D9SG5



Tgt Ion:163 Resp: 82305

Ion Ratio Lower Upper

163 100

194 3.7 3.2 4.8

164 9.7 7.8 11.8

