

Data Path : Z:\HPCHEM1\BNA M\DATA\BM033117\
 Data File : BM009482.D
 Acq On : 31 Mar 2017 20:10
 Operator : SJ/MA
 Sample : I2462-04
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 MW-3

Quant Time: Mar 31 23:00:17 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM032217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 31 12:10:26 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.85	152	108786	20.00	ng	-0.02
21) Naphthalene-d8	10.65	136	417536	20.00	ng	-0.02
38) Acenaphthene-d10	14.49	164	240127	20.00	ng	-0.01
63) Phenanthrene-d10	17.24	188	593783	20.00	ng	-0.01
75) Chrysene-d12	21.42	240	825650	20.00	ng	-0.01
86) Perylene-d12	23.74	264	800452	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.42	112	380460	58.29	ng	-0.01
7) Phenol-d6	7.00	99	307878	34.59	ng	-0.02
23) Nitrobenzene-d5	9.01	82	1052435	94.51	ng	-0.02
41) 2,4,6-Tribromophenol	15.99	330	499547	167.46	ng	-0.01
44) 2-Fluorobiphenyl	13.11	172	1993225	100.02	ng	-0.01
78) Terphenyl-d14	19.86	244	2379384	60.22	ng	-0.01
Target Compounds						
49) Dimethylphthalate	13.95	163	38256	2.07	ng	Qvalue # 90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM033117\
Data File : BM009482.D
Acq On : 31 Mar 2017 20:10
Operator : SJ/MA
Sample : I2462-04
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
MW-3

Quant Time: Mar 31 23:00:17 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM032217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 31 12:10:26 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.85 min Scan# 809
Delta R.T. -0.02 min
Lab File: BM009482.D
Acq: 31 Mar 2017 20:10

Instrument :
BNA_M
ClientSampled :
MW-3

Tot Ion:152 Resp: 108786
Ion Ratio Lower Upper
152 100
150 156.8 119.5 179.3
115 69.2 43.0 64.4#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 58.29 ng
RT: 5.42 min Scan# 397
Delta R.T. -0.01 min
Lab File: BM009482.D
Acq: 31 Mar 2017 20:10

Tgt Ion:112 Resp: 380460
Ion Ratio Lower Upper
112 100
64 78.3 38.6 57.8#
63 45.2 19.3 28.9#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 34.59 ng

RT: 7.00 min Scan# 666

Delta R.T. -0.02 min

Lab File: BM009482.D

Acq: 31 Mar 2017 20:10

Instrument :

BNA_M

ClientSampled :

MW-3





Tot Ion: 99 Resp: 307878

Ion Ratio Lower Upper

99 100

42 23.8 11.0 16.4#

71 43.6 23.4 35.2#



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.65 min Scan# 1285

Delta R.T. -0.02 min

Lab File: BM009482.D

Acq: 31 Mar 2017 20:10

Tgt Ion: 136 Resp: 417536




Ion Ratio Lower Upper


136 100

137 9.1 8.7 13.1

54 10.5 4.6 6.8#

68 6.9 3.7 5.5#









#23
 Nitrobenzene-d5
 Concen: 94.51 ng
 RT: 9.01 min Scan# 1007
 Delta R.T. -0.02 min
 Lab File: BM009482.D
 Acq: 31 Mar 2017 20:10




Instrument :
 BNA_M
 ClientSampled :
 MW-3


Tot Ion: 82 Resp: 1052435
 Ion Ratio Lower Upper
 82 100
 128 30.1 32.8 49.2#
 54 57.6 40.6 60.8



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.49 min Scan# 1939
 Delta R.T. -0.01 min
 Lab File: BM009482.D
 Acq: 31 Mar 2017 20:10

Tgt Ion:164 Resp: 240127
 Ion Ratio Lower Upper
 164 100
 162 104.3 82.4 123.6
 160 44.2 35.8 53.6









#41
 2,4,6-Tribromophenol
 Concen: 167.46 ng
 RT: 15.99 min Scan# 2193
 Delta R.T. -0.01 min
 Lab File: BM009482.D
 Acq: 31 Mar 2017 20:10

Instrument :
 BNA_M
 ClientSampled :
 MW-3

Tot Ion:330 Resp: 499547
 Ion Ratio Lower Upper
 330 100
 332 96.9 0.0 0.0#
 141 42.3 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 100.02 ng
 RT: 13.11 min Scan# 1704
 Delta R.T. -0.01 min
 Lab File: BM009482.D
 Acq: 31 Mar 2017 20:10

Tgt Ion:172 Resp: 1993225
 Ion Ratio Lower Upper
 172 100
 171 35.3 28.5 42.7
 170 23.7 18.8 28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 2.07 ng

RT: 13.95 min Scan# 1846

Delta R.T. -0.01 min

Lab File: BM009482.D

Acq: 31 Mar 2017 20:10

Instrument :

BNA_M

ClientSampleId :

MW-3


Tot Ion:163 Resp: 38256

Ion Ratio Lower Upper

163 100

194 7.5 2.7 4.1#




164 7.0 8.2 12.2#



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.24 min Scan# 2406

Delta R.T. -0.01 min

Lab File: BM009482.D

Acq: 31 Mar 2017 20:10


Tgt Ion:188 Resp: 593783

Ion Ratio Lower Upper

188 100

94 8.8 8.7 13.1



80 10.6 9.3 13.9




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM0

Ion 80.00 (79.70 to 80.70): BM0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.42 min Scan# 3116

Delta R.T. -0.01 min

Lab File: BM009482.D

Acq: 31 Mar 2017 20:10

Instrument :

BNA_M

ClientSampleId :

MW-3


Tot Ion:240 Resp: 825650

Ion Ratio Lower Upper

240 100

120 8.3 8.2 12.2




236 24.5 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 60.22 ng

RT: 19.86 min Scan# 2851

Delta R.T. -0.01 min

Lab File: BM009482.D

Acq: 31 Mar 2017 20:10


Tgt Ion:244 Resp: 2379384

Ion Ratio Lower Upper

244 100

212 8.0 4.9 7.3#



122 9.5 6.2 9.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.00 ng
RT: 23.74 min Scan# 3511
Delta R.T. -0.02 min
Lab File: BM009482.D
Acq: 31 Mar 2017 20:10

Instrument :
BNA_M
ClientSampleId :
MW-3

Tot Ion: 264 Resp: 800452

Ion	Ratio	Lower	Upper
264	100		
260	22.3	18.6	27.8
265	20.9	17.3	25.9



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

