

Data Path : Z:\HPCHEM1\BNA M\DATA\BM033117\
 Data File : BM009480.D
 Acq On : 31 Mar 2017 18:59
 Operator : SJ/MA
 Sample : I2462-02
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 MW-1

Quant Time: Mar 31 23:00:02 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM032217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 31 12:10:26 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.85	152	113927	20.00	ng	-0.02
21) Naphthalene-d8	10.65	136	437493	20.00	ng	-0.02
38) Acenaphthene-d10	14.49	164	252275	20.00	ng	-0.01
63) Phenanthrene-d10	17.24	188	613376	20.00	ng	-0.01
75) Chrysene-d12	21.42	240	798936	20.00	ng	-0.01
86) Perylene-d12	23.74	264	764765	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.42	112	522313	76.42	ng	-0.01
7) Phenol-d6	7.00	99	443746	47.61	ng	-0.02
23) Nitrobenzene-d5	9.01	82	1214042	104.05	ng	-0.02
41) 2,4,6-Tribromophenol	15.99	330	557801	177.98	ng	-0.01
44) 2-Fluorobiphenyl	13.11	172	2248845	107.41	ng	-0.01
78) Terphenyl-d14	19.86	244	3273472	85.62	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM033117\
Data File : BM009480.D
Acq On : 31 Mar 2017 18:59
Operator : SJ/MA
Sample : I2462-02
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
MW-1

Quant Time: Mar 31 23:00:02 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM032217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 31 12:10:26 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.85 min Scan# 809
Delta R.T. -0.02 min
Lab File: BM009480.D
Acq: 31 Mar 2017 18:59

Instrument :
BNA_M
ClientSampleId :
MW-1

Tot Ion	152	Resp	113927
Ion	Ratio	Lower	Upper
152	100		
150	162.8	119.5	179.3
115	67.4	43.0	64.4#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 76.42 ng
RT: 5.42 min Scan# 397
Delta R.T. -0.01 min
Lab File: BM009480.D
Acq: 31 Mar 2017 18:59

Tgt Ion	112	Resp	522313
Ion	Ratio	Lower	Upper
112	100		
64	74.1	38.6	57.8#
63	41.8	19.3	28.9#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 47.61 ng

RT: 7.00 min Scan# 666

Delta R.T. -0.02 min

Lab File: BM009480.D

Acq: 31 Mar 2017 18:59

Instrument :

BNA_M

ClientSampleId :

MW-1


Tot Ion: 99 Resp: 443746

Ion Ratio Lower Upper

99 100

42 25.5 11.0 16.4#




71 43.5 23.4 35.2#



Abundance Ion 99.00 (98.70 to 99.70): BM003414.D (-639) (-)

Ion 42.00 (41.70 to 42.70): BM003414.D (-639) (-)

Ion 71.00 (70.70 to 71.70): BM003414.D (-639) (-)



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.65 min Scan# 1285

Delta R.T. -0.02 min

Lab File: BM009480.D

Acq: 31 Mar 2017 18:59

Tgt Ion: 136 Resp: 437493


Ion Ratio Lower Upper

136 100

137 10.5 8.7 13.1

54 10.8 4.6 6.8#

68 8.4 3.7 5.5#






Abundance Ion 136.00 (135.70 to 136.70): BM003414.D (-1255) (-)

Ion 137.00 (136.70 to 137.70): BM003414.D (-1255) (-)

Ion 54.00 (53.70 to 54.70): BM003414.D (-1255) (-)

Ion 68.00 (67.70 to 68.70): BM003414.D (-1255) (-)









#23
 Nitrobenzene-d5
 Concen: 104.05 ng
 RT: 9.01 min Scan# 1007
 Delta R.T. -0.02 min
 Lab File: BM009480.D
 Acq: 31 Mar 2017 18:59




Instrument :
 BNA_M
 ClientSampleId :
 MW-1


Tot Ion: 82 Resp: 1214042
 Ion Ratio Lower Upper
 82 100
 128 31.5 32.8 49.2#
 54 55.3 40.6 60.8



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.49 min Scan# 1939
 Delta R.T. -0.01 min
 Lab File: BM009480.D
 Acq: 31 Mar 2017 18:59

Tgt Ion:164 Resp: 252275
 Ion Ratio Lower Upper
 164 100
 162 106.4 82.4 123.6
 160 47.2 35.8 53.6









#41
 2,4,6-Tribromophenol
 Concen: 177.98 ng
 RT: 15.99 min Scan# 2193
 Delta R.T. -0.01 min
 Lab File: BM009480.D
 Acq: 31 Mar 2017 18:59

Instrument :
 BNA_M
 ClientSampled :
 MW-1

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.2	0.0	0.0#
141	40.7	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 107.41 ng
 RT: 13.11 min Scan# 1704
 Delta R.T. -0.01 min
 Lab File: BM009480.D
 Acq: 31 Mar 2017 18:59

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.7	28.5	42.7
170	22.5	18.8	28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.24 min Scan# 2406

Delta R.T. -0.01 min

Lab File: BM009480.D

Acq: 31 Mar 2017 18:59

Instrument :

BNA_M

ClientSampleId :

MW-1


Tot Ion:188 Resp: 613376

Ion Ratio Lower Upper

188 100

94 8.2 8.7 13.1#




80 10.7 9.3 13.9



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM

Ion 80.00 (79.70 to 80.70): BM



#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.42 min Scan# 3116

Delta R.T. -0.01 min

Lab File: BM009480.D

Acq: 31 Mar 2017 18:59


Tgt Ion:240 Resp: 798936

Ion Ratio Lower Upper

240 100

120 9.0 8.2 12.2



236 24.3 20.0 30.0




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 85.62 ng

RT: 19.86 min Scan# 2851

Delta R.T. -0.01 min

Lab File: BM009480.D

Acq: 31 Mar 2017 18:59

Instrument :

BNA_M

ClientSampleId :

MW-1


Tot Ion:244 Resp: 3273472

Ion Ratio Lower Upper

244 100

212 7.6 4.9 7.3#




122 9.3 6.2 9.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.74 min Scan# 3511

Delta R.T. -0.02 min

Lab File: BM009480.D

Acq: 31 Mar 2017 18:59


Tgt Ion:264 Resp: 764765

Ion Ratio Lower Upper

264 100

260 21.1 18.6 27.8

265 20.8 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

