

Data Path : Z:\HPCHEM1\BNA M\DATA\BM033117\
 Data File : BM009481.D
 Acq On : 31 Mar 2017 19:35
 Operator : SJ/MA
 Sample : I2462-03
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 MW-2

Quant Time: Mar 31 23:00:09 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM032217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 31 12:10:26 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.85	152	106439	20.00	ng	-0.02
21) Naphthalene-d8	10.65	136	413712	20.00	ng	-0.02
38) Acenaphthene-d10	14.49	164	239311	20.00	ng	-0.01
63) Phenanthrene-d10	17.24	188	575103	20.00	ng	-0.01
75) Chrysene-d12	21.42	240	784817	20.00	ng	-0.01
86) Perylene-d12	23.74	264	769191	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.42	112	504842	79.06	ng	-0.01
7) Phenol-d6	7.00	99	414763	47.63	ng	-0.02
23) Nitrobenzene-d5	9.01	82	1101774	99.85	ng	-0.02
41) 2,4,6-Tribromophenol	15.99	330	501520	168.69	ng	-0.01
44) 2-Fluorobiphenyl	13.11	172	2062085	103.83	ng	-0.01
78) Terphenyl-d14	19.86	244	2881806	76.73	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM033117\
Data File : BM009481.D
Acq On : 31 Mar 2017 19:35
Operator : SJ/MA
Sample : I2462-03
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
MW-2

Quant Time: Mar 31 23:00:09 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM032217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 31 12:10:26 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.85 min Scan# 809
Delta R.T. -0.02 min
Lab File: BM009481.D
Acq: 31 Mar 2017 19:35

Instrument :
BNA_M
ClientSampled :
MW-2

Tot Ion	Ratio	Lower	Upper
152	100		
150	168.5	119.5	179.3
115	66.6	43.0	64.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 79.06 ng
RT: 5.42 min Scan# 397
Delta R.T. -0.01 min
Lab File: BM009481.D
Acq: 31 Mar 2017 19:35

Tgt Ion	Ratio	Lower	Upper
112	100		
64	74.2	38.6	57.8
63	43.5	19.3	28.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 47.63 ng

RT: 7.00 min Scan# 666

Delta R.T. -0.02 min

Lab File: BM009481.D

Acq: 31 Mar 2017 19:35

Instrument :

BNA_M

ClientSampleId :

MW-2


Tot Ion: 99 Resp: 414763

Ion Ratio Lower Upper

99 100

42 24.3 11.0 16.4#




71 47.4 23.4 35.2#



Abundance Ion 99.00 (98.70 to 99.70): BM003414.D (-639) (-)

Ion 42.00 (41.70 to 42.70): BM003414.D (-639) (-)

Ion 71.00 (70.70 to 71.70): BM003414.D (-639) (-)



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.65 min Scan# 1285

Delta R.T. -0.02 min

Lab File: BM009481.D

Acq: 31 Mar 2017 19:35

Tgt Ion: 136 Resp: 413712


Ion Ratio Lower Upper

136 100

137 10.6 8.7 13.1

54 12.7 4.6 6.8#

68 6.4 3.7 5.5#






Abundance Ion 136.00 (135.70 to 136.70): BM003414.D (-1255) (-)

Ion 137.00 (136.70 to 137.70): BM003414.D (-1255) (-)

Ion 54.00 (53.70 to 54.70): BM003414.D (-1255) (-)

Ion 68.00 (67.70 to 68.70): BM003414.D (-1255) (-)









#23
 Nitrobenzene-d5
 Concen: 99.85 ng
 RT: 9.01 min Scan# 1007
 Delta R.T. -0.02 min
 Lab File: BM009481.D
 Acq: 31 Mar 2017 19:35




Instrument :
 BNA_M
 ClientSampleId :
 MW-2


Tot Ion: 82 Resp: 1101774
 Ion Ratio Lower Upper
 82 100
 128 32.3 32.8 49.2#
 54 57.0 40.6 60.8



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.49 min Scan# 1939
 Delta R.T. -0.01 min
 Lab File: BM009481.D
 Acq: 31 Mar 2017 19:35

Tgt Ion: 164 Resp: 239311
 Ion Ratio Lower Upper
 164 100
 162 102.1 82.4 123.6
 160 41.9 35.8 53.6









#41
 2,4,6-Tribromophenol
 Concen: 168.69 ng
 RT: 15.99 min Scan# 2193
 Delta R.T. -0.01 min
 Lab File: BM009481.D
 Acq: 31 Mar 2017 19:35

Instrument :
 BNA_M
 ClientSampleId :
 MW-2

Tot Ion:330 Resp: 501520
 Ion Ratio Lower Upper
 330 100
 332 96.1 0.0 0.0#
 141 42.5 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 103.83 ng
 RT: 13.11 min Scan# 1704
 Delta R.T. -0.01 min
 Lab File: BM009481.D
 Acq: 31 Mar 2017 19:35

Tgt Ion:172 Resp: 2062085
 Ion Ratio Lower Upper
 172 100
 171 34.8 28.5 42.7
 170 22.2 18.8 28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.24 min Scan# 2406

Delta R.T. -0.01 min

Lab File: BM009481.D

Acq: 31 Mar 2017 19:35

Instrument :

BNA_M

ClientSampled :

MW-2


Tot Ion:188 Resp: 575103

Ion Ratio Lower Upper

188 100

94 10.1 8.7 13.1




80 10.3 9.3 13.9



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM

Ion 80.00 (79.70 to 80.70): BM



#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.42 min Scan# 3116

Delta R.T. -0.01 min

Lab File: BM009481.D

Acq: 31 Mar 2017 19:35


Tgt Ion:240 Resp: 784817

Ion Ratio Lower Upper

240 100

120 9.1 8.2 12.2



236 25.5 20.0 30.0




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 76.73 ng
 RT: 19.86 min Scan# 2851
 Delta R.T. -0.01 min
 Lab File: BM009481.D
 Acq: 31 Mar 2017 19:35

Instrument :
 BNA_M
 ClientSampleId :
 MW-2

Tot Ion:244 Resp: 2881806
 Ion Ratio Lower Upper
 244 100
 212 7.6 4.9 7.3#
 122 9.2 6.2 9.4




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 23.74 min Scan# 3511
 Delta R.T. -0.02 min
 Lab File: BM009481.D
 Acq: 31 Mar 2017 19:35

Tgt Ion:264 Resp: 769191
 Ion Ratio Lower Upper
 264 100
 260 21.5 18.6 27.8
 265 20.6 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

