

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM033121\
 Data File : BM029296.D
 Acq On : 31 Mar 2021 16:28
 Operator : CG/JU
 Sample : M1831-04
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 B2B

Quant Time: Mar 31 17:00:30 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM032621.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 29 11:14:33 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.746	152	177162	20.00	ng	0.00
21) Naphthalene-d8	10.528	136	732787	20.00	ng	0.00
39) Acenaphthene-d10	14.381	164	435734	20.00	ng	0.00
64) Phenanthrene-d10	17.122	188	747938	20.00	ng	0.00
76) Chrysene-d12	21.292	240	546437	20.00	ng	0.00
86) Perylene-d12	23.527	264	561477	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.352	112	1115732	108.56	ng	0.00
7) Phenol-d6	6.928	99	1508033	102.25	ng	0.00
23) Nitrobenzene-d5	8.899	82	1053202	69.78	ng	0.00
42) 2,4,6-Tribromophenol	15.869	330	391571	97.04	ng	0.00
45) 2-Fluorobiphenyl	12.998	172	2072011	67.45	ng	0.00
79) Terphenyl-d14	19.745	244	2045918	75.22	ng	0.00
Target Compounds						
10) Phenol	6.952	94	42943	2.95	ng	91
50) Dimethylphthalate	13.834	163	94048	3.09	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM033121\
Data File : BM029296.D
Acq On : 31 Mar 2021 16:28
Operator : CG/JU
Sample : M1831-04
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
B2B

Quant Time: Mar 31 17:00:30 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM032621.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 29 11:14:33 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.746 min Scan# 826
Delta R.T. -0.006 min
Lab File: BM029296.D
Acq: 31 Mar 2021 16:28




Instrument :
BNA_M
ClientSampleId :
B2B


Tgt Ion:152 Resp: 177162
Ion Ratio Lower Upper
152 100
150 152.8 124.3 186.5
115 62.3 46.4 69.6



#5
2-Fluorophenol
Concen: 108.56 ng
RT: 5.352 min Scan# 419
Delta R.T. -0.000 min
Lab File: BM029296.D
Acq: 31 Mar 2021 16:28

Tgt Ion:112 Resp: 1115732
Ion Ratio Lower Upper
112 100
64 62.7 51.6 77.4
63 35.2 29.0 43.4









#7
Phenol-d6
Concen: 102.25 ng
RT: 6.928 min Scan# 687
Delta R.T. 0.006 min
Lab File: BM029296.D
Acq: 31 Mar 2021 16:28

Instrument :
BNA_M
ClientSampled :
B2B

Tgt Ion: 99 Resp: 1508033




Ion	Ratio	Lower	Upper
99	100		
42	21.6	18.5	27.7
71	38.0	31.8	47.6




#10
Phenol
Concen: 2.95 ng
RT: 6.952 min Scan# 691
Delta R.T. 0.006 min
Lab File: BM029296.D
Acq: 31 Mar 2021 16:28

Tgt Ion: 94 Resp: 42943

Ion	Ratio	Lower	Upper
94	100		
65	35.6	13.0	53.0
66	51.6	24.1	64.1









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.528 min Scan# 1299
Delta R.T. -0.006 min
Lab File: BM029296.D
Acq: 31 Mar 2021 16:28




Instrument :
BNA_M
ClientSampleId :
B2B


Tgt Ion:	136	Resp:	732787
Ion	Ratio	Lower	Upper
136	100		
137	10.7	9.3	13.9
54	8.9	6.9	10.3
68	7.1	5.4	8.0



#23
Nitrobenzene-d5
Concen: 69.78 ng
RT: 8.899 min Scan# 1022
Delta R.T. -0.006 min
Lab File: BM029296.D
Acq: 31 Mar 2021 16:28


Tgt Ion:	82	Resp:	1053202
Ion	Ratio	Lower	Upper
82	100		
128	38.1	28.6	42.8
54	50.2	40.7	61.1








#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.381 min Scan# 1954
Delta R.T. -0.000 min
Lab File: BM029296.D
Acq: 31 Mar 2021 16:28

Instrument :
BNA_M
ClientSampled :
B2B







Tgt Ion:164 Resp: 435734
Ion Ratio Lower Upper
164 100
162 102.6 84.4 126.6
160 44.2 36.6 54.8



#42
2,4,6-Tribromophenol
Concen: 97.04 ng
RT: 15.869 min Scan# 2207
Delta R.T. 0.006 min
Lab File: BM029296.D
Acq: 31 Mar 2021 16:28


Tgt Ion:330 Resp: 391571
Ion Ratio Lower Upper
330 100
332 96.7 77.1 115.7
141 50.1 39.2 58.8








#45
2-Fluorobiphenyl
Concen: 67.45 ng
RT: 12.998 min Scan# 1719
Delta R.T. -0.006 min
Lab File: BM029296.D
Acq: 31 Mar 2021 16:28

Instrument :
BNA_M
ClientSampled :
B2B







Tgt Ion:172 Resp: 2072011
Ion Ratio Lower Upper
172 100
171 35.8 28.7 43.1
170 23.3 18.8 28.2



#50
Dimethylphthalate
Concen: 3.09 ng
RT: 13.834 min Scan# 1861
Delta R.T. -0.006 min
Lab File: BM029296.D
Acq: 31 Mar 2021 16:28

Tgt Ion:163 Resp: 94048
Ion Ratio Lower Upper
163 100
194 4.2 3.2 4.8
164 10.4 7.9 11.9









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.122 min Scan# 2420
Delta R.T. 0.006 min
Lab File: BM029296.D
Acq: 31 Mar 2021 16:28




Instrument :
BNA_M
ClientSampled :
B2B


Tgt Ion:188 Resp: 747938
Ion Ratio Lower Upper
188 100
94 11.4 8.1 12.1
80 12.5 9.2 13.8



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.292 min Scan# 3129
Delta R.T. 0.006 min
Lab File: BM029296.D
Acq: 31 Mar 2021 16:28

Tgt Ion:240 Resp: 546437
Ion Ratio Lower Upper
240 100
120 12.0 9.0 13.6
236 25.0 20.3 30.5





#79

Terphenyl-d14

Concen: 75.22 ng

RT: 19.745 min Scan# 2866

Delta R.T. 0.006 min

Lab File: BM029296.D

Acq: 31 Mar 2021 16:28





Tgt Ion:244 Resp: 2045918

Ion Ratio Lower Upper

244 100

212 8.3 6.5 9.7

122 11.9 9.2 13.8



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.527 min Scan# 3509

Delta R.T. 0.006 min

Lab File: BM029296.D

Acq: 31 Mar 2021 16:28

Tgt Ion:264 Resp: 561477

Ion Ratio Lower Upper

264 100

260 23.9 19.6 29.4

265 21.4 17.8 26.8

