

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM033123\
 Data File : BM039261.D
 Acq On : 31 Mar 2023 20:00
 Operator : CG/JU
 Sample : 02140-07
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 MW-02DUP

Quant Time: Apr 01 05:21:42 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM032923.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 31 17:03:41 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.916	152	218155	20.000	ng	0.00
21) Naphthalene-d8	10.727	136	866176	20.000	ng	0.00
39) Acenaphthene-d10	14.563	164	493088	20.000	ng	0.00
64) Phenanthrene-d10	17.309	188	960665	20.000	ng	0.00
76) Chrysene-d12	21.491	240	787269	20.000	ng	0.00
86) Perylene-d12	23.903	264	909530	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.475	112	873423	60.320	ng	0.00
7) Phenol-d6	7.081	99	641034	34.227	ng	0.00
23) Nitrobenzene-d5	9.086	82	1625973	91.236	ng	0.00
42) 2,4,6-Tribromophenol	16.057	330	861959	137.709	ng	0.00
45) 2-Fluorobiphenyl	13.186	172	3348925	92.022	ng	0.00
79) Terphenyl-d14	19.933	244	3993256	93.713	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM033123\
Data File : BM039261.D
Acq On : 31 Mar 2023 20:00
Operator : CG/JU
Sample : 02140-07
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
MW-02DUP

Quant Time: Apr 01 05:21:42 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM032923.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 31 17:03:41 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.916 min Scan# 71
Delta R.T. -0.000 min
Lab File: BM039261.D
Acq: 31 Mar 2023 20:00




Instrument :
BNA_M
ClientSampleId :
MW-02DUP


Tgt Ion:152 Resp: 218155
Ion Ratio Lower Upper
152 100
150 157.9 125.5 188.3
115 62.8 48.1 72.1



#5
2-Fluorophenol
Concen: 60.320 ng
RT: 5.475 min Scan# 372
Delta R.T. -0.000 min
Lab File: BM039261.D
Acq: 31 Mar 2023 20:00

Tgt Ion:112 Resp: 873423
Ion Ratio Lower Upper
112 100
64 58.1 44.3 66.5
63 29.6 23.0 34.6









#7
Phenol-d6
Concen: 34.227 ng
RT: 7.081 min Scan# 64
Delta R.T. -0.006 min
Lab File: BM039261.D
Acq: 31 Mar 2023 20:00




Instrument :
BNA_M
ClientSampleId :
MW-02DUP


Tgt Ion: 99 Resp: 641034
Ion Ratio Lower Upper
99 100
42 17.0 13.0 19.6
71 32.2 25.5 38.3



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.727 min Scan# 1265
Delta R.T. -0.000 min
Lab File: BM039261.D
Acq: 31 Mar 2023 20:00

Tgt Ion:136 Resp: 866176
Ion Ratio Lower Upper
136 100
137 11.4 8.9 13.3
54 7.9 6.2 9.4
68 6.3 4.9 7.3





#23

Nitrobenzene-d5

Concen: 91.236 ng

RT: 9.086 min Scan# 91

Delta R.T. -0.000 min

Lab File: BM039261.D

Acq: 31 Mar 2023 20:00

Instrument :





BNA_M

ClientSampleId :

MW-02DUP

Tgt Ion: 82 Resp: 1625973

Ion	Ratio	Lower	Upper
82	100		
128	42.8	35.1	52.7
54	47.9	38.5	57.7



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.563 min Scan# 1917




Delta R.T. -0.000 min


Lab File: BM039261.D

Acq: 31 Mar 2023 20:00

Tgt Ion: 164 Resp: 493088

Ion	Ratio	Lower	Upper
164	100		
162	100.6	79.1	118.7
160	45.3	35.8	53.8









#42
2,4,6-Tribromophenol
Concen: 137.709 ng
RT: 16.057 min Scan# 2172
Delta R.T. -0.000 min
Lab File: BM039261.D
Acq: 31 Mar 2023 20:00




Instrument :
BNA_M
ClientSampleId :
MW-02DUP


Tgt Ion:330 Resp: 861959
Ion Ratio Lower Upper
330 100
332 96.7 77.4 116.0
141 37.4 29.8 44.6



#45
2-Fluorobiphenyl
Concen: 92.022 ng
RT: 13.186 min Scan# 1683
Delta R.T. -0.000 min
Lab File: BM039261.D
Acq: 31 Mar 2023 20:00

Tgt Ion:172 Resp: 3348925
Ion Ratio Lower Upper
172 100
171 35.1 28.0 42.0
170 23.6 18.7 28.1









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.309 min Scan# 21
Delta R.T. -0.000 min
Lab File: BM039261.D
Acq: 31 Mar 2023 20:00




Instrument :
BNA_M
ClientSampleId :
MW-02DUP


Tgt Ion:188 Resp: 960665
Ion Ratio Lower Upper
188 100
94 10.0 8.2 12.4
80 11.1 8.9 13.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.491 min Scan# 3095
Delta R.T. -0.006 min
Lab File: BM039261.D
Acq: 31 Mar 2023 20:00

Tgt Ion:240 Resp: 787269
Ion Ratio Lower Upper
240 100
120 12.4 10.2 15.2
236 25.4 20.9 31.3









#79
 Terphenyl-d14
 Concen: 93.713 ng
 RT: 19.933 min Scan# 21
 Delta R.T. -0.000 min
 Lab File: BM039261.D
 Acq: 31 Mar 2023 20:00

Instrument :
 BNA_M
 ClientSampleId :
 MW-02DUP

Tgt Ion:244 Resp: 3993256
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.6 8.4
 122 12.2 9.1 13.7



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.903 min Scan# 3505
 Delta R.T. -0.000 min
 Lab File: BM039261.D
 Acq: 31 Mar 2023 20:00

Tgt Ion:264 Resp: 909530
 Ion Ratio Lower Upper
 264 100
 260 24.0 19.0 28.6
 265 22.6 18.1 27.1

