

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM033123\
 Data File : BM039265.D
 Acq On : 31 Mar 2023 22:27
 Operator : CG/JU
 Sample : 02070-03
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SOILPILE-2-0323

Quant Time: Apr 01 05:22:30 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM032923.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 31 17:03:41 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.916	152	245724	20.000	ng	0.00
21) Naphthalene-d8	10.727	136	946325	20.000	ng	0.00
39) Acenaphthene-d10	14.563	164	492173	20.000	ng	0.00
64) Phenanthrene-d10	17.309	188	914452	20.000	ng	0.00
76) Chrysene-d12	21.492	240	863571	20.000	ng	0.00
86) Perylene-d12	23.903	264	1073685	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.475	112	1751791	107.407	ng	0.00
7) Phenol-d6	7.087	99	2186489	103.647	ng	0.00
23) Nitrobenzene-d5	9.086	82	1351595	69.417	ng	0.00
42) 2,4,6-Tribromophenol	16.057	330	592244	94.795	ng	0.00
45) 2-Fluorobiphenyl	13.186	172	2542032	69.980	ng	0.00
79) Terphenyl-d14	19.933	244	2850038	60.975	ng	0.00
Target Compounds						
						Qvalue
52) Acenaphthene	14.627	154	71702	2.511	ng	99
71) Phenanthrene	17.351	178	160319	3.201	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM033123\
Data File : BM039265.D
Acq On : 31 Mar 2023 22:27
Operator : CG/JU
Sample : 02070-03
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
SOILPILE-2-0323

Quant Time: Apr 01 05:22:30 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM032923.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 31 17:03:41 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.916 min Scan# 71
Delta R.T. -0.000 min
Lab File: BM039265.D
Acq: 31 Mar 2023 22:27




Instrument :
BNA_M
ClientSampleId :
SOILPILE-2-0323


Tgt Ion:152 Resp: 245724
Ion Ratio Lower Upper
152 100
150 156.5 125.5 188.3
115 61.2 48.1 72.1



#5
2-Fluorophenol
Concen: 107.407 ng
RT: 5.475 min Scan# 372
Delta R.T. -0.000 min
Lab File: BM039265.D
Acq: 31 Mar 2023 22:27

Tgt Ion:112 Resp: 1751791
Ion Ratio Lower Upper
112 100
64 57.8 44.3 66.5
63 30.3 23.0 34.6









#7
Phenol-d6
Concen: 103.647 ng
RT: 7.087 min Scan# 64
Delta R.T. -0.000 min
Lab File: BM039265.D
Acq: 31 Mar 2023 22:27




Instrument :
BNA_M
ClientSampleId :
SOILPILE-2-0323

Tgt Ion: 99 Resp: 2186489
Ion Ratio Lower Upper
99 100
42 16.4 13.0 19.6
71 32.3 25.5 38.3



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.727 min Scan# 1265
Delta R.T. -0.000 min
Lab File: BM039265.D
Acq: 31 Mar 2023 22:27

Tgt Ion: 136 Resp: 946325
Ion Ratio Lower Upper
136 100
137 10.8 8.9 13.3
54 8.0 6.2 9.4
68 6.5 4.9 7.3









#23
Nitrobenzene-d5
Concen: 69.417 ng
RT: 9.086 min Scan# 91
Delta R.T. -0.000 min
Lab File: BM039265.D
Acq: 31 Mar 2023 22:27




Instrument :
BNA_M
ClientSampleId :
SOILPILE-2-0323


Tgt Ion: 82 Resp: 1351595
Ion Ratio Lower Upper
82 100
128 43.1 35.1 52.7
54 48.7 38.5 57.7



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.563 min Scan# 1917
Delta R.T. -0.000 min
Lab File: BM039265.D
Acq: 31 Mar 2023 22:27

Tgt Ion: 164 Resp: 492173
Ion Ratio Lower Upper
164 100
162 99.7 79.1 118.7
160 44.6 35.8 53.8









#42
2,4,6-Tribromophenol
Concen: 94.795 ng
RT: 16.057 min Scan# 2171
Delta R.T. -0.000 min
Lab File: BM039265.D
Acq: 31 Mar 2023 22:27




Instrument :
BNA_M
ClientSampleId :
SOILPILE-2-0323


Tgt Ion:330 Resp: 592244
Ion Ratio Lower Upper
330 100
332 96.0 77.4 116.0
141 38.1 29.8 44.6



#45
2-Fluorobiphenyl
Concen: 69.980 ng
RT: 13.186 min Scan# 1683
Delta R.T. -0.000 min
Lab File: BM039265.D
Acq: 31 Mar 2023 22:27

Tgt Ion:172 Resp: 2542032
Ion Ratio Lower Upper
172 100
171 35.3 28.0 42.0
170 23.5 18.7 28.1









#52
Acenaphthene
Concen: 2.511 ng
RT: 14.627 min Scan# 1930
Delta R.T. -0.000 min
Lab File: BM039265.D
Acq: 31 Mar 2023 22:27




Instrument :
BNA_M
ClientSampleId :
SOILPILE-2-0323


Tgt Ion:154 Resp: 71702
Ion Ratio Lower Upper
154 100
153 112.9 89.1 133.7
152 54.2 42.6 64.0



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.309 min Scan# 2384
Delta R.T. -0.000 min
Lab File: BM039265.D
Acq: 31 Mar 2023 22:27

Tgt Ion:188 Resp: 914452
Ion Ratio Lower Upper
188 100
94 9.8 8.2 12.4
80 11.1 8.9 13.3





#71

Phenanthrene

Concen: 3.201 ng

RT: 17.351 min Scan# 21

Delta R.T. -0.006 min

Lab File: BM039265.D

Acq: 31 Mar 2023 22:27

Instrument :

BNA_M

ClientSampleId :

SOILPILE-2-0323





Tgt Ion:178 Resp: 160319

Ion Ratio Lower Upper

178 100

176 18.8 15.7 23.5

179 14.9 12.4 18.6



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.492 min Scan# 3095

Delta R.T. -0.006 min

Lab File: BM039265.D

Acq: 31 Mar 2023 22:27




Tgt Ion:240 Resp: 863571


Ion Ratio Lower Upper

240 100

120 12.5 10.2 15.2

236 26.2 20.9 31.3









#79
 Terphenyl-d14
 Concen: 60.975 ng
 RT: 19.933 min Scan# 21
 Delta R.T. -0.000 min
 Lab File: BM039265.D
 Acq: 31 Mar 2023 22:27

Instrument :
 BNA_M
 ClientSampleId :
 SOILPILE-2-0323

Tgt Ion:244 Resp: 2850038
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.6 8.4
 122 11.4 9.1 13.7



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.903 min Scan# 3505
 Delta R.T. -0.000 min
 Lab File: BM039265.D
 Acq: 31 Mar 2023 22:27

Tgt Ion:264 Resp: 1073685
 Ion Ratio Lower Upper
 264 100
 260 24.1 19.0 28.6
 265 22.1 18.1 27.1

