

Data Path : Z:\HPCHEM1\BNA M\DATA\BM040317\
 Data File : BM009500.D
 Acq On : 03 Apr 2017 15:05
 Operator : SJ/MA
 Sample : PB97981BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB97981BL

Quant Time: Apr 04 01:20:13 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM032217.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 31 12:10:26 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.85	152	113027	20.00	ng	-0.02
21) Naphthalene-d8	10.65	136	416627	20.00	ng	-0.02
38) Acenaphthene-d10	14.49	164	230504	20.00	ng	-0.02
63) Phenanthrene-d10	17.24	188	556757	20.00	ng	-0.01
75) Chrysene-d12	21.42	240	769678	20.00	ng	-0.01
86) Perylene-d12	23.74	264	730102	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.42	112	951950	140.39	ng	-0.01
7) Phenol-d6	7.00	99	1289590	139.46	ng	-0.02
23) Nitrobenzene-d5	9.01	82	893588	80.42	ng	-0.02
41) 2,4,6-Tribromophenol	15.98	330	383274	133.85	ng	-0.02
44) 2-Fluorobiphenyl	13.10	172	1592806	83.26	ng	-0.02
78) Terphenyl-d14	19.86	244	2620692	71.15	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM040317\
Data File : BM009500.D
Acq On : 03 Apr 2017 15:05
Operator : SJ/MA
Sample : PB97981BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB97981BL

Quant Time: Apr 04 01:20:13 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM032217.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 31 12:10:26 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.85 min Scan# 809
Delta R.T. -0.02 min
Lab File: BM009500.D
Acq: 03 Apr 2017 15:05

Instrument :
BNA_M
ClientSampleId :
PB97981BL

Tot Ion	Ratio	Lower	Upper
152	100		
150	150.3	119.5	179.3
115	58.0	43.0	64.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 140.39 ng
RT: 5.42 min Scan# 397
Delta R.T. -0.01 min
Lab File: BM009500.D
Acq: 03 Apr 2017 15:05

Tgt Ion	Ratio	Lower	Upper
112	100		
64	74.1	38.6	57.8#
63	43.0	19.3	28.9#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 139.46 ng

RT: 7.00 min Scan# 666

Delta R.T. -0.02 min

Lab File: BM009500.D

Acq: 03 Apr 2017 15:05

Instrument :

BNA_M

ClientSampled :

PB97981BL


Tot Ion: 99 Resp: 1289590

Ion Ratio Lower Upper

99 100

42 24.5 11.0 16.4#




71 44.0 23.4 35.2#



Abundance Ion 99.00 (98.70 to 99.70): BM003414.D (-639) (-)

Ion 42.00 (41.70 to 42.70): BM003414.D (-639) (-)

Ion 71.00 (70.70 to 71.70): BM003414.D (-639) (-)



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.65 min Scan# 1285

Delta R.T. -0.02 min

Lab File: BM009500.D

Acq: 03 Apr 2017 15:05

Tgt Ion: 136 Resp: 416627


Ion Ratio Lower Upper

136 100

137 10.0 8.7 13.1

54 11.0 4.6 6.8#

68 6.9 3.7 5.5#






Abundance Ion 136.00 (135.70 to 136.70): BM003414.D (-1255) (-)

Ion 137.00 (136.70 to 137.70): BM003414.D (-1255) (-)

Ion 54.00 (53.70 to 54.70): BM003414.D (-1255) (-)

Ion 68.00 (67.70 to 68.70): BM003414.D (-1255) (-)









#23
Nitrobenzene-d5
Concen: 80.42 ng
RT: 9.01 min Scan# 1007
Delta R.T. -0.02 min
Lab File: BM009500.D
Acq: 03 Apr 2017 15:05




Instrument :
BNA_M
ClientSampleId :
PB97981BL


Tot Ion: 82 Resp: 893588
Ion Ratio Lower Upper
82 100
128 31.0 32.8 49.2#
54 55.1 40.6 60.8



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.49 min Scan# 1938
Delta R.T. -0.02 min
Lab File: BM009500.D
Acq: 03 Apr 2017 15:05

Tgt Ion: 164 Resp: 230504
Ion Ratio Lower Upper
164 100
162 96.9 82.4 123.6
160 42.5 35.8 53.6





#41

2,4,6-Tribromophenol

Concen: 133.85 ng

RT: 15.98 min Scan# 2192

Delta R.T. -0.02 min

Lab File: BM009500.D

Acq: 03 Apr 2017 15:05

Instrument :

BNA_M

ClientSampleId :

PB97981BL


Tot Ion:330 Resp: 383274

Ion Ratio Lower Upper

330 100

332 97.0 0.0 0.0#




141 40.8 0.0 0.0#



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44

2-Fluorobiphenyl

Concen: 83.26 ng

RT: 13.10 min Scan# 1703

Delta R.T. -0.02 min

Lab File: BM009500.D

Acq: 03 Apr 2017 15:05


Tgt Ion:172 Resp: 1592806

Ion Ratio Lower Upper

172 100

171 35.0 28.5 42.7



170 22.7 18.8 28.2




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.24 min Scan# 2406
Delta R.T. -0.01 min
Lab File: BM009500.D
Acq: 03 Apr 2017 15:05




Instrument :
BNA_M
ClientSampleID :
PB97981BL


Tot Ion:188 Resp: 556757
Ion Ratio Lower Upper
188 100
94 9.3 8.7 13.1
80 11.5 9.3 13.9



#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.42 min Scan# 3116
Delta R.T. -0.01 min
Lab File: BM009500.D
Acq: 03 Apr 2017 15:05

Tgt Ion:240 Resp: 769678
Ion Ratio Lower Upper
240 100
120 7.8 8.2 12.2#
236 24.3 20.0 30.0









#78
 Terphenyl-d14
 Concen: 71.15 ng
 RT: 19.86 min Scan# 2851
 Delta R.T. -0.01 min
 Lab File: BM009500.D
 Acq: 03 Apr 2017 15:05

Instrument :
 BNA_M
 ClientSampleId :
 PB97981BL

Tot Ion:244 Resp: 2620692
 Ion Ratio Lower Upper
 244 100
 212 7.3 4.9 7.3
 122 8.8 6.2 9.4



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 23.74 min Scan# 3511
 Delta R.T. -0.02 min
 Lab File: BM009500.D
 Acq: 03 Apr 2017 15:05

Tgt Ion:264 Resp: 730102
 Ion Ratio Lower Upper
 264 100
 260 24.0 18.6 27.8
 265 20.9 17.3 25.9

