

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM040323\
 Data File : BM039274.D
 Acq On : 03 Apr 2023 12:00
 Operator : CG/JU
 Sample : PB151810BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Apr 03 17:03:27 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM032923.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 31 17:03:41 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.916	152	257861	20.000	ng	0.00
21) Naphthalene-d8	10.727	136	986797	20.000	ng	0.00
39) Acenaphthene-d10	14.563	164	538098	20.000	ng	0.00
64) Phenanthrene-d10	17.309	188	1042602	20.000	ng	0.00
76) Chrysene-d12	21.491	240	833298	20.000	ng	0.00
86) Perylene-d12	23.909	264	884958	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.475	112	2413722	141.026	ng	0.00
7) Phenol-d6	7.087	99	2962721	133.833	ng	0.00
23) Nitrobenzene-d5	9.086	82	1784081	87.871	ng	0.00
42) 2,4,6-Tribromophenol	16.057	330	820186	120.075	ng	0.00
45) 2-Fluorobiphenyl	13.186	172	3450927	86.893	ng	0.00
79) Terphenyl-d14	19.933	244	4262496	94.506	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM040323\
Data File : BM039274.D
Acq On : 03 Apr 2023 12:00
Operator : CG/JU
Sample : PB151810BL
Misc :
ALS Vial : 3 Sample Multiplier: 1





Quant Time: Apr 03 17:03:27 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM032923.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 31 17:03:41 2023
Response via : Initial Calibration








1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.916 min Scan# 787
 Delta R.T. -0.000 min
 Lab File: BM039274.D
 Acq: 03 Apr 2023 12:00


Tgt Ion:	152	Resp:	257861
Ion	Ratio	Lower	Upper
152	100		
150	154.2	125.5	188.3
115	59.2	48.1	72.1



2-Fluorophenol
 Concen: 141.026 ng
 RT: 5.475 min Scan# 372
 Delta R.T. -0.000 min
 Lab File: BM039274.D
 Acq: 03 Apr 2023 12:00





Tgt Ion:	112	Resp:	2413722
Ion	Ratio	Lower	Upper
112	100		
64	57.6	44.3	66.5
63	29.5	23.0	34.6








Phenol-d6
 Concen: 133.833 ng
 RT: 7.087 min Scan# 646
 Delta R.T. -0.000 min
 Lab File: BM039274.D
 Acq: 03 Apr 2023 12:00


Tgt Ion:	99	Resp:	2962721
Ion	Ratio	Lower	Upper
99	100		
42	16.4	13.0	19.6
71	31.9	25.5	38.3



Naphthalene-d8
 Concen: 20.000 ng
 RT: 10.727 min Scan# 1265
 Delta R.T. -0.000 min
 Lab File: BM039274.D
 Acq: 03 Apr 2023 12:00





Tgt Ion:	136	Resp:	986797
Ion	Ratio	Lower	Upper
136	100		
137	10.8	8.9	13.3
54	7.6	6.2	9.4
68	6.6	4.9	7.3








Nitrobenzene-d5
Concen: 87.871 ng
RT: 9.086 min Scan# 986
Delta R.T. -0.000 min
Lab File: BM039274.D
Acq: 03 Apr 2023 12:00

Tgt Ion:	82	Resp:	1784081
Ion	Ratio	Lower	Upper
82	100		
128	43.8	35.1	52.7
54	47.5	38.5	57.7




Acenaphthene-d10
Concen: 20.000 ng
RT: 14.563 min Scan# 1917
Delta R.T. -0.000 min
Lab File: BM039274.D
Acq: 03 Apr 2023 12:00

Tgt Ion:	164	Resp:	538098
Ion	Ratio	Lower	Upper
164	100		
162	98.9	79.1	118.7
160	44.5	35.8	53.8





Abundance Scan 2172 (16.063 min): BM039204.D\data.ms (-2172) (-)


2,4,6-Tribromophenol
Concen: 120.075 ng
RT: 16.057 min Scan# 2171
Delta R.T. -0.000 min
Lab File: BM039274.D
Acq: 03 Apr 2023 12:00



Tgt Ion:	330	Resp:	820186
Ion	Ratio	Lower	Upper
330	100		
332	96.1	77.4	116.0
141	36.8	29.8	44.6




Abundance Scan 2171 (16.057 min): BM039274.D\data.ms (-2171) (-)





Abundance Scan 1685 (13.198 min): BM039204.D\data.ms (-1685) (-)


2-Fluorobiphenyl
Concen: 86.893 ng
RT: 13.186 min Scan# 1683
Delta R.T. -0.000 min
Lab File: BM039274.D
Acq: 03 Apr 2023 12:00




Tgt Ion:	172	Resp:	3450927
Ion	Ratio	Lower	Upper
172	100		
171	34.9	28.0	42.0
170	23.6	18.7	28.1



Abundance Scan 1683 (13.186 min): BM039274.D\data.ms (-1683) (-)





Abundance Scan 2386 (17.321 min): BM039204.D\data.ms (-2386) (-)




Phenanthrene-d10
Concen: 20.000 ng
RT: 17.309 min Scan# 2384
Delta R.T. -0.000 min
Lab File: BM039274.D
Acq: 03 Apr 2023 12:00


Tgt Ion:	188	Resp:	1042602
Ion	Ratio	Lower	Upper
188	100		
94	9.9	8.2	12.4
80	10.9	8.9	13.3



Abundance Scan 2384 (17.309 min): BM039274.D\data.ms (-2333) (-)





Abundance Scan 3097 (21.503 min): BM039204.D\data.ms (-3079) (-)





Chrysene-d12
Concen: 20.000 ng
RT: 21.491 min Scan# 3095
Delta R.T. -0.006 min
Lab File: BM039274.D
Acq: 03 Apr 2023 12:00

Tgt Ion:	240	Resp:	833298
Ion	Ratio	Lower	Upper
240	100		
120	13.0	10.2	15.2
236	26.0	20.9	31.3







Abundance Scan 3095 (21.491 min): BM039274.D\data.ms (-3045) (-)





Terphenyl-d14
 Concen: 94.506 ng
 RT: 19.933 min Scan# 2830
 Delta R.T. -0.000 min
 Lab File: BM039274.D
 Acq: 03 Apr 2023 12:00

Tgt Ion:244 Resp: 4262496
 Ion Ratio Lower Upper
 244 100
 212 6.9 5.6 8.4
 122 12.4 9.1 13.7



Perylene-d12
 Concen: 20.000 ng
 RT: 23.909 min Scan# 3506
 Delta R.T. 0.005 min
 Lab File: BM039274.D
 Acq: 03 Apr 2023 12:00

Tgt Ion:264 Resp: 884958
 Ion Ratio Lower Upper
 264 100
 260 23.9 19.0 28.6
 265 22.9 18.1 27.1

