

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM040323\
 Data File : BM039280.D
 Acq On : 03 Apr 2023 15:43
 Operator : CG/JU
 Sample : 02161-04MS
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Quant Time: Apr 03 17:05:50 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM032923.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 31 17:03:41 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.916	152	235856	20.000	ng	0.00
21) Naphthalene-d8	10.728	136	938061	20.000	ng	0.00
39) Acenaphthene-d10	14.563	164	541738	20.000	ng	0.00
64) Phenanthrene-d10	17.310	188	1103731	20.000	ng	0.00
76) Chrysene-d12	21.498	240	868935	20.000	ng	0.00
86) Perylene-d12	23.909	264	1080915	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.475	112	1954067	124.822	ng	0.00
7) Phenol-d6	7.087	99	2473077	122.137	ng	0.00
23) Nitrobenzene-d5	9.087	82	1474537	76.398	ng	0.00
42) 2,4,6-Tribromophenol	16.057	330	822274	119.572	ng	0.00
45) 2-Fluorobiphenyl	13.186	172	2919442	73.017	ng	0.00
79) Terphenyl-d14	19.933	244	3798528	80.765	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.340	88	275271	43.019	ng	99
3) Pyridine	3.752	79	751902	41.945	ng	99
4) n-Nitrosodimethylamine	3.663	42	342951	48.713	ng	100
6) Aniline	7.240	93	905951	36.150	ng	99
8) 2-Chlorophenol	7.481	128	791651	49.407	ng	99
9) Benzaldehyde	7.051	77	467938	40.580	ng	99
10) Phenol	7.116	94	1023214	50.425	ng	99
11) bis(2-Chloroethyl)ether	7.340	93	770301	47.188	ng	100
12) 1,3-Dichlorobenzene	7.804	146	814629	47.940	ng	100
13) 1,4-Dichlorobenzene	7.951	146	830420	48.331	ng	99
14) 1,2-Dichlorobenzene	8.269	146	794805	48.377	ng	99
15) Benzyl Alcohol	8.163	79	695336	49.928	ng	99
16) 2,2'-oxybis(1-Chloropr...	8.451	45	990380	47.432	ng	99
17) 2-Methylphenol	8.369	107	656540	46.246	ng	100
18) Hexachloroethane	8.998	117	315607	47.486	ng	98
19) n-Nitroso-di-n-propyla...	8.728	70	589522	45.545	ng	99
20) 3+4-Methylphenols	8.698	107	887944	46.545	ng	98
22) Acetophenone	8.745	105	1170918	46.685	ng	# 100
24) Nitrobenzene	9.128	77	871702	45.407	ng	100
25) Isophorone	9.657	82	1605632	44.593	ng	100
26) 2-Nitrophenol	9.839	139	423853	47.762	ng	99
27) 2,4-Dimethylphenol	9.904	122	724189	49.115	ng	99
28) bis(2-Chloroethoxy)met...	10.139	93	986072	45.240	ng	99
29) 2,4-Dichlorophenol	10.375	162	691368	48.057	ng	99
30) 1,2,4-Trichlorobenzene	10.586	180	711086	46.202	ng	99
31) Naphthalene	10.775	128	2265545	44.821	ng	100
32) Benzoic acid	10.063	122	557742	48.532	ng	99
33) 4-Chloroaniline	10.892	127	298536	13.481	ng	99
34) Hexachlorobutadiene	11.057	225	401159	44.327	ng	99
35) Caprolactam	11.698	113	232248	46.495	ng	96
36) 4-Chloro-3-methylphenol	12.022	107	744846	46.927	ng	98
37) 2-Methylnaphthalene	12.386	142	1517872	43.137	ng	99
38) 1-Methylnaphthalene	12.604	142	1412199	42.861	ng	100
40) 1,2,4,5-Tetrachloroben...	12.757	216	767824	46.552	ng	99
41) Hexachlorocyclopentadiene	12.728	237	906108	100.557	ng	98

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM040323\
 Data File : BM039280.D
 Acq On : 03 Apr 2023 15:43
 Operator : CG/JU
 Sample : 02161-04MS
 Misc :
 ALS Vial : 9 Sample Multiplier: 1


Quant Time: Apr 03 17:05:50 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM032923.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 31 17:03:41 2023
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
43) 2,4,6-Trichlorophenol	12.998	196	537308	47.767	ng	98
44) 2,4,5-Trichlorophenol	13.075	196	578132	43.841	ng	98
46) 1,1'-Biphenyl	13.398	154	1988264	46.477	ng	99
47) 2-Chloronaphthalene	13.439	162	1521792	46.981	ng	100
48) 2-Nitroaniline	13.651	65	500457	45.912	ng	98
49) Acenaphthylene	14.286	152	2405704	45.189	ng	99
50) Dimethylphthalate	14.027	163	1840310	44.079	ng	100
51) 2,6-Dinitrotoluene	14.145	165	405308	45.144	ng	94
52) Acenaphthene	14.627	154	1430034	45.491	ng	99
53) 3-Nitroaniline	14.474	138	263695	25.406	ng	97
54) 2,4-Dinitrophenol	14.686	184	509779	95.878	ng	99
55) Dibenzofuran	14.963	168	2269740	44.848	ng	99
56) 4-Nitrophenol	14.792	139	783893	97.942	ng	96
57) 2,4-Dinitrotoluene	14.933	165	561729	46.251	ng	93
58) Fluorene	15.610	166	1807450	45.101	ng	99
59) 2,3,4,6-Tetrachlorophenol	15.192	232	491023	46.806	ng	100
60) Diethylphthalate	15.386	149	1871191	44.528	ng	100
61) 4-Chlorophenyl-phenyle...	15.604	204	886845	44.652	ng	98
62) 4-Nitroaniline	15.639	138	447879	42.050	ng	98
63) Azobenzene	15.898	77	2050901	48.713	ng	99
65) 4,6-Dinitro-2-methylph...	15.698	198	321412	44.264	ng	98
66) n-Nitrosodiphenylamine	15.821	169	1593358	45.812	ng	99
67) 4-Bromophenyl-phenylether	16.498	248	542607	46.033	ng	97
68) Hexachlorobenzene	16.616	284	614416	48.074	ng	99
69) Atrazine	16.774	200	523979	47.566	ng	99
70) Pentachlorophenol	16.963	266	789981	86.152	ng	100
71) Phenanthrene	17.357	178	2740976	45.343	ng	99
72) Anthracene	17.445	178	2805643	45.517	ng	99
73) Carbazole	17.721	167	2598343	45.113	ng	99
74) Di-n-butylphthalate	18.280	149	3250816	45.627	ng	99
75) Fluoranthene	19.368	202	2879354	41.786	ng	99
77) Benzidine	19.562	184	1231267	53.722	ng	100
78) Pyrene	19.733	202	2987840	48.301	ng	99
80) Butylbenzylphthalate	20.627	149	1358796	47.947	ng	97
81) Benzo(a)anthracene	21.480	228	2818863	45.998	ng	100
82) 3,3'-Dichlorobenzidine	21.415	252	901169	44.143	ng	99
83) Chrysene	21.533	228	2628331	44.427	ng	99
84) Bis(2-ethylhexyl)phtha...	21.403	149	1972325	47.123	ng	100
85) Di-n-octyl phthalate	22.333	149	3368848	44.675	ng	96
87) Indeno(1,2,3-cd)pyrene	26.421	276	4045825	50.800	ng	100
88) Benzo(b)fluoranthene	23.174	252	3008554	45.488	ng	99
89) Benzo(k)fluoranthene	23.221	252	2980145	44.236	ng	99
90) Benzo(a)pyrene	23.803	252	2779286	42.776	ng	100
91) Dibenzo(a,h)anthracene	26.438	278	3355039	50.170	ng	99
92) Benzo(g,h,i)perylene	27.197	276	3356775	51.041	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM040323\
 Data File : BM039280.D
 Acq On : 03 Apr 2023 15:43
 Operator : CG/JU
 Sample : 02161-04MS
 Misc :
 ALS Vial : 9 Sample Multiplier: 1





Quant Time: Apr 03 17:05:50 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM032923.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 31 17:03:41 2023
 Response via : Initial Calibration








1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.916 min Scan# 787
 Delta R.T. 0.000 min
 Lab File: BM039280.D
 Acq: 03 Apr 2023 15:43


Tgt Ion:152 Resp: 235856
 Ion Ratio Lower Upper
 152 100
 150 153.7 125.5 188.3
 115 60.5 48.1 72.1



1,4-Dioxane
 Concen: 43.019 ng
 RT: 3.340 min Scan# 9
 Delta R.T. -0.006 min
 Lab File: BM039280.D
 Acq: 03 Apr 2023 15:43





Tgt Ion: 88 Resp: 275271
 Ion Ratio Lower Upper
 88 100
 58 73.1 57.9 86.9
 43 28.2 21.4 32.2








Pyridine
Concen: 41.945 ng
RT: 3.752 min Scan# 79
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43


Tgt Ion: 79	Resp: 751902
Ion Ratio	Lower Upper
79 100	
52 65.8	52.0 78.0
51 33.0	26.4 39.6



n-Nitrosodimethylamine
Concen: 48.713 ng
RT: 3.663 min Scan# 64
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43





Tgt Ion: 42	Resp: 342951
Ion Ratio	Lower Upper
42 100	
74 147.8	118.1 177.1
44 7.6	6.3 9.5








2-Fluorophenol
 Concen: 124.822 ng
 RT: 5.475 min Scan# 372
 Delta R.T. -0.000 min
 Lab File: BM039280.D
 Acq: 03 Apr 2023 15:43


Tgt Ion:	112	Resp:	1954067
Ion	Ratio	Lower	Upper
112	100		
64	56.9	44.3	66.5
63	29.4	23.0	34.6



Aniline
 Concen: 36.150 ng
 RT: 7.240 min Scan# 672
 Delta R.T. -0.006 min
 Lab File: BM039280.D
 Acq: 03 Apr 2023 15:43

Tgt Ion:	93	Resp:	905951
Ion	Ratio	Lower	Upper
93	100		
66	38.1	30.1	45.1
65	19.1	15.5	23.3









Phenol-d6
Concen: 122.137 ng
RT: 7.087 min Scan# 646
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43

Tgt Ion: 99 Resp: 2473077




Ion	Ratio	Lower	Upper
99	100		
42	16.9	13.0	19.6
71	32.3	25.5	38.3




2-Chlorophenol
Concen: 49.407 ng
RT: 7.481 min Scan# 713
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43

Tgt Ion: 128 Resp: 791651





Ion	Ratio	Lower	Upper
128	100		
130	32.1	12.2	52.2
64	46.8	25.9	65.9








Benzaldehyde
Concen: 40.580 ng
RT: 7.051 min Scan# 640
Delta R.T. -0.006 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43


Tgt Ion:	77	Resp:	467938
Ion	Ratio	Lower	Upper
77	100		
105	98.1	78.2	118.2
106	95.0	73.8	113.8



Phenol
Concen: 50.425 ng
RT: 7.116 min Scan# 651
Delta R.T. 0.006 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43





Tgt Ion:	94	Resp:	1023214
Ion	Ratio	Lower	Upper
94	100		
65	27.2	7.2	47.2
66	34.1	15.2	55.2








#11
bis(2-Chloroethyl)ether
Concen: 47.188 ng
RT: 7.340 min Scan# 689
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43

Tgt Ion:	93	Resp:	770301
Ion	Ratio	Lower	Upper
93	100		
63	75.3	55.5	95.5
95	32.5	12.2	52.2




#12
1,3-Dichlorobenzene
Concen: 47.940 ng
RT: 7.804 min Scan# 768
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43

Tgt Ion:	146	Resp:	814629
Ion	Ratio	Lower	Upper
146	100		
148	63.7	51.2	76.8
75	31.1	25.2	37.8






Abundance Scan 795 (7.963 min): BM039204.D\data.ms (-787) (-)




1,4-Dichlorobenzene
Concen: 48.331 ng
RT: 7.951 min Scan# 793
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43

Tgt Ion:	146	Resp:	830420
Ion	Ratio	Lower	Upper
146	100		
148	63.7	50.8	76.2
111	40.5	31.5	47.3







Abundance Scan 849 (8.281 min): BM039204.D\data.ms (-841) (-)



1,2-Dichlorobenzene
Concen: 48.377 ng
RT: 8.269 min Scan# 847
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43





Tgt Ion:	146	Resp:	794805
Ion	Ratio	Lower	Upper
146	100		
148	64.0	52.1	78.1
111	42.3	34.5	51.7








Benzyl Alcohol
 Concen: 49.928 ng
 RT: 8.163 min Scan# 829
 Delta R.T. -0.000 min
 Lab File: BM039280.D
 Acq: 03 Apr 2023 15:43


Tgt Ion:	79	Resp:	695336
Ion	Ratio	Lower	Upper
79	100		
108	78.5	63.4	95.0
77	65.0	51.5	77.3



2,2'-oxybis(1-Chloropropane)
 Concen: 47.432 ng
 RT: 8.451 min Scan# 878
 Delta R.T. -0.006 min
 Lab File: BM039280.D
 Acq: 03 Apr 2023 15:43





Tgt Ion:	45	Resp:	990380
Ion	Ratio	Lower	Upper
45	100		
77	15.1	0.0	35.1
79	11.4	0.0	32.2








2-Methylphenol
 Concen: 46.246 ng
 RT: 8.369 min Scan# 864
 Delta R.T. -0.000 min
 Lab File: BM039280.D
 Acq: 03 Apr 2023 15:43


Tgt Ion:	107	Resp:	656540
Ion	Ratio	Lower	Upper
107	100		
108	113.4	90.6	136.0
77	46.6	37.0	55.4
79	43.4	34.6	51.8



Hexachloroethane
 Concen: 47.486 ng
 RT: 8.998 min Scan# 971
 Delta R.T. -0.000 min
 Lab File: BM039280.D
 Acq: 03 Apr 2023 15:43





Tgt Ion:	117	Resp:	315607
Ion	Ratio	Lower	Upper
117	100		
119	94.3	77.8	116.8
201	98.4	77.3	115.9








#19
n-Nitroso-di-n-propylamine
Concen: 45.545 ng
RT: 8.728 min Scan# 925
Delta R.T. -0.006 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43

Tgt Ion:	70	Resp:	589522
Ion	Ratio	Lower	Upper
70	100		
42	54.0	42.2	63.2
101	9.7	7.6	11.4
130	21.1	16.6	25.0




#20
3+4-Methylphenols
Concen: 46.545 ng
RT: 8.698 min Scan# 920
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43

Tgt Ion:	107	Resp:	887944
Ion	Ratio	Lower	Upper
107	100		
108	89.4	72.1	112.1
77	33.5	13.7	53.7
79	28.4	8.6	48.6





Abundance Scan 1267 (10.739 min): BM039204.D\data.ms (-1224) (-)


Naphthalene-d8
Concen: 20.000 ng
RT: 10.728 min Scan# 1265
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43



Tgt Ion:	136	Resp:	938061
Ion	Ratio	Lower	Upper
136	100		
137	10.6	8.9	13.3
54	8.3	6.2	9.4
68	6.8	4.9	7.3




Abundance Scan 1265 (10.728 min): BM039280.D\data.ms (-1214) (-)





Abundance Scan 930 (8.757 min): BM039204.D\data.ms (-914) (-)


Acetophenone
Concen: 46.685 ng
RT: 8.745 min Scan# 928
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43




Tgt Ion:	105	Resp:	1170918
Ion	Ratio	Lower	Upper
105	100		
71	2.5	2.8	4.2#
51	26.0	20.6	31.0
120	22.6	18.0	27.0







Abundance Scan 928 (8.745 min): BM039280.D\data.ms (-877) (-)








#23
Nitrobenzene-d5
Concen: 76.398 ng
RT: 9.087 min Scan# 986
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43


Tgt Ion:	82	Resp:	1474537
Ion	Ratio	Lower	Upper
82	100		
128	44.1	35.1	52.7
54	48.1	38.5	57.7



#24
Nitrobenzene
Concen: 45.407 ng
RT: 9.128 min Scan# 993
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43





Tgt Ion:	77	Resp:	871702
Ion	Ratio	Lower	Upper
77	100		
123	45.2	36.2	54.2
65	13.0	10.6	15.8








Isophorone
Concen: 44.593 ng
RT: 9.657 min Scan# 1083
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43


Tgt Ion: 82 Resp: 1605632
Ion Ratio Lower Upper
82 100
95 6.6 5.2 7.8
138 16.9 13.5 20.3



2-Nitrophenol
Concen: 47.762 ng
RT: 9.839 min Scan# 1114
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43





Tgt Ion: 139 Resp: 423853
Ion Ratio Lower Upper
139 100
109 28.3 23.4 35.0
65 51.8 42.2 63.2








Scan 1127 (9.916 min): BM039204.D\data.ms (-1127) (-)
 2,4-Dimethylphenol
 Concen: 49.115 ng
 RT: 9.904 min Scan# 1125
 Delta R.T. -0.000 min
 Lab File: BM039280.D
 Acq: 03 Apr 2023 15:43


Tgt Ion:	122	Resp:	724189
Ion	Ratio	Lower	Upper
122	100		
107	115.9	92.3	138.5
121	57.2	46.3	69.5



Scan 1167 (10.151 min): BM039204.D\data.ms (-1167) (-)
 bis(2-Chloroethoxy)methane
 Concen: 45.240 ng
 RT: 10.139 min Scan# 1165
 Delta R.T. -0.000 min
 Lab File: BM039280.D
 Acq: 03 Apr 2023 15:43





Tgt Ion:	93	Resp:	986072
Ion	Ratio	Lower	Upper
93	100		
95	32.6	25.8	38.8
123	11.3	9.1	13.7








2,4-Dichlorophenol
Concen: 48.057 ng
RT: 10.375 min Scan# 1205
Delta R.T. -0.006 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43


Tgt Ion	Ratio	Lower	Upper
162	100		
164	65.2	44.8	84.8
98	37.6	16.0	56.0



1,2,4-Trichlorobenzene
Concen: 46.202 ng
RT: 10.586 min Scan# 1241
Delta R.T. -0.006 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43





Tgt Ion	Ratio	Lower	Upper
180	100		
182	95.4	75.2	112.8
145	30.4	23.9	35.9








Scan 1276 (10.792 min): BM039204.D\data.ms (-128) (-)
 Naphthalene
 Concen: 44.821 ng
 RT: 10.775 min Scan# 1273
 Delta R.T. -0.006 min
 Lab File: BM039280.D
 Acq: 03 Apr 2023 15:43


Tgt Ion:	128	Resp:	2265545
Ion	Ratio	Lower	Upper
128	100		
129	11.0	8.6	13.0
127	13.0	10.3	15.5



Scan 1152 (10.063 min): BM039204.D\data.ms (-122) (-)
 Benzoic acid
 Concen: 48.532 ng
 RT: 10.063 min Scan# 1152
 Delta R.T. 0.011 min
 Lab File: BM039280.D
 Acq: 03 Apr 2023 15:43





Tgt Ion:	122	Resp:	557742
Ion	Ratio	Lower	Upper
122	100		
105	124.3	103.1	143.1
77	95.0	74.6	114.6








4-Chloroaniline
 Concen: 13.481 ng
 RT: 10.892 min Scan# 1293
 Delta R.T. -0.000 min
 Lab File: BM039280.D
 Acq: 03 Apr 2023 15:43


Tgt Ion:	127	Resp:	298536
Ion	Ratio	Lower	Upper
127	100		
129	31.9	25.7	38.5
65	31.4	24.1	36.1
92	18.8	15.3	22.9



Hexachlorobutadiene
 Concen: 44.327 ng
 RT: 11.057 min Scan# 1321
 Delta R.T. -0.006 min
 Lab File: BM039280.D
 Acq: 03 Apr 2023 15:43





Tgt Ion:	225	Resp:	401159
Ion	Ratio	Lower	Upper
225	100		
223	63.0	49.8	74.6
227	63.8	51.6	77.4








Caprolactam
 Concen: 46.495 ng
 RT: 11.698 min Scan# 1430
 Delta R.T. 0.006 min
 Lab File: BM039280.D
 Acq: 03 Apr 2023 15:43

Tgt Ion:	113	Resp:	232248
Ion	Ratio	Lower	Upper
113	100		
55	166.3	141.8	181.8
56	124.2	98.3	138.3




4-Chloro-3-methylphenol
 Concen: 46.927 ng
 RT: 12.022 min Scan# 1485
 Delta R.T. -0.000 min
 Lab File: BM039280.D
 Acq: 03 Apr 2023 15:43

Tgt Ion:	107	Resp:	744846
Ion	Ratio	Lower	Upper
107	100		
144	25.6	21.4	32.2
142	79.4	65.2	97.8






Abundance Scan 1549 (12.398 min): BM039204.D\data.ms (-1539) (-)




2-Methylnaphthalene
Concen: 43.137 ng
RT: 12.386 min Scan# 1547
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43

Tgt Ion:	142	Resp:	1517872
Ion	Ratio	Lower	Upper
142	100		
141	88.3	69.8	104.8
115	34.7	27.8	41.8






Abundance Scan 1587 (12.622 min): BM039204.D\data.ms (-1539) (-)




1-Methylnaphthalene
Concen: 42.861 ng
RT: 12.604 min Scan# 1584
Delta R.T. -0.006 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43

Tgt Ion:	142	Resp:	1412199
Ion	Ratio	Lower	Upper
142	100		
141	91.7	73.2	109.8
116	4.0	3.0	4.4





Abundance Scan 1919 (14.574 min): BM039204.D\data.ms (-1639) (-)




Acenaphthene-d10
Concen: 20.000 ng
RT: 14.563 min Scan# 1917
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43


Tgt Ion	Ratio	Lower	Upper
164	100		
162	99.2	79.1	118.7
160	44.3	35.8	53.8



Abundance Scan 1917 (14.563 min): BM039280.D\data.ms (-1866) (-)





Abundance Scan 1612 (12.769 min): BM039204.D\data.ms (-1640) (-)




1,2,4,5-Tetrachlorobenzene
Concen: 46.552 ng
RT: 12.757 min Scan# 1610
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43

Tgt Ion	Ratio	Lower	Upper
216	100		
214	78.7	62.8	94.2
179	21.0	16.8	25.2
108	22.3	16.2	24.2




Abundance Scan 1610 (12.757 min): BM039280.D\data.ms (-1559) (-)






Abundance Scan 1608 (12.745 min): BM039204.D\data.ms (-1555) (-)

Hexachlorocyclopentadiene
Concen: 100.557 ng
RT: 12.728 min Scan# 1605
Delta R.T. -0.006 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43




Tgt Ion	Ratio	Lower	Upper
237	100		
235	63.1	41.6	81.6
272	12.7	0.0	33.2






Abundance Scan 2172 (16.063 min): BM039204.D\data.ms (-2120) (-)


2,4,6-Tribromophenol
Concen: 119.572 ng
RT: 16.057 min Scan# 2171
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43



Tgt Ion	Ratio	Lower	Upper
330	100		
332	95.8	77.4	116.0
141	37.1	29.8	44.6






Abundance Scan 1653 (13.010 min): BM039204.D\data.ms (-1649) (-)




2,4,6-Trichlorophenol
Concen: 47.767 ng
RT: 12.998 min Scan# 1651
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43

Tgt Ion:	196	Resp:	537308
Ion	Ratio	Lower	Upper
196	100		
198	97.1	76.2	114.2
200	31.5	24.2	36.2






Abundance Scan 1665 (13.080 min): BM039204.D\data.ms (-1659) (-)




2,4,5-Trichlorophenol
Concen: 43.841 ng
RT: 13.075 min Scan# 1664
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43

Tgt Ion:	196	Resp:	578132
Ion	Ratio	Lower	Upper
196	100		
198	96.5	75.2	112.8
97	50.1	41.4	62.0
132	27.7	22.6	33.8






Abundance Scan 1685 (13.198 min): BM039204.D\data.ms (-1645) (-)




2-Fluorobiphenyl
Concen: 73.017 ng
RT: 13.186 min Scan# 1683
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43

Tgt Ion:	172	Resp:	2919442
Ion	Ratio	Lower	Upper
172	100		
171	34.9	28.0	42.0
170	23.5	18.7	28.1







Abundance Scan 1721 (13.410 min): BM039204.D\data.ms (-1745) (-)



1,1'-Biphenyl
Concen: 46.477 ng
RT: 13.398 min Scan# 1719
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43





Tgt Ion:	154	Resp:	1988264
Ion	Ratio	Lower	Upper
154	100		
153	39.5	19.9	59.9
76	14.0	0.0	33.5








2-Chloronaphthalene
 Concen: 46.981 ng
 RT: 13.439 min Scan# 1726
 Delta R.T. -0.000 min
 Lab File: BM039280.D
 Acq: 03 Apr 2023 15:43


Tgt Ion: 162 Resp: 1521792
 Ion Ratio Lower Upper
 162 100
 127 39.0 31.4 47.0
 164 32.5 25.7 38.5



2-Nitroaniline
 Concen: 45.912 ng
 RT: 13.651 min Scan# 1762
 Delta R.T. -0.000 min
 Lab File: BM039280.D
 Acq: 03 Apr 2023 15:43





Tgt Ion: 65 Resp: 500457
 Ion Ratio Lower Upper
 65 100
 92 70.5 55.7 83.5
 138 108.3 84.5 126.7








Acenaphthylene
Concen: 45.189 ng
RT: 14.286 min Scan# 1870
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43


Tgt Ion:152 Resp: 2405704
Ion Ratio Lower Upper
152 100
151 20.1 15.7 23.5
153 13.2 10.3 15.5



Dimethylphthalate
Concen: 44.079 ng
RT: 14.027 min Scan# 1826
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43





Tgt Ion:163 Resp: 1840310
Ion Ratio Lower Upper
163 100
194 4.0 3.1 4.7
164 10.0 8.2 12.2








2,6-Dinitrotoluene
Concen: 45.144 ng
RT: 14.145 min Scan# 1846
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43

Tgt Ion:	165	Resp:	405308
Ion	Ratio	Lower	Upper
165	100		
63	59.7	44.9	67.3
89	61.2	45.4	68.0




Acenaphthene
Concen: 45.491 ng
RT: 14.627 min Scan# 1928
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43

Tgt Ion:	154	Resp:	1430034
Ion	Ratio	Lower	Upper
154	100		
153	111.8	89.1	133.7
152	54.0	42.6	64.0






Abundance Scan 1904 (14.486 min): BM039204.D\data.ms (-1851) (-)

3-Nitroaniline
Concen: 25.406 ng
RT: 14.474 min Scan# 1902
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43




Tgt Ion:	138	Resp:	263695
Ion	Ratio	Lower	Upper
138	100		
108	10.3	8.0	12.0
92	117.0	90.8	136.2







Abundance Scan 1939 (14.692 min): BM039204.D\data.ms (-1851) (-)

2,4-Dinitrophenol
Concen: 95.878 ng
RT: 14.686 min Scan# 1938
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43







Tgt Ion:	184	Resp:	509779
Ion	Ratio	Lower	Upper
184	100		
63	69.2	56.4	84.6
154	61.7	48.7	73.1








Dibenzofuran
Concen: 44.848 ng
RT: 14.963 min Scan# 1985
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43


Tgt Ion:168 Resp: 2269740
Ion Ratio Lower Upper
168 100
139 37.2 29.4 44.2
169 13.2 10.6 15.8



4-Nitrophenol
Concen: 97.942 ng
RT: 14.792 min Scan# 1956
Delta R.T. 0.006 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43





Tgt Ion:139 Resp: 783893
Ion Ratio Lower Upper
139 100
109 72.4 49.6 89.6
65 97.4 72.9 112.9








2,4-Dinitrotoluene
Concen: 46.251 ng
RT: 14.933 min Scan# 1980
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43

Tgt Ion:	165	Resp:	561729
Ion	Ratio	Lower	Upper
165	100		
63	46.0	33.5	50.3
89	76.6	56.7	85.1
182	2.8	2.1	3.1




Fluorene
Concen: 45.101 ng
RT: 15.610 min Scan# 2095
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43

Tgt Ion:	166	Resp:	1807450
Ion	Ratio	Lower	Upper
166	100		
165	97.0	76.9	115.3
167	13.7	10.8	16.2





Abundance Scan 2025 (15.198 min): BM039204.D\data.ms (-2059) (-)


2,3,4,6-Tetrachlorophenol
Concen: 46.806 ng
RT: 15.192 min Scan# 2024
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43



Tgt Ion	Ratio	Lower	Upper
232	100		
131	46.9	37.7	56.5
130	2.5	1.9	2.9
166	31.3	24.9	37.3




Abundance Scan 2024 (15.192 min): BM039280.D\data.ms (-1973) (-)





Abundance Scan 2059 (15.398 min): BM039204.D\data.ms (-2059) (-)


Diethylphthalate
Concen: 44.528 ng
RT: 15.386 min Scan# 2057
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43




Tgt Ion	Ratio	Lower	Upper
149	100		
177	22.0	17.7	26.5
150	12.4	9.8	14.6



Abundance Scan 2057 (15.386 min): BM039280.D\data.ms (-2006) (-)






Abundance Scan 2096 (15.616 min): BM039204.D\data.ms (-2061) (-)




4-Chlorophenyl-phenylether
Concen: 44.652 ng
RT: 15.604 min Scan# 2094
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43

Tgt Ion:	204	Resp:	886845
Ion	Ratio	Lower	Upper
204	100		
206	32.7	26.1	39.1
141	58.9	45.8	68.6






Abundance Scan 2102 (15.651 min): BM039204.D\data.ms (-2062) (-)




4-Nitroaniline
Concen: 42.050 ng
RT: 15.639 min Scan# 2100
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43

Tgt Ion:	138	Resp:	447879
Ion	Ratio	Lower	Upper
138	100		
92	52.8	30.5	70.5
108	76.0	55.5	95.5





Abundance Scan 2146 (15.910 min): BM039204.D\data.ms (-2169) (-)


Azobenzene
Concen: 48.713 ng
RT: 15.898 min Scan# 2144
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43



Tgt Ion:	77	Resp:	2050901
Ion	Ratio	Lower	Upper
77	100		
182	23.4	4.8	44.8
105	21.0	1.4	41.4
51	27.5	7.5	47.5




Abundance Scan 2144 (15.898 min): BM039280.D\data.ms (-2093) (-)





Abundance Scan 2386 (17.321 min): BM039204.D\data.ms (-2169) (-)


Phenanthrene-d10
Concen: 20.000 ng
RT: 17.310 min Scan# 2384
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43




Tgt Ion:	188	Resp:	1103731
Ion	Ratio	Lower	Upper
188	100		
94	10.3	8.2	12.4
80	11.3	8.9	13.3



Abundance Scan 2384 (17.310 min): BM039280.D\data.ms (-2333) (-)






Abundance Scan 2111 (15.704 min): BM039204.D\data.ms (-2165) (-)




4,6-Dinitro-2-methylphenol
Concen: 44.264 ng
RT: 15.698 min Scan# 2110
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43

Tgt Ion:	198	Resp:	321412
Ion	Ratio	Lower	Upper
198	100		
51	48.3	28.9	68.9
105	47.1	28.7	68.7






Abundance Scan 2133 (15.833 min): BM039204.D\data.ms (-2165) (-)




n-Nitrosodiphenylamine
Concen: 45.812 ng
RT: 15.821 min Scan# 2131
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43

Tgt Ion:	169	Resp:	1593358
Ion	Ratio	Lower	Upper
169	100		
168	67.1	52.8	79.2
167	36.1	28.4	42.6





Abundance Scan 2248 (16.510 min): BM039204.D\data.ms (-247) (-)


4-Bromophenyl-phenylether
Concen: 46.033 ng
RT: 16.498 min Scan# 2246
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43



Tgt Ion:	248	Resp:	542607
Ion	Ratio	Lower	Upper
248	100		
250	97.1	78.8	118.2
141	77.1	58.8	88.2




Abundance Scan 2246 (16.498 min): BM039280.D\data.ms (-2195) (-)





Abundance Scan 2268 (16.627 min): BM039204.D\data.ms (-266) (-)


Hexachlorobenzene
Concen: 48.074 ng
RT: 16.616 min Scan# 2266
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43



Tgt Ion:	284	Resp:	614416
Ion	Ratio	Lower	Upper
284	100		
142	35.4	27.4	41.2
249	30.8	24.4	36.6




Abundance Scan 2266 (16.616 min): BM039280.D\data.ms (-2215) (-)





Abundance Scan 2295 (16.786 min): BM039204.D\data.ms (-2269) (-)


Atrazine
Concen: 47.566 ng
RT: 16.774 min Scan# 2293
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43



Tgt Ion:	200	Resp:	523979
Ion	Ratio	Lower	Upper
200	100		
173	28.1	6.4	46.4
215	48.8	28.9	68.9




Abundance Scan 2293 (16.774 min): BM039280.D\data.ms (-2242) (-)





Abundance Scan 2327 (16.974 min): BM039204.D\data.ms (-2379) (-)


Pentachlorophenol
Concen: 86.152 ng
RT: 16.963 min Scan# 2325
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43




Tgt Ion:	266	Resp:	789981
Ion	Ratio	Lower	Upper
266	100		
268	64.3	51.4	77.2
264	63.0	50.2	75.4







Abundance Scan 2325 (16.963 min): BM039280.D\data.ms (-2274) (-)








Scan 2393 (17.362 min): BM039204.D\data.ms (-2371) (-)
 Phenanthrene
 Concen: 45.343 ng
 RT: 17.357 min Scan# 2392
 Delta R.T. -0.000 min
 Lab File: BM039280.D
 Acq: 03 Apr 2023 15:43

Tgt Ion:	178	Resp:	2740976
Ion	Ratio	Lower	Upper
178	100		
176	19.3	15.7	23.5
179	15.4	12.4	18.6




Scan 2409 (17.457 min): BM039204.D\data.ms (-2372) (-)
 Anthracene
 Concen: 45.517 ng
 RT: 17.445 min Scan# 2407
 Delta R.T. -0.000 min
 Lab File: BM039280.D
 Acq: 03 Apr 2023 15:43

Tgt Ion:	178	Resp:	2805643
Ion	Ratio	Lower	Upper
178	100		
176	19.0	14.9	22.3
179	15.5	12.2	18.2






Abundance Scan 2455 (17.727 min): BM039204.D\data.ms (-2473) (-)




Carbazole
Concen: 45.113 ng
RT: 17.721 min Scan# 2454
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43

Tgt Ion:	167	Resp:	2598343
Ion	Ratio	Lower	Upper
167	100		
166	21.4	17.2	25.8
139	12.9	10.6	16.0







Abundance Scan 2550 (18.286 min): BM039204.D\data.ms (-2474) (-)



Di-n-butylphthalate
Concen: 45.627 ng
RT: 18.280 min Scan# 2549
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43





Tgt Ion:	149	Resp:	3250816
Ion	Ratio	Lower	Upper
149	100		
150	9.2	7.5	11.3
104	4.9	4.1	6.1








Fluoranthene
Concen: 41.786 ng
RT: 19.368 min Scan# 2734
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43


Tgt Ion:202 Resp: 2879354
Ion Ratio Lower Upper
202 100
101 12.8 0.0 32.5
203 17.8 0.0 37.5



Chrysene-d12
Concen: 20.000 ng
RT: 21.498 min Scan# 3096
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43





Tgt Ion:240 Resp: 868935
Ion Ratio Lower Upper
240 100
120 12.0 10.2 15.2
236 26.8 20.9 31.3








Benzidine
 Concen: 53.722 ng
 RT: 19.562 min Scan# 2767
 Delta R.T. 0.006 min
 Lab File: BM039280.D
 Acq: 03 Apr 2023 15:43


Tgt Ion:	184	Resp:	1231267
Ion	Ratio	Lower	Upper
184	100		
185	14.1	11.4	17.0
183	11.1	9.0	13.4



Pyrene
 Concen: 48.301 ng
 RT: 19.733 min Scan# 2796
 Delta R.T. -0.000 min
 Lab File: BM039280.D
 Acq: 03 Apr 2023 15:43





Tgt Ion:	202	Resp:	2987840
Ion	Ratio	Lower	Upper
202	100		
200	21.0	17.1	25.7
203	17.5	13.9	20.9








Terphenyl-d14
 Concen: 80.765 ng
 RT: 19.933 min Scan# 2830
 Delta R.T. -0.000 min
 Lab File: BM039280.D
 Acq: 03 Apr 2023 15:43


Tgt Ion:244 Resp: 3798528
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.6 8.4
 122 12.0 9.1 13.7



Butylbenzylphthalate
 Concen: 47.947 ng
 RT: 20.627 min Scan# 2948
 Delta R.T. -0.000 min
 Lab File: BM039280.D
 Acq: 03 Apr 2023 15:43





Tgt Ion:149 Resp: 1358796
 Ion Ratio Lower Upper
 149 100
 91 73.6 56.3 84.5
 206 20.1 16.4 24.6








Benzo(a)anthracene
Concen: 45.998 ng
RT: 21.480 min Scan# 3093
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43


Tgt Ion:	228	Resp:	2818863
Ion	Ratio	Lower	Upper
228	100		
226	27.4	21.9	32.9
229	19.9	15.8	23.6



3,3'-Dichlorobenzidine
Concen: 44.143 ng
RT: 21.415 min Scan# 3082
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43





Tgt Ion:	252	Resp:	901169
Ion	Ratio	Lower	Upper
252	100		
254	64.0	51.8	77.8
126	11.9	10.1	15.1








Chrysene
Concen: 44.427 ng
RT: 21.533 min Scan# 3102
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43

Tgt Ion:	228	Resp:	2628331
Ion	Ratio	Lower	Upper
228	100		
226	30.1	24.1	36.1
229	19.9	15.5	23.3




Bis(2-ethylhexyl)phthalate
Concen: 47.123 ng
RT: 21.403 min Scan# 3080
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43

Tgt Ion:	149	Resp:	1972325
Ion	Ratio	Lower	Upper
149	100		
167	28.1	22.3	33.5
279	4.2	3.4	5.2






Abundance Scan 3240 (22.344 min): BM039204.D\data.ms (-3235) (-)




Di-n-octyl phthalate
Concen: 44.675 ng
RT: 22.333 min Scan# 3238
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43

Tgt Ion:	149	Resp:	3368848
Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.2	1.8
43	10.1	6.9	10.3






Abundance Scan 3508 (23.921 min): BM039204.D\data.ms (-3486) (-)




Perylene-d12
Concen: 20.000 ng
RT: 23.909 min Scan# 3506
Delta R.T. 0.006 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43

Tgt Ion:	264	Resp:	1080915
Ion	Ratio	Lower	Upper
264	100		
260	23.8	19.0	28.6
265	22.4	18.1	27.1





Abundance Scan 3937 (26.444 min): BM039204.D\data.ms (-3887) (-)




Indeno(1,2,3-cd)pyrene
Concen: 50.800 ng
RT: 26.421 min Scan# 3933
Delta R.T. 0.006 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43


Tgt Ion:	276	Resp:	4045825
Ion	Ratio	Lower	Upper
276	100		
138	27.9	22.2	33.2
277	25.1	20.2	30.2



Abundance Scan 3933 (26.421 min): BM039280.D\data.ms (-3881) (-)





Abundance Scan 3383 (23.186 min): BM039204.D\data.ms (-3886) (-)





Benzo(b)fluoranthene
Concen: 45.488 ng
RT: 23.174 min Scan# 3381
Delta R.T. -0.000 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43

Tgt Ion:	252	Resp:	3008554
Ion	Ratio	Lower	Upper
252	100		
253	22.4	17.6	26.4
125	11.3	9.0	13.6







Abundance Scan 3381 (23.174 min): BM039280.D\data.ms (-3330) (-)








Benzo(k)fluoranthene
 Concen: 44.236 ng
 RT: 23.221 min Scan# 3389
 Delta R.T. -0.000 min
 Lab File: BM039280.D
 Acq: 03 Apr 2023 15:43


Tgt Ion:	252	Resp:	2980145
Ion	Ratio	Lower	Upper
252	100		
253	22.0	17.8	26.8
125	11.6	8.5	12.7



Benzo(a)pyrene
 Concen: 42.776 ng
 RT: 23.803 min Scan# 3488
 Delta R.T. 0.006 min
 Lab File: BM039280.D
 Acq: 03 Apr 2023 15:43





Tgt Ion:	252	Resp:	2779286
Ion	Ratio	Lower	Upper
252	100		
253	21.9	17.6	26.4
125	12.3	9.8	14.6





Dibenzo(a,h)anthracene
Concen: 50.170 ng
RT: 26.438 min Scan# 3936
Delta R.T. 0.011 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43

Tgt Ion:	278	Resp:	3355039
Ion	Ratio	Lower	Upper
278	100		
139	17.9	13.9	20.9
279	23.6	18.8	28.2



Benzo(g,h,i)perylene
Concen: 51.041 ng
RT: 27.197 min Scan# 4065
Delta R.T. 0.011 min
Lab File: BM039280.D
Acq: 03 Apr 2023 15:43

Tgt Ion:	276	Resp:	3356775
Ion	Ratio	Lower	Upper
276	100		
277	23.4	19.1	28.7
138	24.2	19.5	29.3

