

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM040323\
 Data File : BM039286.D
 Acq On : 03 Apr 2023 19:27
 Operator : CG/JU
 Sample : 02140-06
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Quant Time: Apr 04 02:29:23 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM032923.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 31 17:03:41 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.910	152	207534	20.000	ng	0.00
21) Naphthalene-d8	10.722	136	795463	20.000	ng	0.00
39) Acenaphthene-d10	14.563	164	455861	20.000	ng	0.00
64) Phenanthrene-d10	17.310	188	958402	20.000	ng	0.00
76) Chrysene-d12	21.492	240	920498	20.000	ng	0.00
86) Perylene-d12	23.903	264	1133160	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.469	112	541073	39.279	ng	0.00
7) Phenol-d6	7.081	99	382152	21.449	ng	0.00
23) Nitrobenzene-d5	9.081	82	1593572	97.366	ng	0.00
42) 2,4,6-Tribromophenol	16.051	330	553991	95.735	ng	0.00
45) 2-Fluorobiphenyl	13.186	172	3257580	96.822	ng	0.00
79) Terphenyl-d14	19.933	244	4216917	84.639	ng	0.00


Target Compounds	Qvalue
-----	-----

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM040323\
Data File : BM039286.D
Acq On : 03 Apr 2023 19:27
Operator : CG/JU
Sample : 02140-06
Misc :
ALS Vial : 15 Sample Multiplier: 1





Quant Time: Apr 04 02:29:23 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM032923.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 31 17:03:41 2023
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.910 min Scan# 786
Delta R.T. -0.006 min
Lab File: BM039286.D
Acq: 03 Apr 2023 19:27


Tgt Ion:152 Resp: 207534
Ion Ratio Lower Upper
152 100
150 155.7 125.5 188.3
115 60.4 48.1 72.1



#5
2-Fluorophenol
Concen: 39.279 ng
RT: 5.469 min Scan# 371
Delta R.T. -0.006 min
Lab File: BM039286.D
Acq: 03 Apr 2023 19:27

Tgt Ion:112 Resp: 541073
Ion Ratio Lower Upper
112 100
64 58.9 44.3 66.5
63 29.9 23.0 34.6





#7

Phenol-d6

Concen: 21.449 ng

RT: 7.081 min Scan# 645





Delta R.T. -0.006 min

Lab File: BM039286.D

Acq: 03 Apr 2023 19:27

Tgt Ion: 99 Resp: 382152

Ion	Ratio	Lower	Upper
99	100		
42	17.0	13.0	19.6
71	31.8	25.5	38.3



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.722 min Scan# 1264




Delta R.T. -0.006 min


Lab File: BM039286.D

Acq: 03 Apr 2023 19:27

Tgt Ion: 136 Resp: 795463

Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.9	13.3
54	8.2	6.2	9.4
68	7.1	4.9	7.3





#23

Nitrobenzene-d5

Concen: 97.366 ng

RT: 9.081 min Scan# 985





Delta R.T. -0.006 min

Lab File: BM039286.D

Acq: 03 Apr 2023 19:27

Tgt Ion: 82 Resp: 1593572

Ion	Ratio	Lower	Upper
82	100		
128	42.5	35.1	52.7
54	48.1	38.5	57.7



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.563 min Scan# 1917




Delta R.T. -0.000 min


Lab File: BM039286.D

Acq: 03 Apr 2023 19:27

Tgt Ion: 164 Resp: 455861





Ion	Ratio	Lower	Upper
164	100		
162	99.7	79.1	118.7
160	44.3	35.8	53.8








#42
2,4,6-Tribromophenol
Concen: 95.735 ng
RT: 16.051 min Scan# 2170
Delta R.T. -0.006 min
Lab File: BM039286.D
Acq: 03 Apr 2023 19:27


Tgt Ion: 330 Resp: 553991
Ion Ratio Lower Upper
330 100
332 96.9 77.4 116.0
141 37.7 29.8 44.6



#45
2-Fluorobiphenyl
Concen: 96.822 ng
RT: 13.186 min Scan# 1683
Delta R.T. -0.000 min
Lab File: BM039286.D
Acq: 03 Apr 2023 19:27

Tgt Ion: 172 Resp: 3257580
Ion Ratio Lower Upper
172 100
171 34.5 28.0 42.0
170 23.8 18.7 28.1





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.310 min Scan# 2384

Delta R.T. -0.000 min

Lab File: BM039286.D

Acq: 03 Apr 2023 19:27





Tgt Ion:188 Resp: 958402

Ion Ratio Lower Upper

188 100

94 9.9 8.2 12.4

80 10.9 8.9 13.3



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.492 min Scan# 3095

Delta R.T. -0.006 min

Lab File: BM039286.D

Acq: 03 Apr 2023 19:27




Tgt Ion:240 Resp: 920498


Ion Ratio Lower Upper

240 100

120 12.5 10.2 15.2





236 25.9 20.9 31.3





#79
 Terphenyl-d14
 Concen: 84.639 ng
 RT: 19.933 min Scan# 2830
 Delta R.T. -0.000 min
 Lab File: BM039286.D
 Acq: 03 Apr 2023 19:27

Tgt Ion:244 Resp: 4216917
 Ion Ratio Lower Upper
 244 100
 212 6.9 5.6 8.4
 122 11.9 9.1 13.7



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.903 min Scan# 3505
 Delta R.T. -0.000 min
 Lab File: BM039286.D
 Acq: 03 Apr 2023 19:27

Tgt Ion:264 Resp: 1133160
 Ion Ratio Lower Upper
 264 100
 260 23.5 19.0 28.6
 265 22.5 18.1 27.1

