

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM040721\
 Data File : BM029398.D
 Acq On : 08 Apr 2021 07:44
 Operator : CG/JU
 Sample : M1957-18
 Misc : GCMS CONFIRMATION
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C0B25

Quant Time: Apr 08 09:06:01 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM040721MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Apr 08 03:12:50 2021
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.69	152	111522	20.00	ng/ul	0.00
18) Naphthalene-d8	10.47	136	424912	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.32	164	239122	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.06	188	425868	20.00	ng/ul	0.00
78) Chrysene-d12	21.24	240	318792	20.00	ng/ul	0.00
86) Perylene-d12	23.44	264	303928	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	0.00	96	0d	0.00	ng/uL	
5) Phenol-d5	0.00	99	0	0.00	ng/ul	
7) Bis-(2-Chloroethyl)ether-d	0.00	67	0	0.00	ng/ul	
9) 2-Chlorophenol-d4	0.00	132	0	0.00	ng/ul	
13) 4-Methylphenol-d8	0.00	113	0	0.00	ng/ul	
19) Nitrobenzene-d5	0.00	128	0	0.00	ng/ul	
22) 2-Nitrophenol-d4	0.00	143	0	0.00	ng/ul	
26) 2,4-Dichlorophenol-d3	0.00	165	0	0.00	ng/ul	
29) 4-Chloroaniline-d4	0.00	131	0d	0.00	ng/ul	
44) Dimethylphthalate-d6	0.00	166	0	0.00	ng/ul	
47) Acenaphthylene-d8	0.00	160	0	0.00	ng/ul	
52) 4-Nitrophenol-d4	0.00	143	0	0.00	ng/ul	
58) Fluorene-d10	0.00	176	0	0.00	ng/ul	
63) 4,6-Dinitro-2-methylphenol	0.00	200	0	0.00	ng/ul	
71) Anthracene-d10	0.00	188	0d	0.00	ng/ul	
79) Pyrene-d10	0.00	212	0	0.00	ng/ul	
90) Benzo(a)pyrene-d12	0.00	264	0d	0.00	ng/ul	

Target Compounds

					Ovalue	
70) Phenanthrene	17.10	178	289257	11.798	ng/ul	99
77) Fluoranthene	19.12	202	253008	9.117	ng/ul	97
80) Pyrene	19.48	202	97841	4.634	ng/ul	100
83) Benzo(a)anthracene	21.22	228	72298	3.597	ng/ul	98
85) Chrysene	21.27	228	82469	4.196	ng/ul	97
88) Benzo(b)fluoranthene	22.79	252	52365	2.676	ng/ul#	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM040721\
Data File : BM029398.D
Acq On : 08 Apr 2021 07:44
Operator : CG/JU
Sample : M1957-18
Misc : GCMS CONFIRMATION
ALS Vial : 37 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
C0B25

Quant Time: Apr 08 09:06:01 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM040721MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Apr 08 03:12:50 2021
Response via : Initial Calibration

