

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM040721\
 Data File : BM029402.D
 Acq On : 08 Apr 2021 10:10
 Operator : CG/JU
 Sample : M1957-22
 Misc : GCMS CONFIRMATION
 ALS Vial : 41 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C0B49

Quant Time: Apr 08 11:24:47 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM040721MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Apr 07 13:16:43 2021
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.69	152	109544	20.00	ng/ul	0.00
18) Naphthalene-d8	10.47	136	411671	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.32	164	225412	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.06	188	391168	20.00	ng/ul	0.00
78) Chrysene-d12	21.24	240	299435	20.00	ng/ul	0.00
86) Perylene-d12	23.45	264	301534	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	0.00	96	0d	0.00	ng/uL	
5) Phenol-d5	0.00	99	0	0.00	ng/ul	
7) Bis-(2-Chloroethyl)ether-d	0.00	67	0	0.00	ng/ul	
9) 2-Chlorophenol-d4	0.00	132	0	0.00	ng/ul	
13) 4-Methylphenol-d8	0.00	113	0	0.00	ng/ul	
19) Nitrobenzene-d5	0.00	128	0	0.00	ng/ul	
22) 2-Nitrophenol-d4	0.00	143	0	0.00	ng/ul	
26) 2,4-Dichlorophenol-d3	0.00	165	0	0.00	ng/ul	
29) 4-Chloroaniline-d4	0.00	131	0d	0.00	ng/ul	
44) Dimethylphthalate-d6	0.00	166	0	0.00	ng/ul	
47) Acenaphthylene-d8	0.00	160	0	0.00	ng/ul	
52) 4-Nitrophenol-d4	0.00	143	0	0.00	ng/ul	
58) Fluorene-d10	0.00	176	0	0.00	ng/ul	
63) 4,6-Dinitro-2-methylphenol	0.00	200	0	0.00	ng/ul	
71) Anthracene-d10	0.00	188	0d	0.00	ng/ul	
79) Pyrene-d10	0.00	212	0	0.00	ng/ul	
90) Benzo(a)pyrene-d12	0.00	264	0d	0.00	ng/ul	

Target Compounds


					Ovalue	
70) Phenanthrene	17.10	178	132269	5.873	ng/ul	98
77) Fluoranthene	19.12	202	144803	5.681	ng/ul	98
80) Pyrene	19.48	202	55259	2.787	ng/ul	95
83) Benzo(a)anthracene	21.22	228	49652	2.630	ng/ul	98
85) Chrysene	21.27	228	60875	3.297	ng/ul	97
88) Benzo(b)fluoranthene	22.79	252	41058	2.115	ng/ul#	87


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM040721\
Data File : BM029402.D
Acq On : 08 Apr 2021 10:10
Operator : CG/JU
Sample : M1957-22
Misc : GCMS CONFIRMATION
ALS Vial : 41 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
C0B49

Quant Time: Apr 08 11:24:47 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM040721MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Apr 07 13:16:43 2021
Response via : Initial Calibration





#70

Phenanthrene

Concen: 5.873 ng/ul

RT: 17.10 min Scan# 2417

Delta R.T. -0.01 min

Lab File: BM029402.D

Acq: 08 Apr 2021 10:10

Instrument :

BNA_M

ClientSampleId :

C0B49


Tot Ion:178 Resp: 132269

Ion Ratio Lower Upper

178 100

179 16.1 12.2 18.2




176 18.6 15.4 23.2



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 179.00 (178.70 to 179.70): E

Ion 176.00 (175.70 to 176.70): E



#77

Fluoranthene

Concen: 5.681 ng/ul

RT: 19.12 min Scan# 2760

Delta R.T. -0.00 min

Lab File: BM029402.D

Acq: 08 Apr 2021 10:10


Tgt Ion:202 Resp: 144803

Ion Ratio Lower Upper

202 100

101 11.3 9.8 14.6



100 9.5 7.4 11.0




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 100.00 (99.70 to 100.70): B









#80
Pvrene
Concen: 2.787 ng/ul
RT: 19.48 min Scan# 2821
Delta R.T. -0.01 min
Lab File: BM029402.D
Acq: 08 Apr 2021 10:10




Instrument :
BNA_M
ClientSampleId :
C0B49


Tot Ion	Ratio	Lower	Upper
202	100		
101	16.3	11.0	16.6
100	13.0	9.5	14.3



#83
Benzo(a)anthracene
Concen: 2.630 ng/ul
RT: 21.22 min Scan# 3117
Delta R.T. -0.01 min
Lab File: BM029402.D
Acq: 08 Apr 2021 10:10

Tgt Ion	Ratio	Lower	Upper
228	100		
229	20.7	15.7	23.5
226	29.2	22.3	33.5





#85

Chrysene

Concen: 3.297 ng/ul

RT: 21.27 min Scan# 3126

Delta R.T. -0.01 min

Lab File: BM029402.D

Acq: 08 Apr 2021 10:10

Instrument :

BNA_M

ClientSampled :

C0B49


Tot Ion:228 Resp: 60875

Ion Ratio Lower Upper

228 100

226 31.5 24.0 36.0




229 20.6 15.4 23.0



Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E



#88

Benzo(b)fluoranthene

Concen: 2.115 ng/ul

RT: 22.79 min Scan# 3383

Delta R.T. -0.01 min

Lab File: BM029402.D

Acq: 08 Apr 2021 10:10


Tgt Ion:252 Resp: 41058

Ion Ratio Lower Upper

252 100

253 26.4 17.2 25.8#

125 17.4 8.8 13.2#



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E

