

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM040921\
 Data File : BM029431.D
 Acq On : 09 Apr 2021 14:57
 Operator : CG/JU
 Sample : M1881-04
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 ESQG0

Quant Time: Apr 09 15:29:41 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM040721MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Apr 09 11:03:41 2021
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.69	152	93673	20.00	ng/ul	0.00
18) Naphthalene-d8	10.47	136	356740	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.32	164	195406	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.06	188	363120	20.00	ng/ul	0.00
78) Chrysene-d12	21.24	240	329252	20.00	ng/ul	0.00
86) Perylene-d12	23.45	264	359307	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.19	96	7064	2.88	ng/uL	0.00
5) Phenol-d5	6.86	99	120537	15.36	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.03	67	87276	17.41	ng/ul	0.00
9) 2-Chlorophenol-d4	7.22	132	100733	16.98	ng/ul	0.00
13) 4-Methylphenol-d8	8.39	113	44618	7.38	ng/ul	0.00
19) Nitrobenzene-d5	8.84	128	44190	17.90	ng/ul	0.00
22) 2-Nitrophenol-d4	9.56	143	47212	18.20	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.09	165	82270	15.57	ng/ul	0.00
29) 4-Chloroaniline-d4	10.60	131	74655	11.61	ng/ul	0.00
44) Dimethylphthalate-d6	13.73	166	252935	18.07	ng/ul	0.00
47) Acenaphthylene-d8	14.02	160	307750	17.33	ng/ul	0.00
52) 4-Nitrophenol-d4	14.52	143	30313	11.81	ng/ul	0.00
58) Fluorene-d10	15.32	176	210385	17.79	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.43	200	22579	10.94	ng/ul	0.00
71) Anthracene-d10	17.16	188	294227	17.83	ng/ul	0.00
79) Pyrene-d10	19.45	212	322500	20.40	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.31	264	339679	18.53	ng/ul	0.00

Target Compounds

					Ovalue
6) Phenol	6.89	94	12514	1.495 ng/ul	92
14) Acetophenone	8.51	105	10949	1.107 ng/ul	95
45) Dimethylphthalate	13.78	163	15346	1.067 ng/ul	97
77) Fluoranthene	19.12	202	37662	1.592 ng/ul#	97
80) Pyrene	19.48	202	36272	1.664 ng/ul	97
88) Benzo(b)fluoranthene	22.79	252	25117	1.086 ng/ul#	84

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM040921\
Data File : BM029431.D
Acq On : 09 Apr 2021 14:57
Operator : CG/JU
Sample : M1881-04
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
ESQG0

Quant Time: Apr 09 15:29:41 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM040721MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Apr 09 11:03:41 2021
Response via : Initial Calibration

