

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM040921\
 Data File : BM029438.D
 Acq On : 09 Apr 2021 19:14
 Operator : CG/JU
 Sample : M1881-19
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 ESQG3

Quant Time: Apr 09 23:08:58 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM040721MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Apr 09 11:03:41 2021
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.69	152	93683	20.00	ng/ul	0.00
18) Naphthalene-d8	10.47	136	367638	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.32	164	203650	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.06	188	369162	20.00	ng/ul	0.00
78) Chrysene-d12	21.24	240	335479	20.00	ng/ul	0.00
86) Perylene-d12	23.45	264	361691	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.19	96	6339	2.58	ng/uL	0.00
5) Phenol-d5	6.86	99	93449	11.91	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.03	67	88970	17.74	ng/ul	0.00
9) 2-Chlorophenol-d4	7.22	132	91373	15.40	ng/ul	0.00
13) 4-Methylphenol-d8	8.39	113	65227	10.78	ng/ul	0.00
19) Nitrobenzene-d5	8.84	128	45332	17.82	ng/ul	0.00
22) 2-Nitrophenol-d4	9.56	143	47423	17.74	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.09	165	79465	14.59	ng/ul	0.00
29) 4-Chloroaniline-d4	10.60	131	100559	15.17	ng/ul	0.00
44) Dimethylphthalate-d6	13.73	166	272544	18.69	ng/ul	0.00
47) Acenaphthylene-d8	14.02	160	321649	17.38	ng/ul	0.00
52) 4-Nitrophenol-d4	14.52	143	15920	5.95	ng/ul	0.00
58) Fluorene-d10	15.32	176	215055	17.45	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.43	200	12865	6.13	ng/ul	0.00
71) Anthracene-d10	17.16	188	316093	18.84	ng/ul	0.00
79) Pyrene-d10	19.46	212	326465	20.27	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.31	264	347271	18.82	ng/ul	0.00

Target Compounds


				Ovalue	
6) Phenol	6.89	94	15492	1.850	ng/ul 97
45) Dimethylphthalate	13.78	163	27190	1.813	ng/ul# 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM040921\
Data File : BM029438.D
Acq On : 09 Apr 2021 19:14
Operator : CG/JU
Sample : M1881-19
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
ESQG3

Quant Time: Apr 09 23:08:58 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM040721MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Apr 09 11:03:41 2021
Response via : Initial Calibration





#6

Phenol

Concen: 1.850 ng/ul

RT: 6.89 min Scan# 680

Delta R.T. -0.00 min

Lab File: BM029438.D

Acq: 09 Apr 2021 19:14

Instrument :

BNA_M

ClientSampled :

ESQG3


Tot Ion: 94 Resp: 15492

Ion Ratio Lower Upper

94 100

65 34.9 26.7 40.1




66 40.0 33.8 50.8



Abundance Ion 94.00 (93.70 to 94.70): BM029438.D (-646) (-)

Ion 65.00 (64.70 to 65.70): BM029438.D (-646) (-)

Ion 66.00 (65.70 to 66.70): BM029438.D (-646) (-)



#45

Dimethylphthalate

Concen: 1.813 ng/ul

RT: 13.78 min Scan# 1852

Delta R.T. -0.00 min

Lab File: BM029438.D

Acq: 09 Apr 2021 19:14


Tgt Ion: 163 Resp: 27190

Ion Ratio Lower Upper

163 100

194 4.9 3.0 4.6#

164 11.7 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): BM029438.D (-1818) (-)

Ion 194.00 (193.70 to 194.70): BM029438.D (-1818) (-)

Ion 164.00 (163.70 to 164.70): BM029438.D (-1818) (-)

