

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM041223\
 Data File : BM039408.D
 Acq On : 12 Apr 2023 18:01
 Operator : CG/JU
 Sample : 02268-01RE
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 50002-TOTERE

Manual Integrations
 APPROVED

Reviewed By : Christian Giraldo 04/13/2023
 Supervised By : Jagrut Upadhyay 04/13/2023

Quant Time: Apr 13 01:49:15 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM032923.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Apr 11 16:05:42 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.857	152	248209	20.000	ng	0.00
21) Naphthalene-d8	10.669	136	1009023	20.000	ng	# 0.00
39) Acenaphthene-d10	14.516	164	576555	20.000	ng	0.00
64) Phenanthrene-d10	17.268	188	1050774	20.000	ng	0.00
76) Chrysene-d12	21.462	240	801012	20.000	ng	# 0.00
86) Perylene-d12	23.856	264	1009830	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.446	112	124883	7.580	ng	0.02
7) Phenol-d6	7.069	99	130609	6.129	ng	0.04
23) Nitrobenzene-d5	9.034	82	160326	7.723	ng	0.00
42) 2,4,6-Tribromophenol	16.016	330	67455	9.217	ng	0.00
45) 2-Fluorobiphenyl	13.133	172	228436	5.368	ng	0.00
79) Terphenyl-d14	19.904	244	229358	5.290	ng	0.00
Target Compounds						Qvalue
10) Phenol	7.099	94	205148	9.607	ng	99
31) Naphthalene	10.722	128	420560	7.735	ng	# 96
37) 2-Methylnaphthalene	12.333	142	408532	10.794	ng	98
38) 1-Methylnaphthalene	12.551	142	321879m	9.082	ng	
49) Acenaphthylene	14.239	152	383427	6.767	ng	# 94
52) Acenaphthene	14.580	154	272944	8.158	ng	97
55) Dibenzofuran	14.916	168	342585	6.360	ng	# 90
58) Fluorene	15.563	166	597025	13.998	ng	98
71) Phenanthrene	17.310	178	3413822	59.320	ng	99
72) Anthracene	17.398	178	1045955	17.824	ng	98
73) Carbazole	17.680	167	293765	5.357	ng	# 90
75) Fluoranthene	19.339	202	3742334	57.046	ng	96
78) Pyrene	19.704	202	3641496	63.860	ng	# 90
81) Benzo(a)anthracene	21.451	228	1557781m	27.575	ng	
83) Chrysene	21.503	228	1532825m	28.107	ng	
87) Indeno(1,2,3-cd)pyrene	26.333	276	966053	12.984	ng	96
88) Benzo(b)fluoranthene	23.133	252	1915388	30.999	ng	# 95
89) Benzo(k)fluoranthene	23.174	252	675424m	10.731	ng	
90) Benzo(a)pyrene	23.750	252	1582059	26.064	ng	# 96
91) Dibenzo(a,h)anthracene	26.344	278	258501	4.138	ng	# 79
92) Benzo(g,h,i)perylene	27.097	276	971895	15.818	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM041223\
Data File : BM039408.D
Acq On : 12 Apr 2023 18:01
Operator : CG/JU
Sample : 02268-01RE
Misc :
ALS Vial : 8 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
50002-TOTERE

Manual Integrations
APPROVED

Reviewed By : Christian Giraldo 04/13/2023
Supervised By : Jagrut Upadhyay 04/13/2023


Quant Time: Apr 13 01:49:15 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM032923.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Apr 11 16:05:42 2023
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.857 min Scan# 794
Delta R.T. -0.006 min
Lab File: BM039408.D
Acq: 12 Apr 2023 18:01




Instrument :
BNA_M
ClientSampleId :
50002-TOTERE



Tgt Ion:152 Resp: 248209
Ion Ratio Lower Upper
152 100
150 158.2 125.5 188.3
115 61.6 48.1 72.1




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 04/13/2023
Supervised By :Jagrut Upadhyay 04/13/2023



#5
2-Fluorophenol
Concen: 7.580 ng
RT: 5.446 min Scan# 384
Delta R.T. 0.024 min
Lab File: BM039408.D
Acq: 12 Apr 2023 18:01

Tgt Ion:112 Resp: 124883
Ion Ratio Lower Upper
112 100
64 60.2 44.3 66.5
63 29.3 23.0 34.6





#7

Phenol-d6

Concen: 6.129 ng

RT: 7.069 min Scan# 660

Delta R.T. 0.035 min

Lab File: BM039408.D


Acq: 12 Apr 2023 18:01

Instrument :

BNA_M

ClientSampleId :

50002-TOTERE



Tgt Ion: 99 Resp: 130609

Ion Ratio Lower Upper

99 100

42 19.2 13.0 19.6




71 34.1 25.5 38.3

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 04/13/2023

Supervised By :Jagrut Upadhyay 04/13/2023



#10

Phenol

Concen: 9.607 ng

RT: 7.099 min Scan# 665

Delta R.T. 0.035 min

Lab File: BM039408.D

Acq: 12 Apr 2023 18:01




Tgt Ion: 94 Resp: 205148


Ion Ratio Lower Upper

94 100

65 27.2 7.2 47.2


66 34.6 15.2 55.2





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.669 min Scan# 11
Delta R.T. -0.006 min
Lab File: BM039408.D
Acq: 12 Apr 2023 18:01




Instrument :
BNA_M
ClientSampleId :
50002-TOTERE



Tgt Ion:136 Resp: 100902
Ion Ratio Lower Upper
136 100
137 11.1 8.9 13.3
54 9.0 6.2 9.4
68 7.5 4.9 7.3#




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 04/13/2023
Supervised By :Jagrut Upadhyay 04/13/2023



#23
Nitrobenzene-d5
Concen: 7.723 ng
RT: 9.034 min Scan# 994
Delta R.T. 0.000 min
Lab File: BM039408.D
Acq: 12 Apr 2023 18:01


Tgt Ion: 82 Resp: 160326
Ion Ratio Lower Upper
82 100
128 43.2 35.1 52.7
54 47.9 38.5 57.7





#31
Naphthalene
Concen: 7.735 ng
RT: 10.722 min Scan# 11
Delta R.T. 0.000 min
Lab File: BM039408.D
Acq: 12 Apr 2023 18:01




Instrument :
BNA_M
ClientSampleId :
50002-TOTERE




Tgt Ion:128 Resp: 420560
Ion Ratio Lower Upper
128 100
129 13.0 8.6 13.0
127 13.7 10.3 15.5

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 04/13/2023
Supervised By :Jagrut Upadhyay 04/13/2023




#37
2-Methylnaphthalene
Concen: 10.794 ng
RT: 12.333 min Scan# 1555
Delta R.T. -0.006 min
Lab File: BM039408.D
Acq: 12 Apr 2023 18:01




Tgt Ion:142 Resp: 408532
Ion Ratio Lower Upper
142 100
141 89.2 69.8 104.8
115 36.0 27.8 41.8





#38
1-Methylnaphthalene
Concen: 9.082 ng m
RT: 12.551 min Scan# 11
Delta R.T. -0.006 min
Lab File: BM039408.D
Acq: 12 Apr 2023 18:01




Instrument :
BNA_M
ClientSampleId :
50002-TOTERE



Tgt Ion:142 Resp: 321879
Ion Ratio Lower Upper
142 100
141 92.6 73.2 109.8
116 4.7 3.0 4.4




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 04/13/2023
Supervised By :Jagrut Upadhyay 04/13/2023



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.516 min Scan# 1926
Delta R.T. 0.000 min
Lab File: BM039408.D
Acq: 12 Apr 2023 18:01


Tgt Ion:164 Resp: 576555
Ion Ratio Lower Upper
164 100
162 98.4 79.1 118.7
160 44.8 35.8 53.8





#42
2,4,6-Tribromophenol
Concen: 9.217 ng
RT: 16.016 min Scan# 2172
Delta R.T. 0.000 min
Lab File: BM039408.D
Acq: 12 Apr 2023 18:01




Instrument :
BNA_M
ClientSampleId :
50002-TOTERE




Tgt Ion: 330 Resp: 6745
Ion Ratio Lower Upper
330 100
332 95.2 77.4 116.0
141 41.5 29.8 44.6

Manual Integrations
APPROVED



Reviewed By : Christian Giraldo 04/13/2023
Supervised By : Jagrut Upadhyay 04/13/2023




#45
2-Fluorobiphenyl
Concen: 5.368 ng
RT: 13.133 min Scan# 1691
Delta R.T. -0.006 min
Lab File: BM039408.D
Acq: 12 Apr 2023 18:01




Tgt Ion: 172 Resp: 228436
Ion Ratio Lower Upper
172 100
171 34.0 28.0 42.0
170 23.1 18.7 28.1





#49
Acenaphthylene
Concen: 6.767 ng
RT: 14.239 min Scan# 1872
Delta R.T. 0.000 min
Lab File: BM039408.D
Acq: 12 Apr 2023 18:01




Instrument :
BNA_M
ClientSampleId :
50002-TOTERE




Tgt Ion:152 Resp: 38342
Ion Ratio Lower Upper
152 100
151 21.8 15.7 23.5
153 16.5 10.3 15.5

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 04/13/2023
Supervised By :Jagrut Upadhyay 04/13/2023




#52
Acenaphthene
Concen: 8.158 ng
RT: 14.580 min Scan# 1937
Delta R.T. -0.006 min
Lab File: BM039408.D
Acq: 12 Apr 2023 18:01




Tgt Ion:154 Resp: 272944
Ion Ratio Lower Upper
154 100
153 114.9 89.1 133.7
152 54.4 42.6 64.0





#55
Dibenzenofuran
Concen: 6.360 ng
RT: 14.916 min Scan# 1987
Delta R.T. 0.000 min
Lab File: BM039408.D
Acq: 12 Apr 2023 18:01




Instrument :
BNA_M
ClientSampleId :
50002-TOTERE



Tgt Ion:168 Resp: 34258
Ion Ratio Lower Upper
168 100
139 41.3 29.4 44.2
169 20.3 10.6 15.8




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 04/13/2023
Supervised By :Jagrut Upadhyay 04/13/2023



#58
Fluorene
Concen: 13.998 ng
RT: 15.563 min Scan# 2104
Delta R.T. -0.006 min
Lab File: BM039408.D
Acq: 12 Apr 2023 18:01

Tgt Ion:166 Resp: 597025
Ion Ratio Lower Upper
166 100
165 97.3 76.9 115.3
167 15.6 10.8 16.2





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.268 min Scan# 21

Delta R.T. 0.000 min

Lab File: BM039408.D

Acq: 12 Apr 2023 18:01

Instrument :

BNA_M

ClientSampleId :

50002-TOTERE

Tgt Ion:188 Resp: 1050774

Ion Ratio Lower Upper

188 100

94 10.5 8.2 12.4





80 11.7 8.9 13.3

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 04/13/2023

Supervised By :Jagrut Upadhyay 04/13/2023



#71

Phenanthrene

Concen: 59.320 ng

RT: 17.310 min Scan# 2401

Delta R.T. 0.000 min

Lab File: BM039408.D

Acq: 12 Apr 2023 18:01




Tgt Ion:178 Resp: 3413822


Ion Ratio Lower Upper

178 100

176 19.6 15.7 23.5


179 16.0 12.4 18.6





#72
 Anthracene
 Concen: 17.824 ng
 RT: 17.398 min Scan# 2416
 Delta R.T. -0.006 min
 Lab File: BM039408.D
 Acq: 12 Apr 2023 18:01




Instrument :
 BNA_M
 ClientSampleId :
 50002-TOTERE



Tgt Ion:178 Resp: 104595
 Ion Ratio Lower Upper
 178 100
 176 19.1 14.9 22.3
 179 16.0 12.2 18.2




Manual Integrations
 APPROVED


Reviewed By :Christian Giraldo 04/13/2023
 Supervised By :Jagrut Upadhyay 04/13/2023



#73
 Carbazole
 Concen: 5.357 ng
 RT: 17.680 min Scan# 2464
 Delta R.T. 0.000 min
 Lab File: BM039408.D
 Acq: 12 Apr 2023 18:01


Tgt Ion:167 Resp: 293765
 Ion Ratio Lower Upper
 167 100
 166 22.6 17.2 25.8
 139 22.0 10.6 16.0#





#75
Fluoranthene
Concen: 57.046 ng
RT: 19.339 min Scan# 21
Delta R.T. 0.006 min
Lab File: BM039408.D
Acq: 12 Apr 2023 18:01




Instrument :
BNA_M
ClientSampleId :
50002-TOTERE



Tgt Ion:202 Resp: 3742334
Ion Ratio Lower Upper
202 100
101 12.2 0.0 32.5
203 20.2 0.0 37.5




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 04/13/2023
Supervised By :Jagrut Upadhyay 04/13/2023



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.462 min Scan# 3107
Delta R.T. 0.000 min
Lab File: BM039408.D
Acq: 12 Apr 2023 18:01


Tgt Ion:240 Resp: 801012
Ion Ratio Lower Upper
240 100
120 18.6 10.2 15.2#
236 26.2 20.9 31.3





#78
Pyrene
Concen: 63.860 ng
RT: 19.704 min Scan# 21
Delta R.T. 0.006 min
Lab File: BM039408.D
Acq: 12 Apr 2023 18:01




Instrument :
BNA_M
ClientSampleId :
50002-TOTERE



Tgt Ion:202 Resp: 3641490
Ion Ratio Lower Upper
202 100
200 21.0 17.1 25.7
203 26.5 13.9 20.9




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 04/13/2023
Supervised By :Jagrut Upadhyay 04/13/2023



#79
Terphenyl-d14
Concen: 5.290 ng
RT: 19.904 min Scan# 2842
Delta R.T. 0.006 min
Lab File: BM039408.D
Acq: 12 Apr 2023 18:01


Tgt Ion:244 Resp: 229358
Ion Ratio Lower Upper
244 100
212 7.9 5.6 8.4
122 13.3 9.1 13.7





#81
Benzo(a)anthracene
Concen: 27.575 ng m
RT: 21.451 min Scan# 3110
Delta R.T. 0.006 min
Lab File: BM039408.D
Acq: 12 Apr 2023 18:01




Instrument :
BNA_M
ClientSampleId :
50002-TOTERE




Tgt Ion:228 Resp: 155778
Ion Ratio Lower Upper
228 100
226 28.9 21.9 32.9
229 23.8 15.8 23.6

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 04/13/2023
Supervised By :Jagrut Upadhyay 04/13/2023




#83
Chrysene
Concen: 28.107 ng m
RT: 21.503 min Scan# 3114
Delta R.T. 0.000 min
Lab File: BM039408.D
Acq: 12 Apr 2023 18:01



Tgt Ion:228 Resp: 1532825
Ion Ratio Lower Upper
228 100
226 30.2 24.1 36.1
229 23.4 15.5 23.3





#86

Perylene-d12

Concen: 20.000 ng

RT: 23.856 min Scan# 3514

Delta R.T. 0.006 min

Lab File: BM039408.D

Acq: 12 Apr 2023 18:01

Instrument :

BNA_M

ClientSampleId :

50002-TOTERE

Tgt Ion:264 Resp: 1009830

Ion Ratio Lower Upper

264 100

260 23.9 19.0 28.6





265 24.2 18.1 27.1

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 04/13/2023

Supervised By :Jagrut Upadhyay 04/13/2023



#87

Indeno(1,2,3-cd)pyrene

Concen: 12.984 ng

RT: 26.333 min Scan# 3935

Delta R.T. -0.006 min

Lab File: BM039408.D

Acq: 12 Apr 2023 18:01




Tgt Ion:276 Resp: 966053


Ion Ratio Lower Upper

276 100

138 23.6 22.2 33.2


277 24.9 20.2 30.2





#88
Benzo(b)fluoranthene
Concen: 30.999 ng
RT: 23.133 min Scan# 3391
Delta R.T. 0.006 min
Lab File: BM039408.D
Acq: 12 Apr 2023 18:01




Instrument :
BNA_M
ClientSampleId :
50002-TOTERE




Tgt Ion:252 Resp: 191538
Ion Ratio Lower Upper
252 100
253 23.2 17.6 26.4
125 15.1 9.0 13.6

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 04/13/2023
Supervised By :Jagrut Upadhyay 04/13/2023




#89
Benzo(k)fluoranthene
Concen: 10.731 ng m
RT: 23.174 min Scan# 3398
Delta R.T. 0.000 min
Lab File: BM039408.D
Acq: 12 Apr 2023 18:01




Tgt Ion:252 Resp: 675424
Ion Ratio Lower Upper
252 100
253 24.2 17.8 26.8
125 17.9 8.5 12.7#





#90
Benzo(a)pyrene
Concen: 26.064 ng
RT: 23.750 min Scan# 3490
Delta R.T. 0.000 min
Lab File: BM039408.D
Acq: 12 Apr 2023 18:01




Instrument :
BNA_M
ClientSampleId :
50002-TOTERE



Tgt Ion:252 Resp: 1582059
Ion Ratio Lower Upper
252 100
253 23.2 17.6 26.4
125 15.3 9.8 14.6




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 04/13/2023
Supervised By :Jagrut Upadhyay 04/13/2023



#91
Dibenzo(a,h)anthracene
Concen: 4.138 ng
RT: 26.344 min Scan# 3937
Delta R.T. -0.006 min
Lab File: BM039408.D
Acq: 12 Apr 2023 18:01

Tgt Ion:278 Resp: 258501
Ion Ratio Lower Upper
278 100
139 31.0 13.9 20.9#
279 30.3 18.8 28.2#





#92

Benzo(g,h,i)perylene

Concen: 15.818 ng

RT: 27.097 min Scan# 4065

Delta R.T. -0.006 min

Lab File: BM039408.D


Acq: 12 Apr 2023 18:01

Instrument :

BNA_M

ClientSampleId :

50002-TOTERE



Tgt Ion:276 Resp: 97189

Ion Ratio Lower Upper

276 100

277 25.3 19.1 28.7

138 25.4 19.5 29.3

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 04/13/2023

Supervised By :Jagrut Upadhyay 04/13/2023

