

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM041917\
 Data File : BM009684.D
 Acq On : 20 Apr 2017 00:14
 Operator : SJ/MA
 Sample : I2691-21
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 YAB69

Quant Time: Apr 20 05:05:54 2017
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM041717.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Apr 20 05:05:21 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.83	152	186418	20.00	ng/ul	0.00
18) Naphthalene-d8	10.63	136	711563	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.48	164	396630	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.23	188	913523	20.00	ng/ul	0.00
75) Chrysene-d12	21.41	240	1156782	20.00	ng/ul	0.00
83) Perylene-d12	23.73	264	1117617	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.32	96	9963	1.97	ng/uL	0.00
5) Phenol-d5	6.99	99	220510	12.98	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.17	67	151933	12.72	ng/ul	0.00
9) 2-Chlorophenol-d4	7.36	132	149940	12.70	ng/ul	0.00
13) 4-Methylphenol-d8	8.53	113	161322	12.85	ng/ul	0.00
19) Nitrobenzene-d5	9.00	128	71803	13.09	ng/ul	0.00
22) 2-Nitrophenol-d4	9.72	143	76743	13.27	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.25	165	149735	13.05	ng/ul	0.00
29) 4-Chloroaniline-d4	10.77	131	128296	11.09	ng/ul	0.00
43) Dimethylphthalate-d6	13.89	166	425700	13.31	ng/ul	0.00
46) Acenaphthylene-d8	14.17	160	535026	13.21	ng/ul	0.00
51) 4-Nitrophenol-d4	14.69	143	62286	10.85	ng/ul	0.00
57) Fluorene-d10	15.47	176	389945	14.19	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.60	200	40204	6.91	ng/ul	0.00
70) Anthracene-d10	17.33	188	620902	14.03	ng/ul	0.00
76) Pyrene-d10	19.62	212	720583	14.47	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.58	264	731532	14.47	ng/ul	0.00


Target Compounds						Qvalue
6) Phenol	7.02	94	73890	4.03	ng/ul#	67
44) Dimethylphthalate	13.93	163	145176	4.51	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM041917\
Data File : BM009684.D
Acq On : 20 Apr 2017 00:14
Operator : SJ/MA
Sample : I2691-21
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
YAB69

Quant Time: Apr 20 05:05:54 2017
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM041717.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Apr 20 05:05:21 2017
Response via : Initial Calibration





#6

Phenol

Concen: 4.03 ng/ul

RT: 7.02 min Scan# 669

Delta R.T. 0.00 min

Lab File: BM009684.D

Acq: 20 Apr 2017 00:14

Instrument :

BNA_M

ClientSampleId :

YAB69


Tgt Ion: 94 Resp: 73890

Ion Ratio Lower Upper

94 100

65 34.7 39.8 59.6#

66 50.9 69.9 104.9#






Abundance Ion 94.00 (93.70 to 94.70): BM009678.D (-663) (-)

Ion 65.00 (64.70 to 65.70): BM009678.D (-663) (-)

Ion 66.00 (65.70 to 66.70): BM009678.D (-663) (-)

Time-->



#44

Dimethylphthalate

Concen: 4.51 ng/ul

RT: 13.93 min Scan# 1843

Delta R.T. -0.01 min

Lab File: BM009684.D

Acq: 20 Apr 2017 00:14


Tgt Ion: 163 Resp: 145176

Ion Ratio Lower Upper

163 100

194 4.2 3.0 4.6

164 11.4 8.6 12.8



Abundance Ion 163.00 (162.70 to 163.70): BM009678.D (-1838) (-)

Ion 194.00 (193.70 to 194.70): BM009678.D (-1838) (-)

Ion 164.00 (163.70 to 164.70): BM009678.D (-1838) (-)

Time-->

