

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM042015\
 Data File : BM001068.D
 Acq On : 20 Apr 2015 16:38
 Operator : TP/IZ
 Sample : G1858-04RE
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Apr 21 03:33:02 2015
 Quant Method : Z:\HPCHEM1\BNA_M\Methods\SOM01.2-EPA-BM041515.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Apr 21 03:16:47 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.57	152	370419	20.00	ng/ul	0.00
18) Naphthalene-d8	10.36	136	1520353	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.23	164	822684	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.99	188	1745828	20.00	ng/ul	0.00
75) Chrysene-d12	21.19	240	1905885	20.00	ng/ul	0.00
83) Perylene-d12	23.36	264	1918371	20.00	ng/ul	0.00


System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.02	96	135	0.02	ng/uL	-0.02
5) Phenol-d5	6.75	99	979726	33.91	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.91	67	618467	34.35	ng/ul	0.00
9) 2-Chlorophenol-d4	7.10	132	768798	32.72	ng/ul	0.00
13) 4-Methylphenol-d8	8.29	113	744479	32.65	ng/ul	0.00
19) Nitrobenzene-d5	8.73	128	404410	39.45	ng/ul	0.00
22) 2-Nitrophenol-d4	9.45	143	449606	39.28	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.99	165	764744	34.28	ng/ul	0.00
29) 4-Chloroaniline-d4	10.50	131	1002573	46.10	ng/ul	0.00
43) Dimethylphthalate-d6	13.65	166	2632771	48.03	ng/ul	0.00
46) Acenaphthylene-d8	13.93	160	3000425	38.25	ng/ul	0.00
51) 4-Nitrophenol-d4	14.45	143	502415	47.15	ng/ul	0.00
57) Fluorene-d10	15.23	176	1995659	36.63	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.36	200	377437	39.81	ng/ul	0.00
70) Anthracene-d10	17.08	188	2786855	35.26	ng/ul	0.00
76) Pyrene-d10	19.39	212	2883804	32.60	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.23	264	2415697	28.13	ng/ul	0.01


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
6) Phenol	6.78	94	52440	1.72	ng/ul	95
44) Dimethylphthalate	13.70	163	330184	5.38	ng/ul	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM042015\
Data File : BM001068.D
Acq On : 20 Apr 2015 16:38
Operator : TP/IZ
Sample : G1858-04RE
Misc :
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Apr 21 03:33:02 2015
Quant Method : Z:\HPCHEM1\BNA_M\Methods\SOM01.2-EPA-BM041515.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Apr 21 03:16:47 2015
Response via : Initial Calibration





#6

Phenol

Concen: 1.72 ng/ul

RT: 6.78 min Scan# 696

Delta R.T. -0.00 min

Lab File: BM001068.D

Acq: 20 Apr 2015 16:38


Tgt Ion: 94 Resp: 52440

Ion Ratio Lower Upper

94 100

65 27.2 24.9 37.3




66 39.1 29.8 44.8



Abundance Ion 94.00 (93.70 to 94.70): BM001067.D (-689) (-)

Ion 65.00 (64.70 to 65.70): BM001067.D (-689) (-)

Ion 66.00 (65.70 to 66.70): BM001067.D (-689) (-)



#44

Dimethylphthalate

Concen: 5.38 ng/ul

RT: 13.70 min Scan# 1872

Delta R.T. -0.00 min

Lab File: BM001068.D

Acq: 20 Apr 2015 16:38


Tgt Ion: 163 Resp: 330184

Ion Ratio Lower Upper

163 100

194 4.1 3.0 4.4

164 10.8 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): BM001067.D (-1865) (-)

Ion 194.00 (193.70 to 194.70): BM001067.D (-1865) (-)

Ion 164.00 (163.70 to 164.70): BM001067.D (-1865) (-)

