

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM042123\
 Data File : BM039546.D
 Acq On : 21 Apr 2023 11:18
 Operator : CG/JU
 Sample : 02270-21
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SB-30-2-4-20230412

Quant Time: Apr 22 01:42:32 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM041723.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Apr 21 12:46:01 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.819	152	158100	20.000	ng	0.00
21) Naphthalene-d8	10.625	136	611108	20.000	ng	0.00
39) Acenaphthene-d10	14.472	164	346706	20.000	ng	0.00
64) Phenanthrene-d10	17.224	188	682764	20.000	ng	0.00
76) Chrysene-d12	21.418	240	605946	20.000	ng	0.00
86) Perylene-d12	23.783	264	715098	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.384	112	1150429	118.887	ng	0.00
7) Phenol-d6	7.001	99	1433018	100.767	ng	0.00
23) Nitrobenzene-d5	8.989	82	872375	69.907	ng	0.00
42) 2,4,6-Tribromophenol	15.971	330	451158	100.279	ng	0.00
45) 2-Fluorobiphenyl	13.095	172	1871065	74.670	ng	0.00
79) Terphenyl-d14	19.859	244	2576391	76.705	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM042123\
Data File : BM039546.D
Acq On : 21 Apr 2023 11:18
Operator : CG/JU
Sample : 02270-21
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
SB-30-2-4-20230412

Quant Time: Apr 22 01:42:32 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM041723.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Apr 21 12:46:01 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.819 min Scan# 81
Delta R.T. -0.000 min
Lab File: BM039546.D
Acq: 21 Apr 2023 11:18




Instrument :
BNA_M
ClientSampleId :
SB-30-2-4-20230412


Tgt Ion:152 Resp: 158100
Ion Ratio Lower Upper
152 100
150 153.9 123.0 184.4
115 59.3 49.9 74.9



#5
2-Fluorophenol
Concen: 118.887 ng
RT: 5.384 min Scan# 399
Delta R.T. -0.006 min
Lab File: BM039546.D
Acq: 21 Apr 2023 11:18

Tgt Ion:112 Resp: 1150429
Ion Ratio Lower Upper
112 100
64 60.3 47.0 70.4
63 31.9 24.2 36.4









#7
Phenol-d6
Concen: 100.767 ng
RT: 7.001 min Scan# 61
Delta R.T. -0.006 min
Lab File: BM039546.D
Acq: 21 Apr 2023 11:18




Instrument :
BNA_M
ClientSampleId :
SB-30-2-4-20230412


Tgt Ion: 99 Resp: 1433018
Ion Ratio Lower Upper
99 100
42 18.3 14.2 21.4
71 34.1 26.8 40.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.625 min Scan# 1290
Delta R.T. -0.006 min
Lab File: BM039546.D
Acq: 21 Apr 2023 11:18

Tgt Ion: 136 Resp: 611108
Ion Ratio Lower Upper
136 100
137 11.0 8.6 13.0
54 8.6 6.9 10.3
68 6.2 5.2 7.8









#23
Nitrobenzene-d5
Concen: 69.907 ng
RT: 8.989 min Scan# 1012
Delta R.T. -0.006 min
Lab File: BM039546.D
Acq: 21 Apr 2023 11:18




Instrument :
BNA_M
ClientSampleId :
SB-30-2-4-20230412


Tgt Ion: 82 Resp: 872375
Ion Ratio Lower Upper
82 100
128 42.0 34.2 51.2
54 49.6 39.7 59.5



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.472 min Scan# 1944
Delta R.T. -0.006 min
Lab File: BM039546.D
Acq: 21 Apr 2023 11:18

Tgt Ion: 164 Resp: 346706
Ion Ratio Lower Upper
164 100
162 97.6 79.8 119.8
160 44.3 35.0 52.4





#42

2,4,6-Tribromophenol

Concen: 100.279 ng

RT: 15.971 min Scan# 21

Delta R.T. -0.006 min

Lab File: BM039546.D

Acq: 21 Apr 2023 11:18

Instrument :

BNA_M

ClientSampleId :

SB-30-2-4-20230412





Tgt Ion:330 Resp: 451158

Ion Ratio Lower Upper

330 100

332 97.1 77.4 116.2

141 40.0 31.0 46.6



#45

2-Fluorobiphenyl

Concen: 74.670 ng

RT: 13.095 min Scan# 1710

Delta R.T. -0.006 min

Lab File: BM039546.D

Acq: 21 Apr 2023 11:18




Tgt Ion:172 Resp: 1871065


Ion Ratio Lower Upper

172 100

171 34.3 27.8 41.8

170 23.5 19.0 28.4





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.224 min Scan# 2412

Delta R.T. -0.006 min

Lab File: BM039546.D


Acq: 21 Apr 2023 11:18

Instrument :

BNA_M

ClientSampleId :

SB-30-2-4-20230412






Tgt Ion:188 Resp: 682764

Ion Ratio Lower Upper

188 100

94 10.3 7.9 11.9

80 11.3 8.9 13.3



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.418 min Scan# 3125

Delta R.T. -0.006 min

Lab File: BM039546.D

Acq: 21 Apr 2023 11:18




Tgt Ion:240 Resp: 605946


Ion Ratio Lower Upper

240 100

120 12.5 9.4 14.2

236 26.3 21.2 31.8









#79
 Terphenyl-d14
 Concen: 76.705 ng
 RT: 19.859 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BM039546.D
 Acq: 21 Apr 2023 11:18

Instrument :
 BNA_M
 ClientSampleId :
 SB-30-2-4-20230412

Tgt Ion:244 Resp: 2576391
 Ion Ratio Lower Upper
 244 100
 212 7.1 5.8 8.8
 122 10.8 9.5 14.3



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.783 min Scan# 3527
 Delta R.T. -0.006 min
 Lab File: BM039546.D
 Acq: 21 Apr 2023 11:18

Tgt Ion:264 Resp: 715098
 Ion Ratio Lower Upper
 264 100
 260 23.6 19.0 28.6
 265 21.9 18.0 27.0

