

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM042221\
 Data File : BM029597.D
 Acq On : 22 Apr 2021 17:05
 Operator : CG/JU
 Sample : M2106-06
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SB-23-14.5-15.0

Quant Time: Apr 22 17:50:06 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM042121.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Apr 22 15:55:11 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.634	152	61790	20.00	ng	0.00
21) Naphthalene-d8	10.410	136	221026	20.00	ng	0.00
39) Acenaphthene-d10	14.275	164	148976	20.00	ng	0.00
64) Phenanthrene-d10	17.021	188	338623	20.00	ng	0.00
76) Chrysene-d12	21.204	240	377940	20.00	ng	0.00
86) Perylene-d12	23.392	264	406801	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.234	112	281423	91.31	ng	0.00
7) Phenol-d6	6.810	99	356112	77.36	ng	0.00
23) Nitrobenzene-d5	8.787	82	239776	55.87	ng	0.00
42) 2,4,6-Tribromophenol	15.769	330	172483	83.72	ng	0.00
45) 2-Fluorobiphenyl	12.892	172	628694	57.28	ng	0.00
79) Terphenyl-d14	19.651	244	999844	50.15	ng	0.00
Target Compounds						
50) Dimethylphthalate	13.739	163	25105	2.23	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM042221\
Data File : BM029597.D
Acq On : 22 Apr 2021 17:05
Operator : CG/JU
Sample : M2106-06
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
SB-23-14.5-15.0

Quant Time: Apr 22 17:50:06 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM042121.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Apr 22 15:55:11 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.634 min Scan# 807
Delta R.T. -0.000 min
Lab File: BM029597.D
Acq: 22 Apr 2021 17:05




Instrument :
BNA_M
ClientSampleId :
SB-23-14.5-15.0


Tgt Ion:152 Resp: 61790
Ion Ratio Lower Upper
152 100
150 155.7 125.9 188.9
115 54.0 44.6 67.0



#5
2-Fluorophenol
Concen: 91.31 ng
RT: 5.234 min Scan# 399
Delta R.T. 0.006 min
Lab File: BM029597.D
Acq: 22 Apr 2021 17:05

Tgt Ion:112 Resp: 281423
Ion Ratio Lower Upper
112 100
64 57.5 47.1 70.7
63 33.3 27.3 40.9









#7
Phenol-d6
Concen: 77.36 ng
RT: 6.810 min Scan# 667
Delta R.T. 0.000 min
Lab File: BM029597.D
Acq: 22 Apr 2021 17:05




Instrument :
BNA_M
ClientSampleId :
SB-23-14.5-15.0


Tgt Ion: 99 Resp: 356112
Ion Ratio Lower Upper
99 100
42 21.5 18.0 27.0
71 38.9 30.9 46.3



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.410 min Scan# 1279
Delta R.T. -0.006 min
Lab File: BM029597.D
Acq: 22 Apr 2021 17:05

Tgt Ion: 136 Resp: 221026
Ion Ratio Lower Upper
136 100
137 10.5 8.4 12.6
54 7.0 5.5 8.3
68 5.4 4.2 6.2









#23
Nitrobenzene-d5
Concen: 55.87 ng
RT: 8.787 min Scan# 1003
Delta R.T. 0.000 min
Lab File: BM029597.D
Acq: 22 Apr 2021 17:05




Instrument :
BNA_M
ClientSampleId :
SB-23-14.5-15.0


Tgt Ion: 82 Resp: 239776
Ion Ratio Lower Upper
82 100
128 40.6 31.1 46.7
54 47.5 37.3 55.9



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.275 min Scan# 1936
Delta R.T. -0.006 min
Lab File: BM029597.D
Acq: 22 Apr 2021 17:05

Tgt Ion: 164 Resp: 148976
Ion Ratio Lower Upper
164 100
162 105.4 83.4 125.0
160 46.4 37.2 55.8









#42
2,4,6-Tribromophenol
Concen: 83.72 ng
RT: 15.769 min Scan# 2190
Delta R.T. 0.000 min
Lab File: BM029597.D
Acq: 22 Apr 2021 17:05




Instrument :
BNA_M
ClientSampleId :
SB-23-14.5-15.0


Tgt Ion:330 Resp: 172483
Ion Ratio Lower Upper
330 100
332 96.1 77.0 115.4
141 37.9 30.2 45.2



#45
2-Fluorobiphenyl
Concen: 57.28 ng
RT: 12.892 min Scan# 1701
Delta R.T. -0.006 min
Lab File: BM029597.D
Acq: 22 Apr 2021 17:05

Tgt Ion:172 Resp: 628694
Ion Ratio Lower Upper
172 100
171 34.4 28.6 43.0
170 23.4 18.4 27.6









#50
Dimethylphthalate
Concen: 2.23 ng
RT: 13.739 min Scan# 1845
Delta R.T. -0.006 min
Lab File: BM029597.D
Acq: 22 Apr 2021 17:05




Instrument :
BNA_M
ClientSampleId :
SB-23-14.5-15.0


Tgt Ion:163	Resp:	25105
Ion Ratio	Lower	Upper
163	100	
194	4.1	3.3 4.9
164	10.7	7.9 11.9



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.021 min Scan# 2403
Delta R.T. 0.000 min
Lab File: BM029597.D
Acq: 22 Apr 2021 17:05

Tgt Ion:188	Resp:	338623
Ion Ratio	Lower	Upper
188	100	
94	7.0	6.0 9.0
80	7.4	6.6 9.8









#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.204 min Scan# 3114
Delta R.T. 0.000 min
Lab File: BM029597.D
Acq: 22 Apr 2021 17:05




Instrument :
BNA_M
ClientSampleId :
SB-23-14.5-15.0


Tgt Ion:240 Resp: 377940
Ion Ratio Lower Upper
240 100
120 8.3 7.0 10.6
236 26.5 21.0 31.4



#79
Terphenyl-d14
Concen: 50.15 ng
RT: 19.651 min Scan# 2850
Delta R.T. -0.006 min
Lab File: BM029597.D
Acq: 22 Apr 2021 17:05


Tgt Ion:244 Resp: 999844
Ion Ratio Lower Upper
244 100
212 8.2 6.3 9.5
122 9.0 6.9 10.3





#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 23.392 min Scan# 3486
 Delta R.T. 0.000 min
 Lab File: BM029597.D
 Acq: 22 Apr 2021 17:05

Instrument :
 BNA_M
 ClientSampleId :
 SB-23-14.5-15.0



Tgt Ion:264 Resp: 406801

Ion	Ratio	Lower	Upper
264	100		
260	23.7	19.8	29.8
265	22.2	17.7	26.5

