

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM042224\
 Data File : BM045480.D
 Acq On : 22 Apr 2024 15:01
 Operator : MA/JU
 Sample : P2202-02
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 COAN6

Quant Time: Apr 23 01:49:16 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-SIM-BM042024.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Apr 23 01:47:19 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.559	152	1087	0.400	ng/ul	-0.04
4) Naphthalene-d8	10.319	136	3435	0.400	ng/ul	#-0.04
9) Acenaphthene-d10	14.205	164	1902	0.400	ng/ul	-0.01
13) Phenanthrene-d10	17.068	188	272854	0.400	ng/ul	# 0.07
17) Chrysene-d12	21.219	240	1900	0.400	ng/ul	0.00
23) Perylene-d12	23.397	264	3825	0.400	ng/ul	#-0.01
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.163	96	7626	5.234	ng/ul	-0.01
6) 2-Methylnaphthalene-d10	11.958	152	1353	0.299	ng/ul	-0.02
18) Fluoranthene-d10	19.015	212	2309	0.386	ng/ul	-0.02
Target Compounds						
					Qvalue	
20) Pyrene	19.377	202	490	0.054	ng/ul#	1
26) Benzo(a)pyrene	23.233	252	699	0.052	ng/ul#	62


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM042224\
Data File : BM045480.D
Acq On : 22 Apr 2024 15:01
Operator : MA/JU
Sample : P2202-02
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
C0AN6

Quant Time: Apr 23 01:49:16 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-SIM-BM042024.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Apr 23 01:47:19 2024
Response via : Initial Calibration









#20
Pyrene
Concen: 0.054 ng/ul
RT: 19.377 min Scan# 3617
Delta R.T. -0.061 min
Lab File: BM045480.D
Acq: 22 Apr 2024 15:01

Instrument :
BNA_M
ClientSampleId :
COAN6

Tgt Ion:202 Resp: 490
Ion Ratio Lower Upper
202 100
101 196.5 11.5 17.3#
100 1453.7 10.6 15.8#



#26
Benzo(a)pyrene
Concen: 0.052 ng/ul
RT: 23.233 min Scan# 4780
Delta R.T. -0.102 min
Lab File: BM045480.D
Acq: 22 Apr 2024 15:01

Tgt Ion:252 Resp: 699
Ion Ratio Lower Upper
252 100
253 61.1 31.6 47.4#
125 45.7 19.5 29.3#

