

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM042224\
 Data File : BM045483.D
 Acq On : 22 Apr 2024 16:52
 Operator : MA/JU
 Sample : P2142-03
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 YCSX8

Quant Time: Apr 23 01:49:52 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-SIM-BM042024.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Apr 23 01:47:19 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.559	152	814	0.400	ng/ul	-0.04
4) Naphthalene-d8	10.320	136	2664	0.400	ng/ul	#-0.04
9) Acenaphthene-d10	14.205	164	1575	0.400	ng/ul	-0.01
13) Phenanthrene-d10	17.068	188	344902	0.400	ng/ul	# 0.07
17) Chrysene-d12	21.211	240	1998	0.400	ng/ul	0.00
23) Perylene-d12	23.394	264	3273	0.400	ng/ul	#-0.02
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.167	96	4235	3.882	ng/ul	0.00
6) 2-Methylnaphthalene-d10	11.953	152	1389	0.395	ng/ul	-0.02
18) Fluoranthene-d10	19.015	212	3341	0.531	ng/ul	-0.02
Target Compounds						
					Qvalue	
20) Pyrene	19.378	202	661	0.070	ng/ul#	1
26) Benzo(a)pyrene	23.233	252	932	0.082	ng/ul#	64


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM042224\
Data File : BM045483.D
Acq On : 22 Apr 2024 16:52
Operator : MA/JU
Sample : P2142-03
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
YCSX8

Quant Time: Apr 23 01:49:52 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-SIM-BM042024.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Apr 23 01:47:19 2024
Response via : Initial Calibration









#20
Pyrene
Concen: 0.070 ng/ul
RT: 19.378 min Scan# 3617
Delta R.T. -0.061 min
Lab File: BM045483.D
Acq: 22 Apr 2024 16:52

Instrument :
BNA_M
ClientSampleId :
YCSX8

Tgt Ion:202 Resp: 661
Ion Ratio Lower Upper
202 100
101 197.1 11.5 17.3#
100 1450.8 10.6 15.8#



#26
Benzo(a)pyrene
Concen: 0.082 ng/ul
RT: 23.233 min Scan# 4780
Delta R.T. -0.101 min
Lab File: BM045483.D
Acq: 22 Apr 2024 16:52

Tgt Ion:252 Resp: 932
Ion Ratio Lower Upper
252 100
253 58.1 31.6 47.4#
125 46.4 19.5 29.3#

