

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM042721\
 Data File : BM029670.D
 Acq On : 27 Apr 2021 12:45
 Operator : CG/JU
 Sample : PB136001BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB136001BL

Quant Time: Apr 27 19:01:04 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM042121.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Apr 26 15:01:01 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.610	152	61146	20.00	ng	-0.01
21) Naphthalene-d8	10.392	136	218019	20.00	ng	0.00
39) Acenaphthene-d10	14.263	164	150324	20.00	ng	0.00
64) Phenanthrene-d10	17.004	188	336781	20.00	ng	0.00
76) Chrysene-d12	21.192	240	336802	20.00	ng	0.00
86) Perylene-d12	23.374	264	359245	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.210	112	431487	141.47	ng	0.00
7) Phenol-d6	6.793	99	527943	115.89	ng	0.00
23) Nitrobenzene-d5	8.769	82	346483	81.85	ng	0.00
42) 2,4,6-Tribromophenol	15.757	330	282402	135.84	ng	0.00
45) 2-Fluorobiphenyl	12.880	172	999253	90.22	ng	0.00
79) Terphenyl-d14	19.639	244	1602942	90.23	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM042721\
Data File : BM029670.D
Acq On : 27 Apr 2021 12:45
Operator : CG/JU
Sample : PB136001BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB136001BL

Quant Time: Apr 27 19:01:04 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM042121.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Apr 26 15:01:01 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.610 min Scan# 803
Delta R.T. -0.012 min
Lab File: BM029670.D
Acq: 27 Apr 2021 12:45




Instrument :
BNA_M
ClientSampleId :
PB136001BL


Tgt Ion:152 Resp: 61146
Ion Ratio Lower Upper
152 100
150 156.6 125.9 188.9
115 51.1 44.6 67.0



#5
2-Fluorophenol
Concen: 141.47 ng
RT: 5.210 min Scan# 395
Delta R.T. -0.006 min
Lab File: BM029670.D
Acq: 27 Apr 2021 12:45

Tgt Ion:112 Resp: 431487
Ion Ratio Lower Upper
112 100
64 55.1 47.1 70.7
63 31.3 27.3 40.9









#7
Phenol-d6
Concen: 115.89 ng
RT: 6.793 min Scan# 664
Delta R.T. -0.006 min
Lab File: BM029670.D
Acq: 27 Apr 2021 12:45




Instrument :
BNA_M
ClientSampleId :
PB136001BL


Tgt Ion:	99	Resp:	527943
Ion	Ratio	Lower	Upper
99	100		
42	19.1	18.0	27.0
71	37.6	30.9	46.3



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.392 min Scan# 1276
Delta R.T. -0.006 min
Lab File: BM029670.D
Acq: 27 Apr 2021 12:45

Tgt Ion:	136	Resp:	218019
Ion	Ratio	Lower	Upper
136	100		
137	11.3	8.4	12.6
54	6.3	5.5	8.3
68	5.3	4.2	6.2









#23
Nitrobenzene-d5
Concen: 81.85 ng
RT: 8.769 min Scan# 1000
Delta R.T. -0.006 min
Lab File: BM029670.D
Acq: 27 Apr 2021 12:45




Instrument :
BNA_M
ClientSampleId :
PB136001BL


Tgt Ion: 82 Resp: 346483
Ion Ratio Lower Upper
82 100
128 43.2 31.1 46.7
54 44.6 37.3 55.9



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.263 min Scan# 1934
Delta R.T. -0.006 min
Lab File: BM029670.D
Acq: 27 Apr 2021 12:45

Tgt Ion: 164 Resp: 150324
Ion Ratio Lower Upper
164 100
162 102.4 83.4 125.0
160 46.4 37.2 55.8









#42
2,4,6-Tribromophenol
Concen: 135.84 ng
RT: 15.757 min Scan# 2188
Delta R.T. -0.006 min
Lab File: BM029670.D
Acq: 27 Apr 2021 12:45




Instrument :
BNA_M
ClientSampleId :
PB136001BL


Tgt Ion:330 Resp: 282402
Ion Ratio Lower Upper
330 100
332 96.6 77.0 115.4
141 32.1 30.2 45.2



#45
2-Fluorobiphenyl
Concen: 90.22 ng
RT: 12.880 min Scan# 1699
Delta R.T. -0.006 min
Lab File: BM029670.D
Acq: 27 Apr 2021 12:45

Tgt Ion:172 Resp: 999253
Ion Ratio Lower Upper
172 100
171 35.0 28.6 43.0
170 23.2 18.4 27.6









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.004 min Scan# 2400
Delta R.T. -0.006 min
Lab File: BM029670.D
Acq: 27 Apr 2021 12:45




Instrument :
BNA_M
ClientSampleId :
PB136001BL


Tgt Ion:188 Resp: 336781
Ion Ratio Lower Upper
188 100
94 6.6 6.0 9.0
80 7.5 6.6 9.8



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.192 min Scan# 3112
Delta R.T. -0.006 min
Lab File: BM029670.D
Acq: 27 Apr 2021 12:45

Tgt Ion:240 Resp: 336802
Ion Ratio Lower Upper
240 100
120 7.7 7.0 10.6
236 26.2 21.0 31.4









#79
Terphenyl-d14
Concen: 90.23 ng
RT: 19.639 min Scan# 2848
Delta R.T. -0.006 min
Lab File: BM029670.D
Acq: 27 Apr 2021 12:45

Instrument :
BNA_M
ClientSampleId :
PB136001BL

Tgt Ion:244 Resp: 1602942
Ion Ratio Lower Upper
244 100
212 7.7 6.3 9.5
122 8.4 6.9 10.3



#86
Perylene-d12
Concen: 20.00 ng
RT: 23.374 min Scan# 3483
Delta R.T. -0.006 min
Lab File: BM029670.D
Acq: 27 Apr 2021 12:45

Tgt Ion:264 Resp: 359245
Ion Ratio Lower Upper
264 100
260 23.5 19.8 29.8
265 23.6 17.7 26.5

