

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM042723\
 Data File : BM039711.D
 Acq On : 27 Apr 2023 18:24
 Operator : CG/JU
 Sample : 02418-24
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 EW8Z8

Manual Integrations
 APPROVED

Reviewed By :Christian Giraldo 04/28/2023
 Supervised By :Jagrut Upadhyay 04/28/2023

Quant Time: Apr 28 02:34:17 2023
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-SIM-BM042723.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Apr 28 02:30:02 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.804	152	3454	0.400	ng/ul	-0.02
4) Naphthalene-d8	10.599	136	13082	0.400	ng/ul	-0.01
9) Acenaphthene-d10	14.449	164	7462	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.203	188	17075	0.400	ng/ul	-0.01
17) Chrysene-d12	21.397	240	10650	0.400	ng/ul	-0.01
23) Perylene-d12	23.741	264	9158	0.400	ng/ul	-0.02
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.189	96	12487	2.453	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.205	152	3305	0.197	ng/ul	-0.01
18) Fluoranthene-d10	19.237	212	8128	0.284	ng/ul	0.00
Target Compounds						
						Qvalue
5) Naphthalene	10.649	128	33342	1.015	ng/ul	98
7) 2-Methylnaphthalene	12.277	142	13447	0.709	ng/ul	97
8) 1-Methylnaphthalene	12.491	142	13407	0.659	ng/ul	100
10) Acenaphthylene	14.172	152	26275	0.910	ng/ul	98
11) Acenaphthene	14.514	153	61444	2.708	ng/ul	98
12) Fluorene	15.504	166	62735	2.492	ng/ul	99
15) Phenanthrene	17.241	178	1291514	28.710	ng/ul	98
16) Anthracene	17.334	178	194138	5.026	ng/ul	98
19) Fluoranthene	19.265	202	2087660	54.946	ng/ul	99
20) Pyrene	19.632	202	1668774	40.671	ng/ul	99
21) Benzo(a)anthracene	21.379	228	815250	26.624	ng/ul	99
22) Chrysene	21.432	228	760586	21.949	ng/ul	98
24) Benzo(b)fluoranthene	23.031	252	908426	28.245	ng/ul	91
25) Benzo(k)fluoranthene	23.071	252	335988m	10.260	ng/ul	
26) Benzo(a)pyrene	23.639	252	604144	20.922	ng/ul#	84
27) Indeno(1,2,3-cd)pyrene	26.161	276	391466	10.721	ng/ul#	92
28) Dibenzo(a,h)anthracene	26.171	278	91750	3.237	ng/ul	95
29) Benzo(g,h,i)perylene	26.912	276	357241	11.228	ng/ul	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM042723\
Data File : BM039711.D
Acq On : 27 Apr 2023 18:24
Operator : CG/JU
Sample : 02418-24
Misc :
ALS Vial : 13 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
EW8Z8

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 04/28/2023
Supervised By :Jagrut Upadhyay 04/28/2023


Quant Time: Apr 28 02:34:17 2023
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-SIM-BM042723.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Apr 28 02:30:02 2023
Response via : Initial Calibration





#5
Naphthalene
Concen: 1.015 ng/ul
RT: 10.649 min Scan# 11
Delta R.T. -0.012 min
Lab File: BM039711.D
Acq: 27 Apr 2023 18:24




Instrument :
BNA_M
ClientSampleId :
EW8Z8




Tgt Ion:128 Resp: 33342
Ion Ratio Lower Upper
128 100
129 11.4 9.8 14.6
127 13.1 11.1 16.7

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 04/28/2023
Supervised By :Jagrut Upadhyay 04/28/2023




#7
2-Methylnaphthalene
Concen: 0.709 ng/ul
RT: 12.277 min Scan# 2069
Delta R.T. -0.012 min
Lab File: BM039711.D
Acq: 27 Apr 2023 18:24




Tgt Ion:142 Resp: 13447
Ion Ratio Lower Upper
142 100
141 88.5 73.2 109.8





#8
1-Methylnaphthalene
Concen: 0.659 ng/ul
RT: 12.491 min Scan# 2110
Delta R.T. -0.007 min
Lab File: BM039711.D
Acq: 27 Apr 2023 18:24




Instrument :
BNA_M
ClientSampleId :
EW8Z8



Tgt Ion:142 Resp: 1340
Ion Ratio Lower Upper
142 100
141 92.1 73.4 110.2




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 04/28/2023
Supervised By :Jagrut Upadhyay 04/28/2023



#10
Acenaphthylene
Concen: 0.910 ng/ul
RT: 14.172 min Scan# 2440
Delta R.T. -0.011 min
Lab File: BM039711.D
Acq: 27 Apr 2023 18:24


Tgt Ion:152 Resp: 26275
Ion Ratio Lower Upper
152 100
151 20.4 16.0 24.0
153 15.4 11.2 16.8





#11
Acenaphthene
Concen: 2.708 ng/ul
RT: 14.514 min Scan# 21
Delta R.T. -0.006 min
Lab File: BM039711.D
Acq: 27 Apr 2023 18:24




Instrument :
BNA_M
ClientSampleId :
EW8Z8



Tgt Ion:153 Resp: 61444
Ion Ratio Lower Upper
153 100
152 48.5 40.6 61.0
154 88.7 71.9 107.9




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 04/28/2023
Supervised By :Jagrut Upadhyay 04/28/2023



#12
Fluorene
Concen: 2.492 ng/ul
RT: 15.504 min Scan# 2728
Delta R.T. -0.015 min
Lab File: BM039711.D
Acq: 27 Apr 2023 18:24

Tgt Ion:166 Resp: 62735
Ion Ratio Lower Upper
166 100
165 97.9 79.0 118.6
167 14.8 11.8 17.6









#15
Phenanthrene
Concen: 28.710 ng/ul
RT: 17.241 min Scan# 311
Delta R.T. -0.014 min
Lab File: BM039711.D
Acq: 27 Apr 2023 18:24

Instrument :
BNA_M
ClientSampleId :
EW8Z8

Tgt Ion:178 Resp: 1291514
Ion Ratio Lower Upper
178 100
179 15.6 13.0 19.6
176 19.1 15.8 23.8




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 04/28/2023
Supervised By :Jagrut Upadhyay 04/28/2023



#16
Anthracene
Concen: 5.026 ng/ul
RT: 17.334 min Scan# 3151
Delta R.T. -0.022 min
Lab File: BM039711.D
Acq: 27 Apr 2023 18:24


Tgt Ion:178 Resp: 194138
Ion Ratio Lower Upper
178 100
179 16.5 13.8 20.6
176 18.7 15.8 23.8





#19
Fluoranthene
Concen: 54.946 ng/ul
RT: 19.265 min Scan# 3592
Delta R.T. -0.011 min
Lab File: BM039711.D
Acq: 27 Apr 2023 18:24




Instrument :
BNA_M
ClientSampleId :
EW8Z8



Tgt Ion:202 Resp: 2087660
Ion Ratio Lower Upper
202 100
101 11.8 9.8 14.8
100 8.8 7.3 10.9




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 04/28/2023
Supervised By :Jagrut Upadhyay 04/28/2023



#20
Pyrene
Concen: 40.671 ng/ul
RT: 19.632 min Scan# 3671
Delta R.T. -0.011 min
Lab File: BM039711.D
Acq: 27 Apr 2023 18:24


Tgt Ion:202 Resp: 1668774
Ion Ratio Lower Upper
202 100
101 13.3 10.9 16.3
100 10.5 8.9 13.3





#21
Benzo(a)anthracene
Concen: 26.624 ng/ul
RT: 21.379 min Scan# 4165
Delta R.T. -0.017 min
Lab File: BM039711.D
Acq: 27 Apr 2023 18:24




Instrument :
BNA_M
ClientSampleId :
EW8Z8



Tgt Ion:228 Resp: 815250
Ion Ratio Lower Upper
228 100
229 20.4 16.2 24.2
226 27.3 21.6 32.4




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 04/28/2023
Supervised By :Jagrut Upadhyay 04/28/2023



#22
Chrysene
Concen: 21.949 ng/ul
RT: 21.432 min Scan# 4176
Delta R.T. -0.014 min
Lab File: BM039711.D
Acq: 27 Apr 2023 18:24


Tgt Ion:228 Resp: 760586
Ion Ratio Lower Upper
228 100
226 30.3 24.3 36.5
229 21.7 15.9 23.9





#24
Benzo(b)fluoranthene
Concen: 28.245 ng/ul
RT: 23.031 min Scan# 4723
Delta R.T. -0.014 min
Lab File: BM039711.D
Acq: 27 Apr 2023 18:24




Instrument :
BNA_M
ClientSampleId :
EW8Z8



Tgt Ion:252 Resp: 908426
Ion Ratio Lower Upper
252 100
253 22.6 0.0 52.8
125 11.3 0.0 31.6




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 04/28/2023
Supervised By :Jagrut Upadhyay 04/28/2023



#25
Benzo(k)fluoranthene
Concen: 10.260 ng/ul m
RT: 23.071 min Scan# 4737
Delta R.T. -0.023 min
Lab File: BM039711.D
Acq: 27 Apr 2023 18:24


Tgt Ion:252 Resp: 335988
Ion Ratio Lower Upper
252 100
253 23.1 21.3 31.9
125 12.4 13.0 19.6#





#26
Benzo(a)pyrene
Concen: 20.922 ng/ul
RT: 23.639 min Scan# 4942
Delta R.T. -0.026 min
Lab File: BM039711.D
Acq: 27 Apr 2023 18:24




Instrument :
BNA_M
ClientSampleId :
EW8Z8




Tgt Ion:252 Resp: 604144
Ion Ratio Lower Upper
252 100
253 22.8 24.7 37.1#
125 11.8 16.5 24.7#

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 04/28/2023
Supervised By :Jagrut Upadhyay 04/28/2023




#27
Indeno(1,2,3-cd)pyrene
Concen: 10.721 ng/ul
RT: 26.161 min Scan# 5743
Delta R.T. -0.040 min
Lab File: BM039711.D
Acq: 27 Apr 2023 18:24




Tgt Ion:276 Resp: 391466
Ion Ratio Lower Upper
276 100
138 22.4 21.1 31.7
227 0.2 0.1 0.1#





#28
Dibenzo(a,h)anthracene
Concen: 3.237 ng/ul
RT: 26.171 min Scan# 51
Delta R.T. -0.047 min
Lab File: BM039711.D
Acq: 27 Apr 2023 18:24




Instrument :
BNA_M
ClientSampleId :
EW8Z8



Tgt Ion:278 Resp: 91750
Ion Ratio Lower Upper
278 100
139 18.8 17.0 25.6
279 26.8 23.4 35.2

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 04/28/2023
Supervised By :Jagrut Upadhyay 04/28/2023



#29
Benzo(g,h,i)perylene
Concen: 11.228 ng/ul
RT: 26.912 min Scan# 5967
Delta R.T. -0.036 min
Lab File: BM039711.D
Acq: 27 Apr 2023 18:24

Tgt Ion:276 Resp: 357241
Ion Ratio Lower Upper
276 100
138 23.0 20.1 30.1
277 23.7 20.1 30.1

