

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM042724\
 Data File : BM045613.D
 Acq On : 27 Apr 2024 15:20
 Operator : MA/JU
 Sample : P2203-20DL 5X
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 E1CX4DL

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 04/29/2024
 Supervised By :mohammad ahmed 04/30/2024

Quant Time: Apr 28 22:54:26 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-SIM-BM042024.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Apr 26 23:51:18 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.542	152	1179	0.400	ng/ul	-0.02
4) Naphthalene-d8	10.308	136	3150	0.400	ng/ul	#-0.02
9) Acenaphthene-d10	14.191	164	1449	0.400	ng/ul	-0.02
13) Phenanthrene-d10	16.954	188	2676	0.400	ng/ul	-0.03
17) Chrysene-d12	21.175	240	2294	0.400	ng/ul	-0.02
23) Perylene-d12	23.362	264	3184m	0.400	ng/ul	-0.02
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.163	96	1756	1.111	ng/ul	-0.01
6) 2-Methylnaphthalene-d10	11.920	152	299	0.072	ng/ul	-0.01
18) Fluoranthene-d10	18.996	212	470	0.065	ng/ul	-0.02
Target Compounds						
					Qvalue	
5) Naphthalene	10.358	128	9189	1.086	ng/ul#	88
7) 2-Methylnaphthalene	11.997	142	2475	0.512	ng/ul	100
8) 1-Methylnaphthalene	12.211	142	1198	0.221	ng/ul	97
10) Acenaphthylene	13.909	152	1077	0.151	ng/ul#	91
11) Acenaphthene	14.256	153	4223	0.796	ng/ul	96
12) Fluorene	15.255	166	5315	0.936	ng/ul	98
15) Phenanthrene	16.997	178	27924	3.583	ng/ul	93
16) Anthracene	17.094	178	8842	1.213	ng/ul	94
19) Fluoranthene	19.029	202	25314	2.391	ng/ul#	89
20) Pyrene	19.391	202	18481	1.698	ng/ul#	93
21) Benzo(a)anthracene	21.164	228	8552	1.166	ng/ul	98
22) Chrysene	21.213	228	8070	0.716	ng/ul	99
24) Benzo(b)fluoranthene	22.710	252	11432	1.067	ng/ul	90
25) Benzo(k)fluoranthene	22.750	252	3902m	0.288	ng/ul	
26) Benzo(a)pyrene	23.265	252	7152	0.644	ng/ul#	87
27) Indeno(1,2,3-cd)pyrene	25.545	276	5920	0.367	ng/ul#	90
28) Dibenzo(a,h)anthracene	25.555	278	1609	0.126	ng/ul#	59
29) Benzo(g,h,i)perylene	26.212	276	5609	0.387	ng/ul	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM042724\
Data File : BM045613.D
Acq On : 27 Apr 2024 15:20
Operator : MA/JU
Sample : P2203-20DL 5X
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
E1CX4DL

Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 04/29/2024
Supervised By :mohammad ahmed 04/30/2024

Quant Time: Apr 28 22:54:26 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-SIM-BM042024.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Apr 26 23:51:18 2024
Response via : Initial Calibration

