

Data File : BM009801.D
Acq On : 29 Apr 2017 03:39
Operator : SJ/MA
Sample : I2845-17
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
JHSX4

Quant Time: Apr 29 05:08:34 2017
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM042517.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Apr 29 00:28:27 2017
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.82	152	179835	20.00	ng/ul	0.00
18) Naphthalene-d8	10.62	136	755771	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.47	164	412667	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.22	188	807163	20.00	ng/ul	0.00
75) Chrysene-d12	21.40	240	720388	20.00	ng/ul	0.00
83) Perylene-d12	23.72	264	714287	20.00	ng/ul	0.01

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.31	96	9014	2.31	ng/uL	0.00
5) Phenol-d5	6.99	99	221030	11.31	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.16	67	155960	11.71	ng/ul	0.00
9) 2-Chlorophenol-d4	7.35	132	152095	12.24	ng/ul	0.00
13) 4-Methylphenol-d8	8.53	113	162299	10.66	ng/ul	0.00
19) Nitrobenzene-d5	8.99	128	73409	11.93	ng/ul	0.00
22) 2-Nitrophenol-d4	9.71	143	79871	12.34	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.25	165	148936	11.51	ng/ul	0.00
29) 4-Chloroaniline-d4	10.77	131	165033	10.58	ng/ul	0.00
43) Dimethylphthalate-d6	13.87	166	436871	12.17	ng/ul	0.00
46) Acenaphthylene-d8	14.16	160	543119	12.55	ng/ul	0.00
51) 4-Nitrophenol-d4	14.69	143	51627	7.45	ng/ul	0.01
57) Fluorene-d10	15.46	176	375561	11.59	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.60	200	15560	2.73	ng/ul	0.01
70) Anthracene-d10	17.32	188	521806	12.59	ng/ul	0.00
76) Pyrene-d10	19.62	212	499323	15.71	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.57	264	467419	13.46	ng/ul	0.00

Target Compounds					Qvalue
44) Dimethylphthalate	13.92	163	82460	2.32 ng/ul#	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : BM009801.D

Acq On : 29 Apr 2017 03:39

Operator : SJ/MA

Sample : I2845-17

Misc :

ALS Vial : 25 Sample Multiplier: 1

Instrument :

BNA_M

ClientSampleId :

JHSX4


Quant Time: Apr 29 05:08:34 2017


Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM042517.M

Quant Title : SVOA CALIBRATION

QLast Update : Sat Apr 29 00:28:27 2017

Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 2.32 ng/ul

RT: 13.92 min Scan# 1842

Delta R.T. 0.00 min

Lab File: BM009801.D

Acq: 29 Apr 2017 03:39

Instrument :

BNA_M

ClientSampleId :

JHSX4


Tgt Ion:163 Resp: 82460

Ion Ratio Lower Upper

163 100

194 6.3 3.0 4.6#

164 11.3 8.6 12.8



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

