

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM042822\
 Data File : BM034864.D
 Acq On : 28 Apr 2022 13:22
 Operator : CG/JU
 Sample : PB144297BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB144297BL

Quant Time: Apr 29 05:05:53 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM042722.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Apr 28 01:51:59 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.934	152	250106	20.000	ng	0.00
21) Naphthalene-d8	10.734	136	970495	20.000	ng	0.00
39) Acenaphthene-d10	14.563	164	560255	20.000	ng	0.00
64) Phenanthrene-d10	17.304	188	1050145	20.000	ng	0.00
76) Chrysene-d12	21.480	240	772584	20.000	ng	0.00
86) Perylene-d12	23.868	264	685838	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.505	112	2074503	146.333	ng	0.00
7) Phenol-d6	7.099	99	2528316	138.151	ng	0.00
23) Nitrobenzene-d5	9.087	82	1669723	92.909	ng	0.00
42) 2,4,6-Tribromophenol	16.045	330	779738	127.942	ng	0.00
45) 2-Fluorobiphenyl	13.192	172	3673634	95.187	ng	0.00
79) Terphenyl-d14	19.927	244	4420578	110.786	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM042822\
Data File : BM034864.D
Acq On : 28 Apr 2022 13:22
Operator : CG/JU
Sample : PB144297BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB144297BL

Quant Time: Apr 29 05:05:53 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM042722.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Apr 28 01:51:59 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.934 min Scan# 81
Delta R.T. -0.000 min
Lab File: BM034864.D
Acq: 28 Apr 2022 13:22




Instrument :
BNA_M
ClientSampleId :
PB144297BL


Tgt Ion:152 Resp: 250106
Ion Ratio Lower Upper
152 100
150 154.1 124.9 187.3
115 60.1 47.9 71.9



#5
2-Fluorophenol
Concen: 146.333 ng
RT: 5.505 min Scan# 411
Delta R.T. 0.001 min
Lab File: BM034864.D
Acq: 28 Apr 2022 13:22

Tgt Ion:112 Resp: 2074503
Ion Ratio Lower Upper
112 100
64 60.0 47.8 71.6
63 34.3 26.6 40.0









#7
Phenol-d6
Concen: 138.151 ng
RT: 7.099 min Scan# 61
Delta R.T. 0.007 min
Lab File: BM034864.D
Acq: 28 Apr 2022 13:22




Instrument :
BNA_M
ClientSampleId :
PB144297BL


Tgt Ion: 99 Resp: 2528316
Ion Ratio Lower Upper
99 100
42 23.1 18.8 28.2
71 37.1 30.2 45.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.734 min Scan# 1300
Delta R.T. 0.001 min
Lab File: BM034864.D
Acq: 28 Apr 2022 13:22

Tgt Ion: 136 Resp: 970495
Ion Ratio Lower Upper
136 100
137 10.7 8.9 13.3
54 8.0 7.0 10.4
68 5.3 4.3 6.5









#23
Nitrobenzene-d5
Concen: 92.909 ng
RT: 9.087 min Scan# 1020
Delta R.T. -0.005 min
Lab File: BM034864.D
Acq: 28 Apr 2022 13:22




Instrument :
BNA_M
ClientSampleId :
PB144297BL


Tgt Ion: 82 Resp: 1669723
Ion Ratio Lower Upper
82 100
128 41.6 33.7 50.5
54 55.2 43.2 64.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.563 min Scan# 1951
Delta R.T. 0.001 min
Lab File: BM034864.D
Acq: 28 Apr 2022 13:22


Tgt Ion:164 Resp: 560255
Ion Ratio Lower Upper
164 100
162 103.1 83.0 124.6
160 45.1 37.0 55.4








#42
2,4,6-Tribromophenol
Concen: 127.942 ng
RT: 16.045 min Scan# 21
Delta R.T. -0.006 min
Lab File: BM034864.D
Acq: 28 Apr 2022 13:22


Instrument :
BNA_M
ClientSampleId :
PB144297BL





Tgt Ion:330 Resp: 779738
Ion Ratio Lower Upper
330 100
332 97.3 77.0 115.4
141 43.0 35.3 52.9




#45
2-Fluorobiphenyl
Concen: 95.187 ng
RT: 13.192 min Scan# 1718
Delta R.T. 0.000 min
Lab File: BM034864.D
Acq: 28 Apr 2022 13:22



Tgt Ion:172 Resp: 3673634
Ion Ratio Lower Upper
172 100
171 36.0 28.5 42.7
170 23.8 18.7 28.1









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.304 min Scan# 2417
Delta R.T. 0.000 min
Lab File: BM034864.D
Acq: 28 Apr 2022 13:22




Instrument :
BNA_M
ClientSampleId :
PB144297BL


Tgt Ion:188 Resp: 1050145
Ion Ratio Lower Upper
188 100
94 8.3 7.0 10.4
80 9.4 7.6 11.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.480 min Scan# 3127
Delta R.T. 0.000 min
Lab File: BM034864.D
Acq: 28 Apr 2022 13:22

Tgt Ion:240 Resp: 772584
Ion Ratio Lower Upper
240 100
120 9.8 9.4 14.0
236 25.4 20.6 30.8









#79
 Terphenyl-d14
 Concen: 110.786 ng
 RT: 19.927 min Scan# 21
 Delta R.T. 0.000 min
 Lab File: BM034864.D
 Acq: 28 Apr 2022 13:22

Instrument :
 BNA_M
 ClientSampleId :
 PB144297BL

Tgt Ion:244 Resp: 4420578
 Ion Ratio Lower Upper
 244 100
 212 7.7 6.2 9.4
 122 9.9 8.3 12.5



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.868 min Scan# 3533
 Delta R.T. -0.005 min
 Lab File: BM034864.D
 Acq: 28 Apr 2022 13:22

Tgt Ion:264 Resp: 685838
 Ion Ratio Lower Upper
 264 100
 260 23.9 18.9 28.3
 265 22.4 17.5 26.3

