

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM042921\
 Data File : BM029699.D
 Acq On : 28 Apr 2021 21:36
 Operator : CG/JU
 Sample : M2199-04
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SAMPLE-3-COMP

Quant Time: Apr 29 01:11:40 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM042121.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 28 17:58:02 2021
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.604	152	54381	20.00	ng	0.00
21) Naphthalene-d8	10.387	136	181832	20.00	ng	0.00
39) Acenaphthene-d10	14.257	164	117221	20.00	ng	0.00
64) Phenanthrene-d10	17.004	188	257910	20.00	ng	0.00
76) Chrysene-d12	21.186	240	306739	20.00	ng	0.00
86) Perylene-d12	23.368	264	356942	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.205	112	376643	138.85	ng	0.00
7) Phenol-d6	6.787	99	415979	102.67	ng	0.00
23) Nitrobenzene-d5	8.763	82	325376	92.16	ng	0.00
42) 2,4,6-Tribromophenol	15.751	330	254950	157.27	ng	0.00
45) 2-Fluorobiphenyl	12.875	172	881262	102.04	ng	0.00
79) Terphenyl-d14	19.639	244	1503799	92.94	ng	0.00
Target Compounds						
50) Dimethylphthalate	13.722	163	49192	5.55	ng	Qvalue 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM042921\
Data File : BM029699.D
Acq On : 28 Apr 2021 21:36
Operator : CG/JU
Sample : M2199-04
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
SAMPLE-3-COMP

Quant Time: Apr 29 01:11:40 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM042121.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Apr 28 17:58:02 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.604 min Scan# 802
Delta R.T. -0.006 min
Lab File: BM029699.D
Acq: 28 Apr 2021 21:36




Instrument :
BNA_M
ClientSampleId :
SAMPLE-3-COMP


Tgt Ion:152 Resp: 54381
Ion Ratio Lower Upper
152 100
150 146.9 125.9 188.9
115 49.9 44.6 67.0



#5
2-Fluorophenol
Concen: 138.85 ng
RT: 5.205 min Scan# 394
Delta R.T. 0.000 min
Lab File: BM029699.D
Acq: 28 Apr 2021 21:36

Tgt Ion:112 Resp: 376643
Ion Ratio Lower Upper
112 100
64 54.8 47.1 70.7
63 30.1 27.3 40.9









#7
Phenol-d6
Concen: 102.67 ng
RT: 6.787 min Scan# 663
Delta R.T. -0.006 min
Lab File: BM029699.D
Acq: 28 Apr 2021 21:36




Instrument :
BNA_M
ClientSampleId :
SAMPLE-3-COMP


Tgt Ion: 99 Resp: 415979
Ion Ratio Lower Upper
99 100
42 18.0 18.0 27.0#
71 36.5 30.9 46.3



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.387 min Scan# 1275
Delta R.T. 0.000 min
Lab File: BM029699.D
Acq: 28 Apr 2021 21:36

Tgt Ion: 136 Resp: 181832
Ion Ratio Lower Upper
136 100
137 11.0 8.4 12.6
54 5.9 5.5 8.3
68 4.8 4.2 6.2









#23
Nitrobenzene-d5
Concen: 92.16 ng
RT: 8.763 min Scan# 999
Delta R.T. 0.000 min
Lab File: BM029699.D
Acq: 28 Apr 2021 21:36




Instrument :
BNA_M
ClientSampleId :
SAMPLE-3-COMP


Tgt Ion: 82 Resp: 325376
Ion Ratio Lower Upper
82 100
128 43.8 31.1 46.7
54 44.1 37.3 55.9



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.257 min Scan# 1933
Delta R.T. 0.000 min
Lab File: BM029699.D
Acq: 28 Apr 2021 21:36

Tgt Ion: 164 Resp: 117221
Ion Ratio Lower Upper
164 100
162 104.7 83.4 125.0
160 46.7 37.2 55.8









#42
2,4,6-Tribromophenol
Concen: 157.27 ng
RT: 15.751 min Scan# 2187
Delta R.T. -0.006 min
Lab File: BM029699.D
Acq: 28 Apr 2021 21:36




Instrument :
BNA_M
ClientSampleId :
SAMPLE-3-COMP


Tgt Ion:330 Resp: 254950
Ion Ratio Lower Upper
330 100
332 95.2 77.0 115.4
141 30.5 30.2 45.2



#45
2-Fluorobiphenyl
Concen: 102.04 ng
RT: 12.875 min Scan# 1698
Delta R.T. 0.000 min
Lab File: BM029699.D
Acq: 28 Apr 2021 21:36

Tgt Ion:172 Resp: 881262
Ion Ratio Lower Upper
172 100
171 35.5 28.6 43.0
170 23.3 18.4 27.6









#50
Dimethylphthalate
Concen: 5.55 ng
RT: 13.722 min Scan# 1842
Delta R.T. -0.006 min
Lab File: BM029699.D
Acq: 28 Apr 2021 21:36




Instrument :
BNA_M
ClientSampleId :
SAMPLE-3-COMP


Tgt Ion:163 Resp: 49192
Ion Ratio Lower Upper
163 100
194 4.6 3.3 4.9
164 11.4 7.9 11.9



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.004 min Scan# 2400
Delta R.T. 0.000 min
Lab File: BM029699.D
Acq: 28 Apr 2021 21:36

Tgt Ion:188 Resp: 257910
Ion Ratio Lower Upper
188 100
94 6.3 6.0 9.0
80 6.6 6.6 9.8









#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.186 min Scan# 3111
Delta R.T. -0.006 min
Lab File: BM029699.D
Acq: 28 Apr 2021 21:36




Instrument :
BNA_M
ClientSampleId :
SAMPLE-3-COMP


Tgt Ion:240 Resp: 306739
Ion Ratio Lower Upper
240 100
120 8.0 7.0 10.6
236 25.9 21.0 31.4



#79
Terphenyl-d14
Concen: 92.94 ng
RT: 19.639 min Scan# 2848
Delta R.T. 0.000 min
Lab File: BM029699.D
Acq: 28 Apr 2021 21:36

Tgt Ion:244 Resp: 1503799
Ion Ratio Lower Upper
244 100
212 7.5 6.3 9.5
122 7.7 6.9 10.3





#86

Perylene-d12

Concen: 20.00 ng

RT: 23.368 min Scan# 3482

Delta R.T. -0.006 min

Lab File: BM029699.D

Acq: 28 Apr 2021 21:36




Tgt Ion:264 Resp: 356942

Ion Ratio Lower Upper

264 100

260 24.2 19.8 29.8

265 21.9 17.7 26.5



Instrument :

BNA_M

ClientSampleId :

SAMPLE-3-COMP