

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM043021\
 Data File : BM029734.D
 Acq On : 30 Apr 2021 18:00
 Operator : CG/JU
 Sample : M2223-02 2X
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SIDE-OF-TENT

Quant Time: Apr 30 18:38:28 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM043021.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Apr 29 17:34:54 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.592	152	72110	20.00	ng	0.00
21) Naphthalene-d8	10.369	136	273250	20.00	ng	# 0.00
39) Acenaphthene-d10	14.239	164	190580	20.00	ng	0.00
64) Phenanthrene-d10	16.986	188	431141	20.00	ng	# 0.00
76) Chrysene-d12	21.168	240	474689	20.00	ng	-0.01
86) Perylene-d12	23.344	264	524243	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.198	112	143865	41.60	ng	0.00
7) Phenol-d6	6.781	99	177342	37.76	ng	0.00
23) Nitrobenzene-d5	8.745	82	123000	26.01	ng	0.00
42) 2,4,6-Tribromophenol	15.733	330	118323	39.11	ng	0.00
45) 2-Fluorobiphenyl	12.851	172	365664	24.88	ng	-0.01
79) Terphenyl-d14	19.615	244	596998	23.08	ng	-0.01
Target Compounds						Qvalue
50) Dimethylphthalate	13.704	163	72855	5.01	ng	99
75) Fluoranthene	19.045	202	61477	2.06	ng	97
84) Bis(2-ethylhexyl)phtha...	21.097	149	81085	4.38	ng	# 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM043021\
Data File : BM029734.D
Acq On : 30 Apr 2021 18:00
Operator : CG/JU
Sample : M2223-02 2X
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
SIDE-OF-TENT

Quant Time: Apr 30 18:38:28 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM043021.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Apr 29 17:34:54 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.592 min Scan# 800
Delta R.T. -0.006 min
Lab File: BM029734.D
Acq: 30 Apr 2021 18:00




Instrument :
BNA_M
ClientSampleId :
SIDE-OF-TENT


Tgt Ion:152 Resp: 72110
Ion Ratio Lower Upper
152 100
150 157.2 125.9 188.9
115 54.0 44.6 67.0



#5
2-Fluorophenol
Concen: 41.60 ng
RT: 5.198 min Scan# 393
Delta R.T. 0.006 min
Lab File: BM029734.D
Acq: 30 Apr 2021 18:00

Tgt Ion:112 Resp: 143865
Ion Ratio Lower Upper
112 100
64 50.4 47.1 70.7
63 26.8 27.3 40.9#









#7
Phenol-d6
Concen: 37.76 ng
RT: 6.781 min Scan# 662
Delta R.T. -0.000 min
Lab File: BM029734.D
Acq: 30 Apr 2021 18:00




Instrument :
BNA_M
ClientSampleId :
SIDE-OF-TENT


Tgt Ion: 99 Resp: 177342
Ion Ratio Lower Upper
99 100
42 16.8 18.0 27.0#
71 35.0 30.9 46.3



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.369 min Scan# 1272
Delta R.T. -0.006 min
Lab File: BM029734.D
Acq: 30 Apr 2021 18:00

Tgt Ion:136 Resp: 273250
Ion Ratio Lower Upper
136 100
137 10.6 8.4 12.6
54 5.2 5.5 8.3#
68 4.2 4.2 6.2









#23
Nitrobenzene-d5
Concen: 26.01 ng
RT: 8.745 min Scan# 996
Delta R.T. -0.006 min
Lab File: BM029734.D
Acq: 30 Apr 2021 18:00




Instrument :
BNA_M
ClientSampleId :
SIDE-OF-TENT


Tgt Ion: 82 Resp: 123000
Ion Ratio Lower Upper
82 100
128 46.0 31.1 46.7
54 43.3 37.3 55.9



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.239 min Scan# 1930
Delta R.T. -0.006 min
Lab File: BM029734.D
Acq: 30 Apr 2021 18:00

Tgt Ion: 164 Resp: 190580
Ion Ratio Lower Upper
164 100
162 102.4 83.4 125.0
160 43.5 37.2 55.8









#42
2,4,6-Tribromophenol
Concen: 39.11 ng
RT: 15.733 min Scan# 2184
Delta R.T. -0.006 min
Lab File: BM029734.D
Acq: 30 Apr 2021 18:00




Instrument :
BNA_M
ClientSampleId :
SIDE-OF-TENT


Tgt Ion:330 Resp: 118323
Ion Ratio Lower Upper
330 100
332 97.6 77.0 115.4
141 28.2 30.2 45.2#



#45
2-Fluorobiphenyl
Concen: 24.88 ng
RT: 12.851 min Scan# 1694
Delta R.T. -0.012 min
Lab File: BM029734.D
Acq: 30 Apr 2021 18:00

Tgt Ion:172 Resp: 365664
Ion Ratio Lower Upper
172 100
171 35.8 28.6 43.0
170 22.6 18.4 27.6









#50
Dimethylphthalate
Concen: 5.01 ng
RT: 13.704 min Scan# 1839
Delta R.T. -0.012 min
Lab File: BM029734.D
Acq: 30 Apr 2021 18:00




Instrument :
BNA_M
ClientSampleId :
SIDE-OF-TENT


Tgt Ion:163	Resp:	72855
Ion Ratio	Lower	Upper
163	100	
194	4.1	3.3 4.9
164	10.2	7.9 11.9



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 16.986 min Scan# 2397
Delta R.T. -0.006 min
Lab File: BM029734.D
Acq: 30 Apr 2021 18:00

Tgt Ion:188	Resp:	431141
Ion Ratio	Lower	Upper
188	100	
94	6.3	6.0 9.0
80	6.5	6.6 9.8#









#75
Fluoranthene
Concen: 2.06 ng
RT: 19.045 min Scan# 2747
Delta R.T. -0.006 min
Lab File: BM029734.D
Acq: 30 Apr 2021 18:00




Instrument :
BNA_M
ClientSampleId :
SIDE-OF-TENT


Tgt Ion:	202	Resp:	61477
Ion Ratio	Lower	Upper	
202	100		
101	6.6	0.0	28.6
203	18.3	0.0	37.3



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.168 min Scan# 3108
Delta R.T. -0.012 min
Lab File: BM029734.D
Acq: 30 Apr 2021 18:00

Tgt Ion:	240	Resp:	474689
Ion Ratio	Lower	Upper	
240	100		
120	7.6	7.0	10.6
236	26.0	21.0	31.4









#79
 Terphenyl-d14
 Concen: 23.08 ng
 RT: 19.615 min Scan# 2844
 Delta R.T. -0.012 min
 Lab File: BM029734.D
 Acq: 30 Apr 2021 18:00

Instrument :
 BNA_M
 ClientSampleId :
 SIDE-OF-TENT

Tgt Ion:244 Resp: 596998




Ion	Ratio	Lower	Upper
244	100		
212	7.0	6.3	9.5
122	7.9	6.9	10.3




#84
 Bis(2-ethylhexyl)phthalate
 Concen: 4.38 ng
 RT: 21.097 min Scan# 3096
 Delta R.T. -0.006 min
 Lab File: BM029734.D
 Acq: 30 Apr 2021 18:00

Tgt Ion:149 Resp: 81085

Ion	Ratio	Lower	Upper
149	100		
167	29.8	22.6	33.8
279	6.3	3.8	5.8#





#86
Perylene-d12
Concen: 20.00 ng
RT: 23.344 min Scan# 3478
Delta R.T. -0.006 min
Lab File: BM029734.D
Acq: 30 Apr 2021 18:00

Instrument :
BNA_M
ClientSampleId :
SIDE-OF-TENT

Tgt Ion:	264	Resp:	524243
Ion	Ratio	Lower	Upper
264	100		
260	23.8	19.8	29.8
265	22.4	17.7	26.5

