

Data Path : Z:\HPCHEM1\BNA M\DATA\BM050115\
 Data File : BM001160.D
 Acq On : 02 May 2015 09:52
 Operator : TP/IZ
 Sample : G2011-04
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 FB042315

Quant Time: May 04 17:23:24 2015
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SIMPAH-BM050115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon May 04 16:48:07 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.53	152	16365	5.00	ng	0.00
6) Naphthalene-d8	10.31	136	63942	5.00	ng	0.00
12) Acenaphthene-d10	14.20	164	35679	5.00	ng	0.00
18) Phenanthrene-d10	16.94	188	87717	5.00	ng	0.00
24) Chrysene-d12	21.15	240	64179	5.00	ng	0.00
30) Perylene-d12	23.29	264	48472	5.00	ng	-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.11	112	14086	4.43	ng	-0.01
5) Phenol-d6	6.71	99	11208	2.86	ng	0.00
7) Nitrobenzene-d5	8.69	82	34420	9.50	ng	0.00
13) 2,4,6-Tribromophenol	15.69	330	12923	7.43	ng	0.00
14) 2-Fluorobiphenyl	12.81	172	109601	9.29	ng	0.00
26) Terphenyl-d14	19.59	244	99926	11.29	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM050115\
Data File : BM001160.D
Acq On : 02 May 2015 09:52
Operator : TP/IZ
Sample : G2011-04
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
FB042315

Quant Time: May 04 17:23:24 2015
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SIMPAH-BM050115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon May 04 16:48:07 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 5.00 ng
RT: 7.53 min Scan# 314
Delta R.T. -0.00 min
Lab File: BM001160.D
Acq: 02 May 2015 09:52

Instrument :
BNA_M
ClientSampleId :
FB042315

Tot Ion:152 Resp: 16365
Ion Ratio Lower Upper
152 100
150 173.0 140.1 210.1
115 70.6 57.8 86.6




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#4


2-Fluorophenol
Concen: 4.43 ng
RT: 5.11 min Scan# 158
Delta R.T. -0.01 min
Lab File: BM001160.D
Acq: 02 May 2015 09:52

Tgt Ion:112 Resp: 14086
Ion Ratio Lower Upper
112 100
64 64.6 52.6 79.0
63 36.0 29.5 44.3



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#5

Phenol-d6

Concen: 2.86 ng

RT: 6.71 min Scan# 261

Delta R.T. 0.00 min

Lab File: BM001160.D

Acq: 02 May 2015 09:52

Instrument :

BNA_M

ClientSampleId :

FB042315


Tot Ion: 99 Resp: 11208

Ion Ratio Lower Upper

99 100

42 24.9 20.9 31.3




71 35.1 28.5 42.7



Abundance Ion 99.00 (98.70 to 99.70): BM001142.D (-242) (-)

Ion 42.00 (41.70 to 42.70): BM001142.D (-242) (-)

Ion 71.00 (70.70 to 71.70): BM001142.D (-242) (-)



#6

Naphthalene-d8

Concen: 5.00 ng

RT: 10.31 min Scan# 532

Delta R.T. -0.00 min

Lab File: BM001160.D

Acq: 02 May 2015 09:52


Tgt Ion: 136 Resp: 63942

Ion Ratio Lower Upper

136 100

137 10.4 8.2 12.4



54 10.5 9.0 13.4




Abundance Ion 136.00 (135.70 to 136.70): BM001142.D (-528) (-)

Ion 137.00 (136.70 to 137.70): BM001142.D (-528) (-)

Ion 54.00 (53.70 to 54.70): BM001142.D (-528) (-)





#7

Nitrobenzene-d5

Concen: 9.50 ng

RT: 8.69 min Scan# 402

Delta R.T. -0.00 min

Lab File: BM001160.D

Acq: 02 May 2015 09:52

Instrument :

BNA_M

ClientSampleId :

FB042315


Tot Ion: 82 Resp: 34420

Ion Ratio Lower Upper

82 100

128 42.6 31.9 47.9




54 50.0 46.2 69.2



Abundance Ion 82.00 (81.70 to 82.70): BM001142.D (-398) (-)

Ion 128.00 (127.70 to 128.70): BM001142.D (-398) (-)

Ion 54.00 (53.70 to 54.70): BM001142.D (-398) (-)



#12

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.20 min Scan# 838

Delta R.T. 0.00 min

Lab File: BM001160.D

Acq: 02 May 2015 09:52


Tgt Ion: 164 Resp: 35679

Ion Ratio Lower Upper

164 100

162 89.5 72.7 109.1



160 35.2 28.7 43.1




Abundance Ion 164.00 (163.70 to 164.70): BM001142.D (-835) (-)

Ion 162.00 (161.70 to 162.70): BM001142.D (-835) (-)

Ion 160.00 (159.70 to 160.70): BM001142.D (-835) (-)









#13
 2,4,6-Tribromophenol
 Concen: 7.43 ng
 RT: 15.69 min Scan# 905
 Delta R.T. 0.00 min
 Lab File: BM001160.D
 Acq: 02 May 2015 09:52




Instrument :
 BNA_M
 ClientSampleId :
 FB042315


Tot Ion:330 Resp: 12923
 Ion Ratio Lower Upper
 330 100
 332 93.3 74.5 111.7
 141 0.0 21.0 31.4#



#14
 2-Fluorobiphenyl
 Concen: 9.29 ng
 RT: 12.81 min Scan# 740
 Delta R.T. 0.00 min
 Lab File: BM001160.D
 Acq: 02 May 2015 09:52

Tgt Ion:172 Resp: 109601
 Ion Ratio Lower Upper
 172 100
 171 30.7 25.8 38.6
 170 18.3 16.1 24.1









#18
Phenanthrene-d10
Concen: 5.00 ng
RT: 16.94 min Scan# 965
Delta R.T. 0.00 min
Lab File: BM001160.D
Acq: 02 May 2015 09:52

Instrument :
BNA_M
ClientSampleId :
FB042315

Tot Ion:188 Resp: 87717
Ion Ratio Lower Upper
188 100
94 10.3 9.3 13.9
80 10.8 9.8 14.6




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BM001160.D (-950) (-)
Ion 80.00 (79.70 to 80.70): BM001160.D (-950) (-)






#24
Chrysene-d12
Concen: 5.00 ng
RT: 21.15 min Scan# 1279
Delta R.T. -0.00 min
Lab File: BM001160.D
Acq: 02 May 2015 09:52

Tgt Ion:240 Resp: 64179
Ion Ratio Lower Upper
240 100
120 10.0 9.2 13.8
236 27.4 22.4 33.6



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#26

Terphenyl-d14

Concen: 11.29 ng

RT: 19.59 min Scan# 1143

Delta R.T. 0.00 min

Lab File: BM001160.D

Acq: 02 May 2015 09:52

Instrument :

BNA_M

ClientSampleId :

FB042315


Tot Ion:244 Resp: 99926

Ion Ratio Lower Upper




244 100

212 8.4 7.1 10.7

122 6.2 6.2 9.4#



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#30

Perylene-d12

Concen: 5.00 ng

RT: 23.29 min Scan# 1485

Delta R.T. -0.01 min

Lab File: BM001160.D

Acq: 02 May 2015 09:52


Tgt Ion:264 Resp: 48472

Ion Ratio Lower Upper

264 100

260 26.7 18.9 28.3

265 20.8 18.1 27.1



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

