

Data Path : Z:\HPCHEM1\BNA\_M\DATA\BM050216\  
 Data File : BM005199.D  
 Acq On : 02 May 2016 18:58  
 Operator : UM/SJ  
 Sample : H2772-10  
 Misc :  
 ALS Vial : 14 Sample Multiplier: 1

Instrument :  
 BNA\_M  
 ClientSampleId :  
 BD3B1

Quant Time: May 03 03:25:24 2016  
 Quant Method : Z:\HPCHEM1\BNA\_M\METHODS\SOM02.2-EPA-BM042516.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Tue May 03 03:20:39 2016  
 Response via : Initial Calibration

| Internal Standards        | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|---------------------------|-------|------|----------|-------|-------|----------|
| 1) 1,4-Dichlorobenzene-d4 | 7.79  | 152  | 39552    | 20.00 | ng/ul | 0.00     |
| 18) Naphthalene-d8        | 10.57 | 136  | 186399   | 20.00 | ng/ul | 0.00     |
| 35) Acenaphthene-d10      | 14.43 | 164  | 116199   | 20.00 | ng/ul | 0.00     |
| 61) Phenanthrene-d10      | 17.17 | 188  | 254538   | 20.00 | ng/ul | 0.00     |
| 75) Chrysene-d12          | 21.36 | 240  | 224480   | 20.00 | ng/ul | 0.00     |
| 83) Perylene-d12          | 23.64 | 264  | 193978   | 20.00 | ng/ul | 0.00     |

| System Monitoring Compounds    | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|--------------------------------|-------|------|----------|-------|-------|----------|
| 3) 1,4-Dioxane-d8              | 3.29  | 96   | 4958     | 6.37  | ng/uL | 0.00     |
| 5) Phenol-d5                   | 6.95  | 99   | 102946   | 31.46 | ng/ul | 0.00     |
| 7) Bis-(2-Chloroethyl)ether-d  | 7.12  | 67   | 60763    | 32.64 | ng/ul | 0.00     |
| 9) 2-Chlorophenol-d4           | 7.32  | 132  | 80293    | 31.02 | ng/ul | 0.00     |
| 13) 4-Methylphenol-d8          | 8.49  | 113  | 84951    | 30.63 | ng/ul | 0.00     |
| 19) Nitrobenzene-d5            | 8.94  | 128  | 38914    | 30.14 | ng/ul | 0.00     |
| 22) 2-Nitrophenol-d4           | 9.66  | 143  | 43803    | 30.41 | ng/ul | 0.00     |
| 26) 2,4-Dichlorophenol-d3      | 10.19 | 165  | 80822    | 29.54 | ng/ul | 0.00     |
| 29) 4-Chloroaniline-d4         | 10.71 | 131  | 140731   | 43.88 | ng/ul | 0.00     |
| 43) Dimethylphthalate-d6       | 13.83 | 166  | 269613   | 29.38 | ng/ul | 0.00     |
| 46) Acenaphthylene-d8          | 14.12 | 160  | 327630   | 29.98 | ng/ul | 0.00     |
| 51) 4-Nitrophenol-d4           | 14.63 | 143  | 31013    | 19.33 | ng/ul | 0.00     |
| 57) Fluorene-d10               | 15.42 | 176  | 236004   | 29.27 | ng/ul | 0.00     |
| 62) 4,6-Dinitro-2-methylphenol | 15.55 | 200  | 27275    | 18.84 | ng/ul | 0.00     |
| 70) Anthracene-d10             | 17.27 | 188  | 348041   | 30.49 | ng/ul | 0.00     |
| 76) Pyrene-d10                 | 19.57 | 212  | 355820   | 34.82 | ng/ul | 0.00     |
| 87) Benzo(a)pyrene-d12         | 23.50 | 264  | 265194   | 30.51 | ng/ul | 0.00     |


| Target Compounds      | R.T.  | QIon | Response | Conc | Units | Qvalue |
|-----------------------|-------|------|----------|------|-------|--------|
| 44) Dimethylphthalate | 13.88 | 163  | 55061    | 5.98 | ng/ul | 98     |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA\_M\DATA\BM050216\  
Data File : BM005199.D  
Acq On : 02 May 2016 18:58  
Operator : UM/SJ  
Sample : H2772-10  
Misc :  
ALS Vial : 14 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
BD3B1

Quant Time: May 03 03:25:24 2016  
Quant Method : Z:\HPCHEM1\BNA\_M\METHODS\SOM02.2-EPA-BM042516.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Tue May 03 03:20:39 2016  
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 5.98 ng/ul

RT: 13.88 min Scan# 1903

Delta R.T. 0.00 min

Lab File: BM005199.D

Acq: 02 May 2016 18:58

Instrument :

BNA\_M

ClientSampleId :

BD3B1

Tgt Ion:163 Resp: 55061

Ion Ratio Lower Upper

163 100

194 4.1 3.3 4.9

164 9.3 8.2 12.2

