

Data Path : Z:\HPCHEM1\BNA\_M\DATA\BM050216\  
 Data File : BM005202.D  
 Acq On : 02 May 2016 21:14  
 Operator : UM/SJ  
 Sample : H2772-14  
 Misc :  
 ALS Vial : 16 Sample Multiplier: 1

Instrument :  
 BNA\_M  
 ClientSampleId :  
 BD3B3

Quant Time: May 03 03:26:04 2016  
 Quant Method : Z:\HPCHEM1\BNA\_M\METHODS\SOM02.2-EPA-BM042516.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Tue May 03 03:20:39 2016  
 Response via : Initial Calibration

| Internal Standards        | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|---------------------------|-------|------|----------|-------|-------|----------|
| 1) 1,4-Dichlorobenzene-d4 | 7.79  | 152  | 47427    | 20.00 | ng/ul | 0.00     |
| 18) Naphthalene-d8        | 10.57 | 136  | 225402   | 20.00 | ng/ul | 0.00     |
| 35) Acenaphthene-d10      | 14.43 | 164  | 144285   | 20.00 | ng/ul | 0.00     |
| 61) Phenanthrene-d10      | 17.17 | 188  | 335059   | 20.00 | ng/ul | 0.00     |
| 75) Chrysene-d12          | 21.36 | 240  | 320317   | 20.00 | ng/ul | 0.00     |
| 83) Perylene-d12          | 23.64 | 264  | 258744   | 20.00 | ng/ul | 0.00     |

| System Monitoring Compounds    | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|--------------------------------|-------|------|----------|-------|-------|----------|
| 3) 1,4-Dioxane-d8              | 3.29  | 96   | 5217     | 5.59  | ng/uL | 0.00     |
| 5) Phenol-d5                   | 6.96  | 99   | 130363   | 33.23 | ng/ul | 0.00     |
| 7) Bis-(2-Chloroethyl)ether-d  | 7.12  | 67   | 75032    | 33.61 | ng/ul | 0.00     |
| 9) 2-Chlorophenol-d4           | 7.32  | 132  | 100840   | 32.49 | ng/ul | 0.00     |
| 13) 4-Methylphenol-d8          | 8.49  | 113  | 104206   | 31.33 | ng/ul | 0.00     |
| 19) Nitrobenzene-d5            | 8.95  | 128  | 49439    | 31.67 | ng/ul | 0.00     |
| 22) 2-Nitrophenol-d4           | 9.66  | 143  | 57186    | 32.83 | ng/ul | 0.00     |
| 26) 2,4-Dichlorophenol-d3      | 10.19 | 165  | 103747   | 31.36 | ng/ul | 0.00     |
| 29) 4-Chloroaniline-d4         | 10.71 | 131  | 141346   | 36.45 | ng/ul | 0.00     |
| 43) Dimethylphthalate-d6       | 13.83 | 166  | 350643   | 30.77 | ng/ul | 0.00     |
| 46) Acenaphthylene-d8          | 14.12 | 160  | 419366   | 30.90 | ng/ul | 0.00     |
| 51) 4-Nitrophenol-d4           | 14.63 | 143  | 46185    | 23.19 | ng/ul | 0.00     |
| 57) Fluorene-d10               | 15.42 | 176  | 301681   | 30.13 | ng/ul | 0.00     |
| 62) 4,6-Dinitro-2-methylphenol | 15.54 | 200  | 41252    | 21.65 | ng/ul | 0.00     |
| 70) Anthracene-d10             | 17.27 | 188  | 465496   | 30.98 | ng/ul | 0.00     |
| 76) Pyrene-d10                 | 19.57 | 212  | 502800   | 34.48 | ng/ul | 0.00     |
| 87) Benzo(a)pyrene-d12         | 23.50 | 264  | 365423   | 31.52 | ng/ul | 0.00     |


| Target Compounds      | R.T.  | QIon | Response | Conc | Units | Qvalue |
|-----------------------|-------|------|----------|------|-------|--------|
| 44) Dimethylphthalate | 13.88 | 163  | 80196    | 7.02 | ng/ul | 99     |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA\_M\DATA\BM050216\  
Data File : BM005202.D  
Acq On : 02 May 2016 21:14  
Operator : UM/SJ  
Sample : H2772-14  
Misc :  
ALS Vial : 16 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
BD3B3

Quant Time: May 03 03:26:04 2016  
Quant Method : Z:\HPCHEM1\BNA\_M\METHODS\SOM02.2-EPA-BM042516.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Tue May 03 03:20:39 2016  
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 7.02 ng/ul

RT: 13.88 min Scan# 1903

Delta R.T. -0.00 min

Lab File: BM005202.D


Acq: 02 May 2016 21:14

Instrument :

BNA\_M

ClientSampleId :

BD3B3



Tgt Ion:163 Resp: 80196

Ion Ratio Lower Upper

163 100

194 4.1 3.3 4.9

164 9.8 8.2 12.2

