

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM050216\
 Data File : BM005205.D
 Acq On : 02 May 2016 23:04
 Operator : UM/SJ
 Sample : H2772-19
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BD3B6

Quant Time: May 03 03:26:23 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM042516.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue May 03 03:20:39 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.79	152	49308	20.00	ng/ul	0.00
18) Naphthalene-d8	10.57	136	230180	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.43	164	143590	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.17	188	323604	20.00	ng/ul	0.00
75) Chrysene-d12	21.36	240	303562	20.00	ng/ul	0.00
83) Perylene-d12	23.64	264	247871	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.29	96	5124	5.28	ng/uL	0.00
5) Phenol-d5	6.95	99	122171	29.95	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.12	67	72356	31.18	ng/ul	0.00
9) 2-Chlorophenol-d4	7.32	132	94888	29.40	ng/ul	0.00
13) 4-Methylphenol-d8	8.49	113	98372	28.45	ng/ul	0.00
19) Nitrobenzene-d5	8.94	128	47726	29.94	ng/ul	0.00
22) 2-Nitrophenol-d4	9.66	143	54591	30.69	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.19	165	97531	28.87	ng/ul	0.00
29) 4-Chloroaniline-d4	10.71	131	142004	35.86	ng/ul	0.00
43) Dimethylphthalate-d6	13.83	166	330504	29.14	ng/ul	0.00
46) Acenaphthylene-d8	14.12	160	396959	29.39	ng/ul	0.00
51) 4-Nitrophenol-d4	14.63	143	43860	22.13	ng/ul	0.00
57) Fluorene-d10	15.42	176	284397	28.54	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.54	200	38452	20.89	ng/ul	0.00
70) Anthracene-d10	17.27	188	433294	29.86	ng/ul	0.00
76) Pyrene-d10	19.57	212	461835	33.42	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.50	264	334025	30.08	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
44) Dimethylphthalate	13.88	163	76002	6.68	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM050216\
Data File : BM005205.D
Acq On : 02 May 2016 23:04
Operator : UM/SJ
Sample : H2772-19
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BD3B6

Quant Time: May 03 03:26:23 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM042516.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue May 03 03:20:39 2016
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 6.68 ng/ul

RT: 13.88 min Scan# 1903

Delta R.T. 0.00 min

Lab File: BM005205.D

Acq: 02 May 2016 23:04

Instrument :

BNA_M

ClientSampleId :

BD3B6


Tgt Ion:163 Resp: 76002

Ion Ratio Lower Upper

163 100

194 4.0 3.3 4.9

164 9.7 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

