

Quantitation Report (QT Reviewed)


Data Path : Z:\HPCHEM1\BNA_M\DATA\BM050216\
 Data File : BM005201.D
 Acq On : 02 May 2016 20:38
 Operator : UM/SJ
 Sample : H2772-13
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BD3B2

Manual Integrations
 APPROVED

sohil
 5/3/2016 6:34:23 PM

Quant Time: May 03 04:23:26 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM042516.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue May 03 03:20:39 2016
 Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\HPCHEM1\BNA_M\DATA\BM050216\
 Data File : BM005201.D
 Acq On : 02 May 2016 20:38
 Operator : UM/SJ
 Sample : H2772-13
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BD3B2

Manual Integrations
 APPROVED

sohil
 5/3/2016 6:34:23 PM

Quant Time: May 03 03:25:57 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM042516.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue May 03 03:20:39 2016
 Response via : Initial Calibration



(51) 4-Nitrophenol-d4 (S)
 14.627min (-0.006) 16.22ng/ul m
 response 34413

UM
 05/04/16

Ion	Exp%	Act%
143.00	100	100
113.00	75.50	75.53
41.00	35.90	36.71
42.00	22.90	25.19

Quantitation Report (Qedit)


Data Path : Z:\HPCHEM1\BNA_M\DATA\BM050216\
Data File : BM005201.D
Acq On : 02 May 2016 20:38
Operator : UM/SJ
Sample : H2772-13
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BD3B2

Manual Integrations
APPROVED

sohil
5/3/2016 6:34:23 PM

Quant Time: May 03 03:25:57 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM042516.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue May 03 03:20:39 2016
Response via : Initial Calibration



(51) 4-Nitrophenol-d4 (S)

14.627min (-0.006) 16.17ng/ul

response 34290

Ion	Exp%	Act%
143.00	100	100
113.00	75.50	75.53
41.00	35.90	36.71
42.00	22.90	25.19

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM050216\
 Data File : BM005201.D
 Acq On : 02 May 2016 20:38
 Operator : UM/SJ
 Sample : H2772-13
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BD3B2

Quant Time: May 03 04:23:26 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM042516.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue May 03 03:20:39 2016
 Response via : Initial Calibration

Manual Integrations
 APPROVED

sohil
 5/3/2016 6:34:23 PM

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.79	152	47774	20.00	ng/ul	0.00
18) Naphthalene-d8	10.57	136	237642	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.43	164	153649	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.17	188	348813	20.00	ng/ul	0.00
75) Chrysene-d12	21.36	240	333045	20.00	ng/ul	0.00
83) Perylene-d12	23.64	264	269850	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.29	96	3701	3.94	ng/uL	0.00
5) Phenol-d5	6.95	99	91493	23.15	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.12	67	56607	25.18	ng/ul	0.00
9) 2-Chlorophenol-d4	7.32	132	72198	23.09	ng/ul	0.00
13) 4-Methylphenol-d8	8.49	113	67263	20.08	ng/ul	0.00
19) Nitrobenzene-d5	8.94	128	36688	22.29	ng/ul	0.00
22) 2-Nitrophenol-d4	9.66	143	42488	23.14	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.20	165	76878	22.04	ng/ul	0.00
29) 4-Chloroaniline-d4	10.71	131	90585	22.16	ng/ul	0.00
43) Dimethylphthalate-d6	13.83	166	275251	22.68	ng/ul	0.00
46) Acenaphthylene-d8	14.12	160	325609	22.53	ng/ul	0.00
51) 4-Nitrophenol-d4	14.63	143	34413m	16.22	ng/ul	0.00
57) Fluorene-d10	15.42	176	236959	22.22	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.55	200	33293	16.78	ng/ul	0.00
70) Anthracene-d10	17.27	188	361145	23.09	ng/ul	0.00
76) Pyrene-d10	19.57	212	402615	26.55	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.50	264	290110	23.99	ng/ul	0.00

Target Compounds					Qvalue
44) Dimethylphthalate	13.88	163	60503	4.97 ng/ul	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

UM
 050416