

Data Path : Z:\HPCHEM1\BNA M\DATA\BM050216\
 Data File : BM005196.D
 Acq On : 02 May 2016 17:09
 Operator : UM/SJ
 Sample : H2772-07
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BD385

Manual Integrations
 APPROVED

sohil
 5/3/2016 6:33:26 PM

Quant Time: May 03 04:07:29 2016
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM042516.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue May 03 03:20:39 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.79	152	35775	20.00	ng/ul	0.00
18) Naphthalene-d8	10.57	136	175427	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.43	164	111918	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.17	188	252517	20.00	ng/ul	0.00
75) Chrysene-d12	21.36	240	224795	20.00	ng/ul	0.00
83) Perylene-d12	23.64	264	185856	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.29	96	4941	7.02	ng/uL	0.00
5) Phenol-d5	6.95	99	111522	37.68	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.12	67	70040	41.60	ng/ul	0.00
9) 2-Chlorophenol-d4	7.32	132	89534	38.24	ng/ul	0.00
13) 4-Methylphenol-d8	8.49	113	95470	38.05	ng/ul	0.00
19) Nitrobenzene-d5	8.94	128	46157	37.99	ng/ul	0.00
22) 2-Nitrophenol-d4	9.66	143	52893	39.02	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.19	165	91890	35.68	ng/ul	0.00
29) 4-Chloroaniline-d4	10.71	131	128432	42.55	ng/ul	0.00
43) Dimethylphthalate-d6	13.83	166	327994	37.11	ng/ul	0.00
46) Acenaphthylene-d8	14.12	160	390446	37.09	ng/ul	0.00
51) 4-Nitrophenol-d4	14.63	143	37867m	24.51	ng/ul	0.00
57) Fluorene-d10	15.42	176	282007	36.31	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.54	200	35089	24.43	ng/ul	0.00
70) Anthracene-d10	17.27	188	434107	38.34	ng/ul	0.00
76) Pyrene-d10	19.57	212	453978	44.36	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.50	264	330058	39.64	ng/ul	0.00

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	13.88	163	54838	6.19	ng/ul	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA M\DATA\BM050216\
Data File : BM005196.D
Acq On : 02 May 2016 17:09
Operator : UM/SJ
Sample : H2772-07
Misc :
ALS Vial : 11 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
BD385

Manual Integrations
APPROVED

sohil
5/3/2016 6:33:26 PM

Quant Time: May 03 04:07:29 2016
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM042516.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue May 03 03:20:39 2016
Response via : Initial Calibration






#44
 Dimethylphthalate
 Concen: 6.19 ng/ul
 RT: 13.88 min Scan# 1903
 Delta R.T. 0.00 min
 Lab File: BM005196.D
 Acq: 02 May 2016 17:09

Instrument :
 BNA_M
 ClientSampleId :
 BD385

Tot Ion	Ratio	Resp Lower	Upper
163	100		
194	4.1	3.3	4.9
164	10.5	8.2	12.2

Manual Integrations
 APPROVED

sohil
 5/3/2016 6:33:26 PM



Abundance

Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

