

Data Path : Z:\HPCHEM1\BNA M\DATA\BM050218\
 Data File : BM014932.D
 Acq On : 02 May 2018 20:55
 Operator : SJ/JU
 Sample : J2631-13
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C0AJ3

Quant Time: May 03 05:39:34 2018
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM041918.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu May 03 04:26:19 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.49	152	441439	20.00	ng/ul	0.00
18) Naphthalene-d8	11.33	136	1924005	20.00	ng/ul	0.00
35) Acenaphthene-d10	15.10	164	1025798	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.81	188	2097201	20.00	ng/ul	0.00
75) Chrysene-d12	21.90	240	1752883	20.00	ng/ul	0.00
83) Perylene-d12	24.38	264	1647136	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.64	96	77258	7.64	ng/uL	0.00
5) Phenol-d5	7.62	99	1416554	41.51	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.80	67	1035330	47.31	ng/ul	0.00
9) 2-Chlorophenol-d4	8.01	132	1232966	43.19	ng/ul	0.00
13) 4-Methylphenol-d8	9.19	113	1090511	40.07	ng/ul	0.00
19) Nitrobenzene-d5	9.67	128	596361	42.87	ng/ul	0.00
22) 2-Nitrophenol-d4	10.40	143	635558	45.88	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.94	165	1099404	39.06	ng/ul	0.00
29) 4-Chloroaniline-d4	11.46	131	1440643	51.86	ng/ul	0.00
43) Dimethylphthalate-d6	14.49	166	3389046	42.32	ng/ul	0.00
46) Acenaphthylene-d8	14.80	160	4005391	40.51	ng/ul	0.00
51) 4-Nitrophenol-d4	15.26	143	490768	33.02	ng/ul	0.00
57) Fluorene-d10	16.07	176	2845707	40.86	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	16.18	200	404357	35.63	ng/ul	0.00
70) Anthracene-d10	17.91	188	4119626	42.15	ng/ul	0.00
76) Pyrene-d10	20.15	212	4111192	49.57	ng/ul	0.00
87) Benzo(a)pyrene-d12	24.22	264	3744663	46.27	ng/ul	0.00

Target Compounds


					Ovalue	
6) Phenol	7.65	94	93492	2.784	ng/ul#	81
44) Dimethylphthalate	14.53	163	504228	6.514	ng/ul	99
74) Fluoranthene	19.82	202	229823	1.872	ng/ul#	80
77) Pyrene	20.17	202	174870	1.707	ng/ul#	72
81) Bis(2-ethylhexyl)phthalate	21.77	149	244107	3.980	ng/ul#	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM050218\
Data File : BM014932.D
Acq On : 02 May 2018 20:55
Operator : SJ/JU
Sample : J2631-13
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampled :
C0AJ3

Quant Time: May 03 05:39:34 2018
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM041918.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu May 03 04:26:19 2018
Response via : Initial Calibration









#6

Phenol

Concen: 2.784 ng/ul
 RT: 7.65 min Scan# 741
 Delta R.T. -0.00 min
 Lab File: BM014932.D
 Acq: 02 May 2018 20:55

Instrument :
 BNA_M
 ClientSampleId :
 C0AJ3

Tot Ion	94	Resp	93492
Ion Ratio	Lower	Upper	
94	100		
65	30.6	28.2	42.4
66	40.1	47.2	70.8#







#44

Dimethylphthalate

Concen: 6.514 ng/ul
 RT: 14.53 min Scan# 1912
 Delta R.T. -0.01 min
 Lab File: BM014932.D
 Acq: 02 May 2018 20:55

Tgt Ion	163	Resp	504228
Ion Ratio	Lower	Upper	
163	100		
194	3.8	3.5	5.3
164	10.2	8.2	12.4





#74

Fluoranthene

Concen: 1.872 ng/ul

RT: 19.82 min Scan# 2811

Delta R.T. -0.00 min

Lab File: BM014932.D

Acq: 02 May 2018 20:55

Instrument :

BNA_M

ClientSampleId :

C0AJ3


Tot Ion:202 Resp: 229823

Ion Ratio Lower Upper

202 100

101 12.6 4.6 7.0#




100 10.8 3.4 5.2#



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 100.00 (99.70 to 100.70): B



#77

Pyrene

Concen: 1.707 ng/ul

RT: 20.17 min Scan# 2871

Delta R.T. -0.01 min

Lab File: BM014932.D

Acq: 02 May 2018 20:55


Tgt Ion:202 Resp: 174870

Ion Ratio Lower Upper

202 100

101 16.6 5.1 7.7#



100 14.7 4.9 7.3#




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 100.00 (99.70 to 100.70): B





#81
 Bis(2-ethylhexyl)phthalate
 Concen: 3.980 ng/ul
 RT: 21.77 min Scan# 3142
 Delta R.T. -0.00 min
 Lab File: BM014932.D
 Acq: 02 May 2018 20:55

Instrument :
 BNA_M
 ClientSampleId :
 C0AJ3

Tot Ion	Ratio	Lower	Upper
149	100		
167	26.1	22.8	34.2
279	4.4	4.9	7.3

