

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM050223\
 Data File : BM039811.D
 Acq On : 02 May 2023 20:31
 Operator : CG/JU
 Sample : 02419-22DL 5X
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 EW919DL

Quant Time: May 03 04:17:33 2023
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-SIM-BM042723.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 02 18:41:11 2023
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.791	152	3269	0.400	ng/ul	-0.01
4) Naphthalene-d8	10.595	136	10643	0.400	ng/ul	0.00
9) Acenaphthene-d10	14.451	164	5780	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.204	188	11982	0.400	ng/ul	0.00
17) Chrysene-d12	21.407	240	8802	0.400	ng/ul	# 0.00
23) Perylene-d12	23.766	264	10263	0.400	ng/ul	# 0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.188	96	2470	0.513	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.195	152	652	0.048	ng/ul	0.00
18) Fluoranthene-d10	19.238	212	1352	0.057	ng/ul	0.00
Target Compounds						
					Qvalue	
5) Naphthalene	10.644	128	9185	0.344	ng/ul	99
7) 2-Methylnaphthalene	12.272	142	8395	0.544	ng/ul	95
8) 1-Methylnaphthalene	12.487	142	6394	0.386	ng/ul	100
10) Acenaphthylene	14.173	152	19392	0.867	ng/ul	98
11) Acenaphthene	14.511	153	18126	1.032	ng/ul	98
12) Fluorene	15.505	166	20594	1.056	ng/ul	98
15) Phenanthrene	17.246	178	375384	11.892	ng/ul	98
16) Anthracene	17.339	178	86037	3.174	ng/ul	98
19) Fluoranthene	19.271	202	725127	23.092	ng/ul	99
20) Pyrene	19.638	202	606990	17.899	ng/ul	98
21) Benzo(a)anthracene	21.389	228	302326	11.946	ng/ul	99
22) Chrysene	21.442	228	277348	9.684	ng/ul	97
24) Benzo(b)fluoranthene	23.052	252	421285	11.688	ng/ul	93
26) Benzo(a)pyrene	23.663	252	289727	8.953	ng/ul#	86
27) Indeno(1,2,3-cd)pyrene	26.212	276	214873	5.251	ng/ul#	91
28) Dibenzo(a,h)anthracene	26.212	278	52708	1.660	ng/ul#	91
29) Benzo(g,h,i)perylene	26.967	276	201533	5.652	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM050223\
Data File : BM039811.D
Acq On : 02 May 2023 20:31
Operator : CG/JU
Sample : 02419-22DL 5X
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
EW919DL

Quant Time: May 03 04:17:33 2023
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-SIM-BM042723.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue May 02 18:41:11 2023
Response via : Initial Calibration









#5
Naphthalene
Concen: 0.344 ng/ul
RT: 10.644 min Scan# 1772
Delta R.T. -0.006 min
Lab File: BM039811.D
Acq: 02 May 2023 20:31




Instrument :
BNA_M
ClientSampleId :
EW919DL


Tgt Ion:128 Resp: 9185
Ion Ratio Lower Upper
128 100
129 12.8 9.8 14.6
127 14.1 11.1 16.7



#7
2-Methylnaphthalene
Concen: 0.544 ng/ul
RT: 12.272 min Scan# 2068
Delta R.T. 0.000 min
Lab File: BM039811.D
Acq: 02 May 2023 20:31

Tgt Ion:142 Resp: 8395
Ion Ratio Lower Upper
142 100
141 86.9 73.2 109.8





#8

1-Methylnaphthalene

Concen: 0.386 ng/ul

RT: 12.487 min Scan# 2107

Delta R.T. 0.000 min

Lab File: BM039811.D

Acq: 02 May 2023 20:31

Instrument :

BNA_M

ClientSampleId :





EW919DL

Tgt Ion:142 Resp: 6394

Ion Ratio Lower Upper

142 100

141 91.4 73.4 110.2



#10

Acenaphthylene

Concen: 0.867 ng/ul

RT: 14.173 min Scan# 2440

Delta R.T. 0.005 min

Lab File: BM039811.D

Acq: 02 May 2023 20:31




Tgt Ion:152 Resp: 19392


Ion Ratio Lower Upper

152 100

151 20.5 16.0 24.0

153 15.2 11.2 16.8









#11
Acenaphthene
Concen: 1.032 ng/ul
RT: 14.511 min Scan# 21
Delta R.T. -0.000 min
Lab File: BM039811.D
Acq: 02 May 2023 20:31




Instrument :
BNA_M
ClientSampleId :
EW919DL


Tgt Ion:153 Resp: 18126
Ion Ratio Lower Upper
153 100
152 49.7 40.6 61.0
154 87.2 71.9 107.9



#12
Fluorene
Concen: 1.056 ng/ul
RT: 15.505 min Scan# 2728
Delta R.T. 0.000 min
Lab File: BM039811.D
Acq: 02 May 2023 20:31

Tgt Ion:166 Resp: 20594
Ion Ratio Lower Upper
166 100
165 96.8 79.0 118.6
167 15.6 11.8 17.6









#15
Phenanthrene
Concen: 11.892 ng/ul
RT: 17.246 min Scan# 3130
Delta R.T. 0.000 min
Lab File: BM039811.D
Acq: 02 May 2023 20:31




Instrument :
BNA_M
ClientSampleId :
EW919DL


Tgt Ion:178 Resp: 375384
Ion Ratio Lower Upper
178 100
179 15.5 13.0 19.6
176 19.1 15.8 23.8



#16
Anthracene
Concen: 3.174 ng/ul
RT: 17.339 min Scan# 3152
Delta R.T. -0.004 min
Lab File: BM039811.D
Acq: 02 May 2023 20:31

Tgt Ion:178 Resp: 86037
Ion Ratio Lower Upper
178 100
179 16.2 13.8 20.6
176 18.6 15.8 23.8









#19
Fluoranthene
Concen: 23.092 ng/u1
RT: 19.271 min Scan# 3593
Delta R.T. 0.000 min
Lab File: BM039811.D
Acq: 02 May 2023 20:31




Instrument :
BNA_M
ClientSampleId :
EW919DL


Tgt Ion:202 Resp: 725127
Ion Ratio Lower Upper
202 100
101 11.7 9.8 14.8
100 8.8 7.3 10.9



#20
Pyrene
Concen: 17.899 ng/u1
RT: 19.638 min Scan# 3672
Delta R.T. 0.005 min
Lab File: BM039811.D
Acq: 02 May 2023 20:31


Tgt Ion:202 Resp: 606990
Ion Ratio Lower Upper
202 100
101 12.8 10.9 16.3
100 10.1 8.9 13.3








#21
Benzo(a)anthracene
Concen: 11.946 ng/ul
RT: 21.389 min Scan# 4161
Delta R.T. 0.000 min
Lab File: BM039811.D
Acq: 02 May 2023 20:31

Instrument :
BNA_M
ClientSampleId :
EW919DL







Tgt Ion:228 Resp: 302326
Ion Ratio Lower Upper
228 100
229 20.8 16.2 24.2
226 27.8 21.6 32.4



#22
Chrysene
Concen: 9.684 ng/ul
RT: 21.442 min Scan# 4179
Delta R.T. 0.000 min
Lab File: BM039811.D
Acq: 02 May 2023 20:31

Tgt Ion:228 Resp: 277348
Ion Ratio Lower Upper
228 100
226 30.8 24.3 36.5
229 22.4 15.9 23.9









#24
Benzo(b)fluoranthene
Concen: 11.688 ng/ul
RT: 23.052 min Scan# 41
Delta R.T. 0.009 min
Lab File: BM039811.D
Acq: 02 May 2023 20:31




Instrument :
BNA_M
ClientSampleId :
EW919DL


Tgt Ion:252 Resp: 421285
Ion Ratio Lower Upper
252 100
253 23.1 0.0 52.8
125 12.9 0.0 31.6



#26
Benzo(a)pyrene
Concen: 8.953 ng/ul
RT: 23.663 min Scan# 4939
Delta R.T. 0.006 min
Lab File: BM039811.D
Acq: 02 May 2023 20:31

Tgt Ion:252 Resp: 289727
Ion Ratio Lower Upper
252 100
253 23.8 24.7 37.1#
125 13.4 16.5 24.7#









#27
Indeno(1,2,3-cd)pyrene
Concen: 5.251 ng/ul
RT: 26.212 min Scan# 5758
Delta R.T. 0.010 min
Lab File: BM039811.D
Acq: 02 May 2023 20:31




Instrument :
BNA_M
ClientSampleId :
EW919DL


Tgt Ion:276 Resp: 214873
Ion Ratio Lower Upper
276 100
138 21.9 21.1 31.7
227 0.1 0.1 0.1#



#28
Dibenzo(a,h)anthracene
Concen: 1.660 ng/ul
RT: 26.212 min Scan# 5758
Delta R.T. -0.000 min
Lab File: BM039811.D
Acq: 02 May 2023 20:31

Tgt Ion:278 Resp: 52708
Ion Ratio Lower Upper
278 100
139 27.8 17.0 25.6#
279 31.8 23.4 35.2





#29
 Benzo(g,h,i)perylene
 Concen: 5.652 ng/ul
 RT: 26.967 min Scan# 5983
 Delta R.T. 0.020 min
 Lab File: BM039811.D
 Acq: 02 May 2023 20:31

Instrument :
 BNA_M
 ClientSampleId :
 EW919DL

Tgt Ion:276 Resp: 201533
 Ion Ratio Lower Upper
 276 100
 138 23.9 20.1 30.1
 277 25.0 20.1 30.1

